Review of applied entomology



SERIES B

MEDICAL AND VETERINARY



Commonwealth Institute of Entomology

56 Queen's Gate, London SW7 5JR

Director and Editor
R.G. Fennah, M.A., Sc.D.
Assistant Director
A.H. Parker, M.Sc., Ph.D.
Assistant Editor
J.M.B. Harley, B.Sc.

Identification Service

c/o British Museum (Natural History), Cromwell Road, London SW7 5BD, UK.

The Review of Applied Entomology (Series B Medical and Veterinary) is prepared by the Commonwealth Institute of Entomology, and published as a monthly journal by CAB.

Annual subscription rates

to subscribers in non-contributing countries to subscribers in contributing countries

£10.00 \$26.00 £ 4.00

Complete sets of back volumes are available.

Orders and enquiries concerning subscriptions and back numbers should be sent to:

CENTRAL SALES BRANCH, COMMONWEALTH AGRICULTURAL BUREAUX, FARNHAM ROYAL, SLOUGH SL2 3BN, UK.

Note: Secretaries of societies and editors of journals wishing to exchange their publications for those of the Institute are requested to communicate with the Director. Authors of papers on applied entomology, particularly those published in non-entomological journals, are invited to send reprints to the Director for notice in the Review.

Photocopies of abstracted papers can be supplied by the Institute at 7p per page by surface mail or 8p per page by 2nd class airmail. An application and copyright declaration form is printed on the inside back cover. This form (which may be copied) should be signed and returned to the Bureau.

© Commonwealth Agricultural Bureaux, 1973. All rights reserved. No part of this publication may be reproduced in any form or by any means, electronically, mechanically, by photocopying, recording or otherwise, without the prior permission of the copyright owner.

The Executive Council of the Commonwealth Agricultural Bureaux is a signatory to the Fair Copying Declaration, details of which can be obtained from The Royal Society, 6 Carlton House Terrace, London S.W.1.

The Commonwealth Agricultural Bureaux Organisation does not accept responsibility for any trade advertisement included in this publication.

REVIEW OF APPLIED ENTOMOLOGY

Series B - Medical and Veterinary

Volume 61



Prepared by

Commonwealth Institute of Entomology, London 1973

© Commonwealth Agricultural Bureaux 1974

All rights reserved. No part of this publication may be reproduced in any form or by any means, electronically, mechanically, by photocopying, recording or otherwise, without the prior permission of the copyright owner

The Executive Council of the Commonwealth Agricultural Bureaux is a signatory to the Fair Copying Declaration, details of which can be obtained from The Royal Society, 6 Carlton House Terrace, London, S.W.1

Published by

Commonwealth Agricultural Bureaux, Farnham House, Farnham Royal, SLOUGH SL2 3BN, UK

Printed by

Headley Brothers Ltd., The Invicta Press, Ashford, Kent, U.K.

CAB

The Commonwealth Agricultural Bureaux (CAB), a co-operative venture established by the Commonwealth, provides the only comprehensive information service for agricultural research workers. This is based on a series of 19 abstract journals which cover the whole range of agricultural science. These journals have a large, world-wide readership.

Other services provided by CAB include:

bibliographies, with or without annotations.

review articles.

publication of technical monographs, some of which are standard works.

answering enquiries arising from any aspect of agricultural science (charges being made where extensive research is required).

photocopies.

provision of identification services for entomologists, mycologists and helminthologists.

control of animal and plant pests by their natural enemies (i.e. biological control services)

The work of CAB is largely carried out through a number of Institutes and Bureaux, each dealing with a particular aspect of agricultural science. The abstract journals are produced using computer methods, and the whole data base, from the beginning of 1973 onwards, is in computer-readable form. Experimental tapes covering the field of animal health are already available; tapes for other subject areas will become so progressively.

Enquiries should be sent as follows, to the addresses listed below:-

- any aspect of agricultural science to the appropriate Institute or Bureau Director.
- the computerized system, magnetic tapes, or services arising therefrom to the Systems Manager, Farnham House,
- (iii) CAB publications to Central Sales Branch, Farnham House.
- (iv) general or administrative matters to the Secretary, Farnham House.

Liaison Officers in the member countries welcome comments, suggestions or enquiries on CAB services.

Institutes

Commonwealth Institute of Entomology, 56 Queen's Gate, London SW7 5JR

Commonwealth Institute of Helminthology, 9 Queen's Gate, Condon Sw/ 33R

Director: R.G. Fennah, ScD, MA, AlCTA, FIBiol.

Commonwealth Mycological Institute, Ferry Lane, Kew Richmond TW9 3AF

Director: A, Johnston, BSC, AlCTA, FIBiol.

Commonwealth Institute of Biological Control, Gordon Street, Curepe, Trinidad, West Indies

Director: F.J. Simmonds, MA, PhD, DSC, FRSA.

Commonwealth Institute of Helminthology, The White House, 103 St. Peter's Street, St. Albans, Herts.

Director: Sheila Willmott, PhD, FIBiol.

Bureaux

Agricultural Economics, Dartington House, Little Clarendon Street, Oxford OX1 2HH

Director: J.O. Jones, MA.

Director: J.O. Jones, MA.
Animal Breeding and Genetics, Animal Breeding Research Organization, The King's Buildings, West Mains Road, Edinburgh EH9 3JX
Director: J.D. Turton, BSc., MRCVS, DTVM.
Animal Health, Central Veterinary Laboratory, New Haw, Weybridge, Surrey
Director: M.R. Dhanda, LVP, MS, DipBact.
Dairy Science & Technology, National Institute for Research in Dairying, Shinfield, Reading RG2 9AT
Director: E.J. Mann, NDD, CDD.

Forestry, Commonwealth Forestry Institute, South Parks Road, Oxford OX1 3RD Director: P.G. Beak, MBE, MA.

Horitculture & Plantation Crops, East Malling Research Station, Nr. Maidstone, Kent. Director: G.E. Tidbury, BSc, ARCS, AICTA, FIBiol. Nutrition, Rowett Research Institute, Bucksburn, Aberdeen AB2 9SB.

Nutrition, Rowett Research Institute, Bucksburn, Aberdeen AB2 9SB.

Director: Miss D.L. Duncan, BSc, PhD.

Pastures & Field Crops, Hurley, Maidenhead SL6 SLR.

Director: P.J. Boyle, M.P.

Plant Breeding & Genetics, Department of Applied Biology, Downing Street, Cambridge CB2 3BX

Director: R.H. Richens, MA, PhD.

Solis, Rothamsted Experimental Station, Harpenden AL5 21Q

Director: W.D. Brind, BScAgt.

Hardenesters Control Sales Passels

Headquarters, Central Sales Branch and Systems Group

Farnham House, Farnham Royal, Slough SL2 3BN. UK

Secretary, CAB: E.A. Runacres

Systems Manager: G.A. Somerfield, MA. BSc. DPhil

Finance and organization

CAB's finance comes from the income from the sale of its journals and other services and from contributions made by each of the member countries, according to a formula agreed from time to time by those members.

The organization is controlled by an Executive Council composed of nominees of the various Commonwealth Governments, including one for the Dependent Territories. On the following pages is shown a list of the present members of the Executive Council, together with the names of the Liaison Officers, who form the primary link in the member countries.

EXECUTIVE COUNCIL

(as at 1 January, 1974)

| Member | | | | | | Representing |
|------------------------------|-----|-----|-----|-----|-----|-----------------------|
| R.D. CROLL (Chairman) | | | | | | Australia |
| T.N. TANDON (Vice-Chairman) | | | *** | *** | *** | India |
| G.M.P. MYERS. | | *** | *** | *** | | United Kingdom |
| J.W. GREENWOOD | *** | *** | *** | | *** | Canada |
| | | 111 | | *** | *** | |
| V. ARMSTRONG, PhD. | *** | *** | *** | *** | *** | New Zealand |
| P.M.D. FERNANDO | | *** | *** | *** | *** | Sri Lanka |
| Mrs. A.Y. AGGREY-ORLEANS | | *** | *** | *** | *** | Ghana |
| M. SANI | | *** | *** | *** | | Malaysia |
| U.K. BELLO | *** | *** | *** | *** | *** | Nigeria |
| (To be nominated) | / | *** | | | *** | Cyprus |
| H.E. THE HIGH COMMISSIONER | | | *** | *** | | Sierra Leone |
| (To be nominated) | | | | | | Tanzania |
| THE DEPUTY HIGH COMMISSIONER | *** | *** | *** | | | Jamaica |
| P. HEZEKIAH | *** | *** | *** | 1.1 | *** | Trinidad & Tobago |
| N.K. IRUMBA | | | | | | Uganda |
| H.E. THE HIGH COMMISSIONER | | | | | | Kenya |
| M.V. PHIRI | | | | | | Malawi |
| (To be nominated) | | | | | | Zambia |
| B.A. BALDEH | | | | | | The Gambia |
| R.E. CHANDISINGH | | | | | | Guyana |
| H.E. THE HIGH COMMISSIONER | | | | | | Botswana |
| THE DEPUTY HIGH COMMISSIONER | | | | | | Barbados |
| B. APPADOO | | | | | | Mauritius |
| R.M. MOTSA | | | | | | Swaziland |
| K.R. BAIN | | | | | | Fiji |
| D.M. KITCHING | *** | *** | *** | *** | | Dependent Territories |
| D.M. KITCHING | *** | | *** | *** | | Dependent Territories |
| | | | | | | |

| B.A. BALDEH | | | *** | | | | The Gambia | | |
|-----------------------------------|---|-------------|-------|--|--|--|--|--|--|
| R.E. CHANDISII | NGH | | | | *** | | Guyana | | |
| H.E. THE HIGH | COMMISSIONER | | | | *** | *** | Botswana | | |
| THE DEPUTY H | IGH COMMISSIONER | *** | | | *** | | Barbados | | |
| B. APPADOO | | | | | | *** | Mauritius | | |
| R.M. MOTSA | | *** | | | | | Swaziland | | |
| K.R. BAIN | | *** | *** | | | *** | Fiji | | |
| D.M. KITCHING | | | *** | | | | Dependent Territories | | |
| D.G. THOM | AS, Secretary, Common | wealth | Scien | tific (| Commi | ttee (O | bserver) | | |
| E.A. RUNA | *** | *** | | *** | | Farnham Royal, Slough, SL2 3BN | | | |
| | LIAIS | SON (| OFFI | CER | S | | | | |
| Contributing country | Liaison Officer | | | | Addre | ·S.5 | | | |
| United Kingdom | Under Secretary | | | Agricultural Research Council, 160, Great Portland Street, London WIN 6DT | | | | | |
| Canada | G.M. Carman, BSA, MS | , MSc, PhD. | | | Director, Information Division, Administration Branch, Canada Department of Agriculture, 1105, Sir John Carling Building, Ottawa, Ontario, K1A 0C7 | | | | |
| Australia | P.F. Butler, MAgrSc. | | | Assistant Secretary, (Agricultural & Biological Sciences) Commonwealth Scientific and Industrial Research Organization, PO Box 225, Dickson, A.C.T.2602. | | | | | |
| New Zealand | I.L. Baumgart, BA, BSc | | | | Depar | tment o | ector-General, of Scientific and search, Wellington. | | |
| India | M.S. Swaminathan, BSc, BScAgr, PhD, AIARI, FNI | | | | Director-General, Indian Council of Agricultural Research, Krishi Bhavan, New Delhi 1. | | | | |
| Sri Lanka J.W.L. Peiris, PhD, DIC | | | gr. | | Centra | al Agric | etor of Agriculture (Research) ultural Research Institute, Peradeniya. | | |
| Ghana | General Secretary | tary | | | | Council for Scientific and Industrial Reserved Box M.32, Accra | | | |

Malaysia Permanent Secretary Ministry of Agriculture and Co-operatives, Swettenham Road, Kuala Lumpur. Secretary Agricultural Research Council of Nigeria, Nigeria Private Mail Bag 5382, Moor Plantation, Ibadan. Cyprus R. Chr. Michaelides, Director-General, BScAgr, NDA, DipAgrEc. Ministry of Agriculture and Natural Resources, Nicosia. Sierra Leone Research Co-ordinator Njala University College, Niala. PO Box 9071, Tanzania Director of Agriculture Dar-es-Salaam. Technical Officer, Jamaica L.E. McLaren, BSc, MRCVS, PhD, MIBiol. Ministry of Agriculture, PO Box 480, Kingston 6. Ministry of Agriculture, Lands and Fisheries, St. Clair Circle, Port-of-Spain, Trinidad. Trinidad & Chief Technical Officer (Agriculture) Tobago Ministry of Agriculture, Forestry and Uganda Commissioner of Agriculture Co-operatives, Department of Agriculture, PO Box 2, Entebbe. Under Secretary Ministry of Agriculture, Kenya PO Box 30028, Nairobi. Malawi P. Brown, BA, DTA. Chief Agricultural Research Officer, Ministry of Agriculture, PO Box 303, Zomba. Zambia Permanent Secretary Ministry of Rural Development, PO Box RW.197, Lusaka. L.J. Marenah, BScAgr, PhD, Director of Agriculture, Department of Agriculture, The Gambia DipAgr, DTA. Cape St. Mary. Principal Agricultural Officer (Research) Guyana H.A.D. Chesney Ministry of Agriculture and Natural Resources. Central Agricultural Station, Mon Repos, East Coast Demerara. Ministry of Agriculture, Botswana The Permanent Secretary Private Bag 3, Gaborone Ministry of Agriculture, Commerce, Science and Technology, Barbados Chief Agricultural Officer Crumpton Street, Bridgetown. Mauritius B.D. Roy Chief Agricultural Officer, Agricultural Services, Reduit. Swaziland O.Z. Dhlamini Under Secretary, Office of Permanent Secretary, Ministry of Agriculture, PO Box 162, Mbabane. Fiji Secretary Agriculture, Fisheries and Forests, Suva. Dependent A.R. Melville, CMG, BSc, AICTA Agricultural Adviser, Overseas Development Administration, Eland House, Stag Place, London, SW1E 5DH Territories Republic of J.C. Doherty, BL. Assistant Principal Officer, Department of Agriculture and Fisheries (Development Division), Upper Merrion Street, Dublin 2.

Commonwealth Institute of Entomology

56 Queen's Gate, London SW7 5JR

Director and Editor
R.G. Fennah, M.A., Sc.D.
Assistant Director
A.H. Parker, M.Sc., Ph.D.
Assistant Editor
J.M.B. Harley, B.Sc.

Identification Service

c/o British Museum (Natural History), Cromwell Road, London SW7 5BD, UK.

The following journals are prepared by the Commonwealth Institute of Entomology, and published by ${\rm CAB\colon\!-}$

| | Ra Subsc non-con cou | Rates to Subscribers in contributing countries | |
|--|-------------------------------|---|-------|
| Title | £ | \$.U.S. | £ |
| Review of Applied Entomology (Monthly | | | |
| Series A-Agricultural | 26.00 | 67.50 | 10.00 |
| Series B-Medical and Veterinary | 10.00 | 26.00 | 4.00 |
| Bulletin of Entomological Research (Quarterly) | 10.00 | 26.00 | 7.00 |

REVIEW OF APPLIED ENTOMOLOGY Series B Volume 61

| Conten | Pa | rts | 1-6 | | | | | | |
|-------------------------|--------|------|------|----|-------|-----|-----|-----|-----|
| ABSTRACTS | | | | | | | | | |
| | | | 7216 | 1 | 47 | 89 | 145 | 203 | 259 |
| 13/1/203/47/ | | | | 5 | 48 | 89 | 145 | 203 | 259 |
| GROWTH AND DEVELOP | | | | 6 | | 89 | | 203 | 259 |
| PHYSIOLOGY AND BIOC | HEM | ISTR | Υ | 6 | 48 | 90 | 145 | 203 | 260 |
| GENETICS | | | | 14 | 49 | 95 | 148 | 204 | 263 |
| ECOLOGY AND BEHAVIO | OUR | | | 16 | 50 | 95 | 148 | 204 | 263 |
| ana an i nivii | | | 1 | 26 | 52 | 99 | 150 | 206 | 263 |
| TECHNIQUES AND APPA | RAT | US | | 26 | 52 | 99 | 150 | 206 | 263 |
| ARTHROPODS OF MEDIC | | | | | | | | | |
| VETERINARY IMPORT | TANO | CE | | 29 | 52 | 101 | 150 | 208 | 265 |
| Blattaria | | *** | | 29 | 53 | 101 | 151 | 209 | 266 |
| 16.11. 1 | | | | | _ | | 152 | 209 | 268 |
| A 1 | | | | 29 | / | 103 | 152 | 11- | 268 |
| YY . | | | | 30 | 54 | 104 | 153 | 210 | 268 |
| D. Janett Jan | 14/1 | | | 30 | 54 | 104 | 153 | 210 | 269 |
| Cint day | | | | | | 105 | 154 | 211 | 269 |
| Other II and but | | | | | _ | 124 | 154 | _ | _ |
| 0:1 | | | | 30 | 56 | 105 | 155 | 212 | 269 |
| D: 4 | | | | 30 | 57 | 107 | 157 | 213 | 270 |
| 0.11.11 | | | | 30 | 57 | 107 | 157 | 213 | 270 |
| | | | | 32 | 67 | 120 | 170 | 232 | 285 |
| D1 1 1 1 1 1 1 | | | | 32 | 68 | 121 | 171 | 232 | 287 |
| Simuliidae | | | | 32 | 69 | 121 | 174 | 233 | 288 |
| 011 | | | | 32 | 70 | 123 | 178 | 235 | 289 |
| Oestridae, Gasteroph | ilidae | , | | | | | | | |
| Cuterebridae | | | | 33 | 73 | 123 | 179 | 237 | 291 |
| Other Diptera | | | | 34 | 73 | 124 | 180 | 238 | 292 |
| Other insect orders | | | | 34 | 78 | 131 | 187 | 243 | 302 |
| Acari | | | | 35 | 79 | 132 | 188 | 244 | 303 |
| Ticks (Ixodoidea) | | | | 35 | 79 | 132 | 188 | 244 | 303 |
| Mites (other Acari) | | | | 36 | 83 | 135 | 194 | 248 | 306 |
| Other Arachnida | | | | _ | 83 | 138 | | 250 | 306 |
| Other Arthropod classes | | | *** | _ | _ | 4_ | - | _ | - |
| DISEASES AND DISORDE | ERS | | | 37 | 84 | 138 | 197 | 251 | 306 |
| PROTECTION AGAINST | | | | | | | | | |
| ARTHROPODS AND U | | | | | | | | | |
| ARTHROPODS FOR BI | OLO | GIC | | | | | | | |
| | | | | 41 | 84 | 141 | 197 | 251 | 307 |
| CHEMICALS AND DRUGS | S | | | 44 | - | - | 200 | - | 308 |
| ORGANISATIONS AND | | | | 4 | | | | | |
| COMMUNICATION | • • • | | | 45 | - 111 | 144 | 202 | 256 | 308 |

| ABSTRACTS | | | | | | | | |
|--|-------|---------|-----|-----|------|-----|------|-----|
| | | | 211 | 205 | 162 | 549 | 615 | 662 |
| ANATOMY | | ••• | 311 | 385 | 463 | | 615 | 663 |
| GROWTH AND DEVELOPM | | | 313 | 386 | 463 | 549 | | |
| PHYSIOLOGY AND BIOCH | | | 313 | 206 | 463 | 549 | 615 | 663 |
| CENTERIOS | | | 314 | 386 | 464 | 549 | 615 | 664 |
| ECOLOGY AND BEHAVIO | | ••• | 323 | 388 | 464 | 550 | 616 | - |
| | | | 323 | 388 | 464 | 550 | 616 | 664 |
| | | 46. | 325 | 390 | 464 | 551 | 617 | 665 |
| TECHNIQUES AND APPAR | 1. | | 325 | 390 | 464 | 551 | 617 | 665 |
| ARTHROPODS OF MEDICA VETERINARY IMPORTA | | | 221 | 200 | 1.55 | 550 | (10 | ((+ |
| DI C. I | | | 326 | 390 | 465 | 552 | 617 | 665 |
| Blattaria | *** | *** | 328 | 391 | 472 | 559 | 618 | 666 |
| Mallophaga | *** | *** | 329 | 393 | 475 | 560 | 619 | - |
| Anoplura | *** | | 329 | 394 | 476 | 561 | 620 | 667 |
| Hemiptera | *** | | 330 | 395 | 476 | 561 | 620 | 667 |
| Reduviidae | | | 330 | 395 | 476 | 561 | 620 | 667 |
| Cimicidae | | | 335 | 398 | 479 | _ | - | - |
| Other Hemiptera | | *** | - | 399 | - | | - | |
| Siphonaptera | *** | • • • • | 335 | 399 | 479 | _ | 621 | 668 |
| Diptera | *** | | 336 | 401 | 480 | 564 | 621 | 669 |
| Culicidae | | | 340 | 401 | 480 | 565 | 621 | 669 |
| Ceratopogonidae | | | 355 | 427 | 504 | 582 | 639 | - |
| Phlebotomidae | | | 356 | 429 | 504 | 583 | 641 | 689 |
| Simuliidae | | | 360 | 429 | 505 | 584 | 642 | 689 |
| Glossinidae | *** | | 361 | 432 | 507 | 585 | 643 | 690 |
| Oestridae, Gasterophili | idae, | | | | | | | |
| Cuterebridae | *** | | 363 | 435 | 514 | 588 | 644 | 692 |
| Other Diptera | | *** | 364 | 436 | 515 | 590 | 645 | 692 |
| Other insect orders | *** | | | 445 | 526 | 599 | 652 | 699 |
| Acari | | | 369 | 447 | 527 | 601 | 654 | 700 |
| Ticks (Ixodoidea) | | | 369 | 447 | 527 | 601 | 654 | 700 |
| Mites (other Acari) | *** | | 374 | 451 | 538 | 606 | 658 | 704 |
| Other Arachnida | | *** | 375 | 454 | 543 | 609 | 659 | 705 |
| Other Arthropod classes | | | | - | | | - | |
| DISEASES AND DISORDER | RS | | 375 | 454 | 543 | 610 | 659 | 706 |
| PROTECTION AGAINST | | | | | | | | |
| ARTHROPODS AND US | E OF | | | | | | | |
| ARTHROPODS FOR BIO | LOGI | CAL | | | | | | |
| CONTROL | | | 377 | 455 | 545 | 611 | 660 | 706 |
| CHEMICALS AND DRUGS | | | 378 | 459 | 545 | 611 | 661 | 706 |
| ORGANISATIONS AND | | | | | | | | |
| COMMUNICATION | | | 379 | 461 | 547 | 613 | 66.1 | 708 |
| AUTHOR INDEX | *** | *** | 709 | | | | | |
| NOTES ON SUBJECT INDEX | | | 734 | | | | | |
| SUBJECT INDEX | *** | | 735 | | | | | |
| | | | | | | | | |

ERRATA

(lines are counted from the beginning of the bibliographic data in each item.)

Volume 61

| Page | Abstract | Line | |
|------------------|------------|-------|--|
| 2 | 7 | 8 | for 'subrihinolethrum' read 'subrhinolethrum' |
| 2 2 3 5 | 7 | 9 | for 'erecca' read 'crecca' |
| 3 | 10 | 4 | for 'Wohlfartia' read 'Wohlfahrtia' |
| 5 | 19 | 7 | for 'Theobaldia (C.)' read 'C.' |
| 13 | 51 | 7 | for 'terranenovae' read 'terraenovae' |
| 17 | 64 | 9 | for 'Latr.' read 'L.' |
| 22 | 84 | 17 | for 'I.' read 'A.' |
| 23 | 85 | 13 | for 'Haemaphy salis otophila Schulze' read |
| 23 | 0.5 | 1.0 | 'Haemaphysalis parva Neum. (otophila Schulze)' |
| 23 | 85 | 18,21 | for 'otophila' read 'parva' |
| 23 | 87 | 16 | for 'Lyn.' read 'Macq.' |
| 27 | 100 | 6 | for 'P. Schr.' read 'Schulze' |
| 31 | 119 | 7 | for 'Brigia' read 'Brugia' |
| 34 | 130 | 6 | for 'pounds' read 'ponds'. |
| 36 | 138 | 6 | for '(Redi)' read '(Deg.)' |
| 46 | 170 | 8 | for 'P. Sch.' read 'Schulze' |
| 47 | 171 | 14 | for 'Stephens' read '(Walck. & Gerv.)' |
| 48 | 173 | 13 | for 'B.' read 'E.' |
| 48 | 173 | 14 | insert 'liby cus' before 'erythrourus' |
| 48 | 174 | 6 | insert '(L.)' after 'australis' |
| 58 | 210 | 2 | for 'Saban' read 'Sabah' |
| 60 | 215 | 5 | insert 'of' after 'trial' |
| 67 | 236 | 10 | for 'Similis group' read 'similis group' |
| 69 | 244 | 21 | for 'griseicollis' read 'griseicolle' |
| 70 | 246 | 7 | for 'G. M.' read 'G. m.' |
| 78 | 276 | í | for 'Stomoxinae' read 'Stomoxyinae' |
| 85 | 301 | 7 | for 'Ornithodoros (Alectorobius) tholozani papillipes |
| 0.5 | 501 | , | (Birula)' read 'Ornithodoros tholozani (Lab. & |
| | | | Mégn.) (Alectorobius tholozani papillipes |
| | | | (Bir.))' |
| 85 | 301 | 16 | delete 'papillipes' |
| 91 | 314 | 8-9 | for 'a compound given as benzophosphate' read |
| 21 | 214 | 0-7 | |
| 117 | 400 | 8 | 'phosalone (benzophosphate)' |
| 11/ | 400 | 0 | for '-2,4-2,4-dodecadienoate' read '-2,4-dode- cadienoate' |
| 129 | 441 | 13 | |
| 139 | 480 | 9 | for 'naphtyhl' read 'naphthyl' |
| 147 | 505 | 5 | insert 'libycus' before 'erythrourus' |
| 155 | 532 | 19 | for 'paraoxom' read 'paraoxon' |
| 168 | 576 | 3 | for 'Nosopsylla' read 'Nosopsyllus' |
| 169 | 579 | 9 | for 'Ephidemiology' read 'Epidemiology' delete 'were' at end of line |
| 173 | 590 | 6 | for 'series of' read 'series on' |
| 192 | 658 | 11 | |
| 192 | | 3 | for 'parya' read 'parva' insert '189-197' after '41' |
| 205 | 688 704 | 6 | |
| | | | for 'CF' read 'cf.' |
| 206 | 708 | 1 | for 'Fifty-eigth' read 'Fifty-eighth' |
| 221 | 763 | 4 | for 'taeniorhynchus' read 'taeniorhynchus' |
| 223 | 769 783 | 12 | for '- were carried' read '- were carried out' for '- or control certain -' read 'or control of |
| 226 | 782 | 6 | certain –' |
| | | | Cortain |

| Page | Abstract | Line | |
|------------|------------|----------|--|
| 227 | 785 | 13 | for 'LC50'S AND LC90'S' read 'LC50's and |
| | 50 | 1.0 | LC90's' for 'africans' read 'africanus' |
| 228 | 786 | 19 21 | for 'simposoni' read 'simpsoni' |
| 228 | 786 | 18 | for 'hexandiol' read 'hexanediol' |
| 229 | 788 | 8 | for 'cf' read 'cf.' |
| 233 | 802 805 | 14 | for 'CF" read 'cf.' |
| 234 | 862 | 12 | for 'with' read 'within' |
| 250 | 924 | 10 | for 'falvidus' read 'flavidus' |
| 264 | 945 | 2 | for 'Blatella' read 'Blattella' |
| 267 268 | 948 | 7 | for 'UC-10845' read 'UC-10854' |
| 270 | 954 | 12 | for 'tesselatus' read 'tessellatus' |
| 270 | 954 | 18-19 | for 'to the known and potential' read 'vectors |
| 210 | 754 | 10-17 | present [' |
| 270 | 956 | 1 | for 'pipens' read 'pipiens' |
| 270 | 956 | 3 | for 'pipens' read 'pipiens' |
| 272 | 958 | 5 | insert 'larvae' after 'on' |
| 272 | 958 | 11 | for 'emergence, In' read 'tests at each |
| 212 | 750 | 1.1 | concentration, adult emergence was |
| | | | prevented only at 10' |
| 272 | 958 | 18 | for 'at rates of 8 or 12 ml/m ² ' read 'and moved |
| 20 7 20 | ,,,, | | 15 min later' |
| 273 | 958 | 23-24 | for 'that would be necessary' read 'litres/ |
| | | | ha of water surface' |
| 280 | 982 | 6 | for 'tetramethyl' read 'tetramethyl' |
| 282 | 989 | 1 | insert '[pipiens]' after '(Culex)' |
| 292 | 1023 | 14: | for 'inthe laboraory' read 'in the laboratory' |
| 293 | 1026 | 8 | for 'inthe laboraory' read 'in the laboratory' for '107' read '107' |
| 295 | 1030 | 11 | for '150' read '150' |
| 298 | 1042 | 6 | for 'Further studies on the' read 'The' |
| 302 | 1053 | 6 | insert 'furfuryl' after '(2-propynyl)' |
| 302 | 1055 | 6 | delete 'oesophageal' |
| 304 | 1062 | 5 | for '[Mycobacterium bovis]' read |
| | | | '[Mycobacterium bovis]' |
| 307 | 1073 | 12 | for 'kb' read 'kg' |
| 308 | 1076 | 2 | for 'Effets' read 'Effects' |
| 311 | 1079 | 19 | for 'Anopheles atroparvus Van Thiel' read |
| | | | 'Anopheles labranchiae atroparvus Van Thiel |
| 212 | 1001 | - | (A. atroparvus)' |
| 312 312 | 1081 | 7 | for 'Simulium' read 'Simulium' |
| 312 | 1082 | 8 | for 'S. (Wilhelmia) equinum mediterraneum Puri' |
| | | | read 'S. mediterraneum Puri (Wilhelmia |
| 312 | 1083 | 10 | equinum mediterraneum)' |
| 315 | 1089 | 7 | for 'II, humidiana' read 'IIacmaphysalis numidiana' for 'm' read 'M' |
| 324 | 1125 | 17 | for 'rubicundus' read 'rubicundus' |
| 325 | 1129 | 9 | for 'Mycobakterium tuberculosis hovis' read |
| 020 | | | 'Mycobacterium bovis (tuberculosis bovis)' |
| 325 | 1129 | 18 | delete 'tuberculosis' before 'bovis' |
| 331 | 1154 | 22 | for 'Early' read 'Early elimination of populations |
| | | | of T. infestans' |
| 353 | 1234 | 5 | for 'Enlarged tergum' read 'Enlarged tergum' |
| 358 | 1252 | 12 | for 'duboscqui' read 'duboscqi' |
| 365 | 1275 | 10 | for '(0,0,0',0'-' read '(0,0,0',0'-' |
| 365 | 1275 | 11 | for '0,0'-thiodi-pphenylene' read '0.0' -thiodi- |
| | | | p-phenylene' |
| 366 | 1278 | 12 | for 'into which the mixtures were injected' read |
| | | | 'placed in the water' |
| | | | |

| Page | Abstract | Line | |
|------|----------|-------|---|
| 377 | 1314 | 2 | for 'cesticillus' read 'cesticillus' |
| 386 | 1357 | 2 | for '[vicina' read '[vicina' |
| 399 | 1400 | 12 | for 'brevis (Wlk.)' read '(brevis Wlk.))' |
| 402 | 1410 | 24 | for 'resevoirs' read 'reservoirs' |
| 403 | 1414 | 4 | for '[dvari (Coq.)]' read '(Ludl.)' |
| 403 | 1414 | 5 | for '(Theo.)' read '[dyari (Coq.)]' |
| 407 | 1433 | 14 | for 'Gabaldon and' read 'Gabaldon and' |
| 408 | 1434 | 6 | for 'meitotic' read 'meiotic' |
| 428 | 1503 | 13 | insert 'to' after 'Culicoides' |
| 434 | 1523 | 11 | insert 'infection rates' after 'showed that' |
| 436 | 1534 | 9 | for '0.156%' read '0.0156%' |
| 452 | 1585 | 17 | for 'Leptotromidium' read 'Leptotrombidium' |
| 456 | 1599 | 21 | insert 'end' after 'at one' |
| 456 | 1599 | 24-25 | for 'standing at one end of the' read 'for 10 |
| | | | or 15 min. One' |
| 457 | 1600 | 21-22 | delete '2.25% pyrethrum extract (20%), 2.7% |
| | | | Tropital (piperonyl-bis-(2-(2'-n-butoxyethoxy) |
| | | | ethyl)acetal)' |
| 465 | 1623 | 2 | for 'Orithodoros' read 'Ornithodoros' |
| 467 | 1644 | 1 | for 'Diperta' read 'Diptera' |
| 477 | 1715 | 11 | for 'T. pallidipennis (Stål)' read 'T. phyllosoma |
| | | | pallidipennis (Stål) (T. pallidipennis)' |
| 483 | 1739 | 15 | for 'tolylglyoxylonitril' read 'tolylglyoxylonitrile' |
| 489 | 1762 | 2 | for 'mysorensis:' read 'mysorensis:' |
| 522 | 1887 | 15 | for 'lack attraction' read 'lack of attraction' |
| 528 | 1911 | 13 | for 'decansic' read 'decanoic' |
| 546 | 1984 | 16 | insert 'and' before 'when' |
| 591 | 2171 | 5 | insert 'chlordimeform' after 'Neither' |
| 602 | 2205 | 10-11 | delete 'of straight-chain compounds and in general |
| | | | was less for a branched chain compound of the |
| | | | same molecular weight' |
| 606 | 2220 | 10 | insert 'than was formerly the case, and only |
| | | | Pyroglyphids can survive. When temperature' |
| 640 | 2246 | | after 'lower' |
| 648 | 2368 | 8 | insert 'less' after '23°C,' |
| 667 | 2444 | 13/14 | for 'Rhodnius neglectus' read 'Rhodnius neglectus' |
| 668 | 2445 | 3 | for '(Guerlinguetus)' read '(Guerlinguetus)' |
| 690 | 2522 | 8 | for 'erythrocephalum' read 'erythrocephalum' |
| | | | |



AUTHOR INDEX

Weekly Epidemiological Record 772 Weekly Epidemiological Record 1793 Abdel-Malek, A. A. 463, 791, 1470 Abdillahi, M. 1830 Abdulcader, M. H. M. 383, 575, 964 Abdulkhasanov, A. A. 330 Abdullaev, U. 934 Abdullah, M. 490 Abe, Y. 2099 Abonnenc, E. 114, 1247, 1252, 1253 Aboul-Nasr, A. E. 652, 1397, 1398, 1399 Aboulker, J. P. 1254 -Abramov, I. V. 1930, 2043 Abul-hab, J. 1006 Abusalimov, N. S. 1621 Áč, P. 135, 664 Achuthan, R. C. 113 Ackermann, H. 1605 Ackermann, R. 1798 Adam, K. M. G. 1831 Adames, A. J. 1751 Adamovich, V. L. 356 Adams, C. T. 974 Adams, G. M. 1005 Adams, J. F. 2112 Adams, T. S. 1882, 1888 Adkins, T. R. 1258, 1622 Adkins, T. R., Jr. 1544 Admirant, J. den 1607 Adylov, M. A. 155 Aeschlimann, A. 1059, 1574, 1623 Afanas'eva, O. V. 1401 Afonso, M. M. 1261 Agabalov, G. P. 1062, 1129 Agarwal, M. K. 2415 Agbayani, B. F. 2514 Agosin, M. 2245 Agricultural Research Service, Entomology Research Division 1379 Ah. H. S. 1763 Ahmad, S. 177 Ahmed, S. H. 791 Ahmed, W. 1075 Aĭkimbaev, M. A. Ain, G. 574

Akademiya Nauk Turkmenskoĭ SSR, Ordena Trudovogo Krasnogo Znameni Institut Zoologii 537 Akesson, N. B. 743, 1183 Akhundov, M. G. 173 Akkawi, M. M. El- 2315 Akov, S. 2294, 2586 Aksenova, A. S. 1365 Al-Mezaini, S. 136 Al-Rubae, A. Y. 1283 Al-Uthman, H. S. 634 Alaniya, I. I. 75, 2025 Albanese, M. 653, 2103 Albert, J. P. 895 Albuquerque, R. D. R. 1158, 1159 Alekseev, A. N. 335, 1624, 2253, 2254, 2566 Alfaro, M. 2346 Ali, S. R. 975, 2123 Alieva, S. M. 1961 Alifanov, V. I. 2057 Allan, G. G. 324 Allan, W. C. 1077 Allison, V. F. 451 Allsopp, R. 1518, 1522, 1525 Almeida, F. B. 1223, 1721 Alvarez, C. G. 1041 Alvarez, J. E. 2216 Alwar, V. S. 1571, 1963 Amaral, A. D. F. 528 Amarista, J. R. 967 Amin, O. M. 939 Amirkhanian, J. D. 67, 2104 Amoroso, E. C. 1113 Amyx, C. M. 1599 Anderson, C. 380, 420 Anderson, C. R. 281 Anderson, D. 1808, 2323 Anderson, D. W. 1869 Anderson, E. 2271 Anderson, J. F. 2167 Anderson, J. R. 443 Anderson, M. 1835 Anikeev, I. K. 329 Anikyavichus, V. B. 483 Anisimova, K. T. 2165 Anisin, S. D. 178 Anthony, D. W. 1980, 2292, 2300, 2542 Anufrieva, V. N. 313, 1625 Aplin, R. 2391 Apperson, C. S. 186, 1995

Aradi, M. P. 2544 Arafa, M. S. 1170, 1725 Aragão, M. B. 1163, 1395 Ardeeva, T. Ya. 312 Arevad, K. 1626 Arfaa, F. 839 Ari, A. 1292 Ariaratnam, V. 233, 2511 Arias, J. R. 757, 2492 Aristova, V. A. 1683 Armstrong, R. L. 1736 Arnaud, P. H., Jr. 2147 Arnaudov, D. 663 Arrieta, A. Perez 2394 Artem'ev, M. M. 77, 78, 309, 1368 Artemov, P. V. 1035 Artyukhina, I. N. 179, 343, 1693 Arumova, E. A. 1297 Arzamasov, I. T. 1627 Asanuma, K. 1342, 1343, 1345, 1346, 1347 Ash, N. 1541 Ashford, R. W. 1010 Ashkar, T. S. 1521 Ashman, D. M. 2409 Asman, M. 403 Ašmera, J. 1058 Aspöck, H. 221, 1628, 1894, 2538 Atchley, W. R. 5 Atef, M. 1943 Atkins, E. L. 1076 Atkinson, P. W. 517 Atmosoedjono, S. 398 Atwood, C. E. 399 Audy, J. R. 2423 Austin, J. R. 2122 Australia, Commonwealth Scientific and Industrial Research Organization 2435 Autran, P. 1587 Avakov, S. M. 1083 Avakyan, A. A. 1629, 1630 Avasthi, B. L. 1924 Avdeeva, E. V. 2254 Avellini, G. 681, 682 Avetisyan, G. A. 2025 Avivi, A. 2502 Avsatthi, B. L. 1581 Awasthi, V. B. 1800 Axelrod, H. 2547 Axenova, A. S. 1625

Axtell, R. C. 22, 444, 456, 823, 1039, 1084, 1869, 1887, 2571, 2572
Ayabakan, Ş. 1020
Ayala, S. C. 2344
Azad, A. Farhang- 202, 1169
Azevedo, J. F. de 1016, 1017 1122 1261, 1676

Azizov, N. 64, 91, 1369 Azurin, J. C. 392 Azzone, J. 1742 Babayants, G. A. 325, Babenko, L. V. 1632 Babich, V. V. 147 Babu, S. 2580 Bădescu, C. 2190, 2215 Baerg, D. C. 2480 Bafort, J. M. 573 Bagdasaryan, A. B. Bahadur, R. Raj- 622 Bahga, H. S. 164 Bahrami, S. 963 Bai, M. K. 1404 Bailey, C. H. 1975 Bailey, C. L. 209 Bailey, D. L. 2184, 2366 Bailey, S. F. 2479, 2480 Bailly-Choumara, H. 420, 582, 1245, 1253 Bain, O. 1177, 1485, 1752 Baisas, F. E. 774 Baker, B. E. 887 Baker, K. P. 1724, 1972 Baker, R. H. 994, 995, 998, 1483, 2131 Baker, W. W. 655 Bakry, N. M. 1563, 1564 Balabushevich, M. I. 341 Balan, N. K. 51 Balashov, Yu. S. 61, 646, 938, 1633, 2400 Balay, G. 2070 Balazs, D. 1329, 1330, 1376, 1377, 1534, 2261, 2262, 2264 Baldry, D. A. T. 249, 1518, 1519, 1523, 1524, Balducci, M. 2217 Baldwin, K. F. 386, 974 Baldwin, W. F. 120, 806, Bales, G. L. 381 Ball, H. J. 268 Ballarini, G. 1965 Balogun, R. A. 940 Balsbaugh, E. U., Jr. 1284

Bandin, A. I. 83 Banegas, A. D. 2358 Banerhee, K. 115 Bang, Y. H. 215, 1185, 1499 Banks, W. A. 1148 Bänziger, H. 837 Bar-Zeev, M. 203, 1911 Barannikov, V. D. 1934 Baranov, N. 419 Barata, J. M. S. 2116 Barathe, J. 1766 Barbosa, P. Barker, I. K. 129 Barker, P. S. 1304 Barker, R. W. 458, 2563 Barlow, J. S. 168, 513 Barmina, L. N. 157 Barnard, J. H. 2389 Barnes, A. M. 362 Barnes, J. M. 1200 Barnes, W. W. 543 961 Barnett, J. A. Barnett, S. F. 1922 Barr, A. R. 1234 Barr, S. E. 2388, 2392 Barreto, P. 2094 Barretto, M. P. 199, 200, 1158, 1159, 1160, 1161, 2444, 2445 Basch, K. J. 1789 Basio, R. G. 954 Bass, J. A. B. 2348 Bassal, T. T. M. 290, 652, 2219 Bassey, N. M. 940 Bast, T. 578 Bast, T. F. 1309, 2517 Batista, E. 1128 Batte, E. G. 1694 Batth, S. S. 437, 1994 Battle, F. V. 237 Bauch, R. J. 1298 Baumgartner, H. 1828 Bay, E. C. 214 Beadles, M. L. 2205 Beardlsey, D. W. 817 Beatson, S. H. 838, 951, Beattie, G. A. C. 830 Beaucournu, J. C. 1168 Beaucournu-Saguez, F. 1244 Beausoleil, E. G. 2282 Beavers, J. B. 1286 Beber, L. 612 Beckmann, K. Becla, E. 1572 Beesley, W. N. 506, 1116, 1634, 1983 Behymer, D. E. 662 Beĭ-Bienko, G. Ya. 835

Beletskaya, G. V. 332 Bellamy, R. E. 771 Bello, T. R. 1268 Belonosov, V. M. 2221 Belozerov, V. N. 889, 2399 Bel'skaya, G. S. 1083 Belton, P. 771 Belyaev, A. E. 1368 Belyaeva, N. S. 1635 Belyantseva, G. I. 158 Ben-Dov, Y. 1747 Ben Hannine, S. 2020 Ben Osman, F. 592 Benach, J. L. 1309, 1415, 1742 Benintendi, R. 2239 Benmansour, N. 2503 Bennett, G. F. 1023 Bennettová-Řežábová, B. 2533 Benschoter, C. A. 195 Beran, G. W. 1885 Berdyev, A. 1127, 1636, 2065, 2402 Berezin, V. G. 307 Berg, C. O. 635, 1866 Berger, H. 1605 Bergman, P. W. 1803 Bergold, G. H. 1597, 1637 Berlie, M. A. F. 2220 Bernard, M. R. 420 Bernardini, F. 583 Berndt, K. P. 1566 Bernton, H. S. 2202, 2390 Beroza, M. 642, 1286, Berridge, M. J. 2194, 2540, 2541 Berry, R. A. 1421, 1422, 1737, 1744 Bertke, E. M. 2413 Bertram, D. S. 1638 Beskina, S. R. 25 Bespalova, N. V. 155, 1639 Bettini, S. 50, 583, 865, 866, 941, 2340, 2579 Beukers, R. 1607 Bevill, V. D. 105 Bhalla, S. C. 405, 997, Bhamburkar, B. L. 347 Bhaskaran, G. 2365, 2427 Bhat, U. K. M. 1230 Bhati, P. N. 115 Bhatnagar, J. K. 1373 Bhatnager, P. L. 2415 Bhattacharya, N. C. 1768 Bianchi Bullini, A. P. 563, 2096, 2310, 2311 Bianchi, U. 2509 Biasi, P. de 1772 Bibard, G. 1606 Bibikova, V. A. 335, 2253, 2446 Bickley, W. E. 797, 1767, 2506 Bidlingmayer, W. L. 763 Bieber, L. L. 167, 1531, 2552 Biggemann, U. 1592 Biliotti, E. 868 Biliotti, G. 1589, 1590 Billing, K. J. C. 1836 Binnington, K. C. 1575, 2405 Bird, R. G. 212 Birt, L. M. 259, 906, 909 Bisley, G. G. 1267 Biswas, H. 1565 Blaakmeer, P. T. 2246 Black, H. R. 1768 Bladé, J. 863 Blagodarnyĭ, Ya. A. 1062 Blahutiak, A. 1313, 1314 Blanton, F. S. 1041 Blažek, K. 470 Bleiner, G. 2311 Blevins, R. D. 408 Blewett, D. A. 2210 Blum, M. S. 2556 Blume, R. R. 449 Boctor, F. N. 279 Bodenbender, J. G. 2222 Bodenstein, O. F. 321, 322, 1046, 1047, 1361, 1362 Bodola, A. 1413 Boese, J. L. 524, 1341 Boesiger, E. 870 Bogdanov, I. I. 1640, 2057 Bogdanova, E. I. 87 Bogliolo, A. R. 1720 Bohart, R. M. 2491 Boike, A. H., Jr. 374, 376 Boiko, V. A. 1641 Bollade, D. 2439 Bolton, K. M. 683 Borahina 1787 Boreham, M. M. 766 Boreham, P. F. L. 590, 799, 1426, 1827, 2158 Borgwardt, R. 743 Bořkovec, A. B. 166, 830, 2169, 2170, 2372 Borozdina, N. I. 2357 Boshko, G. V. 1643 Boston, M. D. 2317 Bosworth, W. 2144 Boucrot, P. 2439 Boughton, F. 1917 Bowen, W. R. 2180

Bowman, M. C. 827, 1489, 2106, 2252, 2326 Boyadzhan, G. K. 1642 Boyes, J. W. 431 Bracken, G. K. 986, 1746 Bradley, I. E. 369, 1418 Bradshaw, W. E. 433, 1760 Brady, J. 45, 254, 1838 Branagan, D. 283, 1925, 2210, 2567 Branch, S. I. 617 Brand, J. M. 2556 Brandes, R. 2226 Brandl, D. G. 2130 Bransby-Williams, W. R. Brat, C. 1896 Bratt, A. D. 635 Breeland, S. G. 233, 1432, Brengues, J. 1752, 2507 Brès, P. 2419 Breucker, H. 1095 Breyev, K. A. 1644 Březina, R. 135, 664, 1937 Brglez, J. 292 Bridges, J. R. 232 Brikman, L. I. 335 Brinck-Lindroth, G. 953 Brinkmann, U. 891 British Society for Parasitology 1982 Broadbent, D. J. 1321 Brocklesby, D. W. 1067, 1922 Brody, A. R. 473 Bronswijk, J. E. M. H. van 1367, 1586, 1951, 1969, Brooke, J. P. 1646 Brooker, B. E. 1452 Brooker, P. J. 1100 Brookes, V. J. 2266 Brooks, M. A. 348, 1706, 2267 Brooks, W. M. 1975 Brown, A. W. A. 1444, 1647, 2280, 2289, 2422 Brown, C. G. D. 283, 1945 Brown, H. 2202, 2390 Brown, H. M. 2409 Brown, J. F. 1544 Brown, L. L. 2198 Brown, N. C. 1316 Brown, R. T. 2372 Brown, T. M. Brown, W. V. 427 517 Bruce-Chwatt, L. J. 790. 1195 Bruce, W. A. 2398

Brun, R. 1822 Bruner, L. J. 442 Brunhes, J. 1779 Brunhes, M. J. 1779 Bruno-Smiraglia, C. 653, 1487, 2103 Brust, R. A. 579, 1218, 1219, 1451, 1648, 2016 Brusven, M. A. 1993 Bryan, J. H. 1454, 1455, 1456, 1480 Bryan, R. P. 2386 Bryant, E. H. 2176 Bryant, T. J. 2489 Bryson, R. W. 651 Bryukhanova, L. V. 703, 1645 Bryushinin, P. P. 818 Bryushinina, G. T. 2141 Buchanan, R. S. 1712 Buckley, S. M. 1212 Buei, K. 226 Buff, E. 1469 Buffkin, D. C. 2581 Bukshtynov, V. I. 611 Bulanova-Zakhvatkina, E. M. 855 Bulgin, M. S. 962 Bullini, A. P. B. 563 2096 2310, 2311

Bullini, L. 563, 968, 2096, 2310, 2311 Bullock, J. D. 2222 Bund, C. F. van de 2437 Burden, G. S. 1148, 1602 Burgdorfer, W. 851 Burger, H. C. 2437 Burgess, G. W. 1502 Burgess, L. 1616 Burgess, N. R. H. Burns, J. P. 954 263 Burridge, M. J. 1945 Burris, E. 2563 Bursell, E. 1836, 2354 Burton, G. J. 551, 596, 601, 1513, 1999, 2153 Burzynski, A. 569 Busvine, J. R. 819, 1198, 1649, 2244 Butenko, O. M. 7 Butler, V. L. 1920 Butt, K. M. 534 Büttiker, W. 1650, 2196 Buttner, D. 354 Button, J. P. 78 786, 2284 Bwangamoi, O. 471 774, 1788, Cabrera, B. D. 2107, 2516 Caia, S. Russo- 2554

Calero, J. del R. 858, 1962, 1971 Calisher, C. H. 1785 Callahan, P. S. 1458 Callot, J. 1484, 1505, 1651 Calvert, C. C. 1878 Cambournac, F. J. C. 892 Camicas, J. L. 1064, 1919. 2569 Campbell, A. J. 909 Campbell, F. L. 520 Campbell, J. B. 1551, 2162 Campos, E. G. 362 Campos-Ortega, J. A. 1094 Cancrini, G. 565, 2303, 2310, 2312 Canese, A. 1591 Canning, E. U. 562, 1172, Cannon, D. C. 186 Capet, R. G. 1306 Capps, K. C. 2362 1868 Carcavallo, R. U. 1389, 2093 Cardozo, J. V. 967 Carey, D. E. 404 Carlson, D. A. 41, 2276 Carlysle, T. C. 1458 Carmichael, G. 380 Carmichael, G. T. 1437 Carney, W. P. 2570 Carrel, J. E. 1091 Carrera, B. R. 1009 Carroll, D. 1984 Carter, G. C. 453 Carvalho, A. L. M. 2443 Casaglia, O. 50 Casals, J. 844, 999, 2561 Casida, J. E. 504, 1098, 1363 Caspary, V. G. 1366 Castellanos, M. A. 2201 Castelo Branco Gonçalves, A. 2155 Castro e Silva, E. P. de Catangui, F. P. 2515 Cattell, K. J. 2373 Catts, E. P. 272 Causey, O. R. 843 Cavagna, G. 491 Cavallini, C. 2305, 2307 Cavier, R. 548 Center for Disease Control Cerf, D. C. 1550 Cerisola, J. A. 529, 1715 Černý, V. 665, 1296, 1573 Cerrutti, J. 2216 Cestari, G. 447

Chadli, A. 1007 Chadwick, P. R. 697, 821 Chaĭka, S. Yu. 985 Challet, G. L. 2461 Challier, A. 897, 1652 Chamberlain, W. F. 357, 946, 2084, 2238, 2268 Chambon, L. 546 Chan, K. L. 2145 Chandrahas, R. K. 113, 532, 533, 1405 Chaneet, G. de 857 Chang, S. C. 1287, 2169, Chang, Y. C. 2298 Chaniotis, B. N. 593. 1009, 2499 Chant, G. D. 120 Chapman, H. C. 1436, 2292, 2542 Chappell, W. A. 1785 Chateau, R. 236, 1202 Chaudhry, H. S. 1896 Chaudhury, M. F. B. 268 Chávez, P. 2296 Chebanov, S. M. 106, 107 Chefurka, W. 2251 Chen, B. T. M. 1907 Chen, P. S. 1453 Chepleva, M. F. 332 Chepieva, M. F. 332 Cherkassky, B. L. 1579 Chernin, E. 1481 Chernyshova, T. F. 478 Chervonskii, V. I. 2297 Chetwyn, K. N. 263 Cheung, A. C. 2277 Chew, P. K. 2145 Chew, R. M. 277, 1457 Chhabra, R. C. 860, 1055 Chia, W. K. 905 Chiang, P. K. 32, 908 Chiba, Y. 71 Chiechi, N. de 1396 Chirov, P. A. 1686 Chiu, S. F. 2298 Chiu, Y. J. 625 Chmela, J. 628, 1294 Cho, J. H, 1354 Chopra, C. S. 324 Choumara, H. Bailly-420. 582, 1245, 1253 Chowdaiah, B. N. Chowdhury, N. H. 1853 Christensen, H. A. 242, 416, 2480 Christenson, D. M. 747, 2464, 2470 Christensson, D. 1966 Christiansen, M. B. Christopher, G. S. 543 Chu, H. H. 2298

Chu, I. W. 22 Chu-Wang, I. W. 2407, 2571 Chudinov, P. I. 76, 152 Chumakova, I. V. Chung, C. L. 1453 1096 Churnukha, A. D. 152 Chutter, F. M. 1256 Chvála, M. 1033 Chwatt, L. J. Bruce- 790. 1195 Cima L. 1049 Claborn, H. V. 1317, 2426 Clark, P. H. 1388 Clark, T. B. 2542 Clarke, M. D. Clastrier, J. 1246, 1504 Clay, M. E. 65, 568, 1416 Clifford, C. M. 288, 1348, 2218 1152 Coates, K. G. Cochran, D. G. 945, 2082 Cocke, J. 2129 Coffee, G. M. 854 Colalelli, M. 2307 Colbourne, M. J. 2108 Cole, F. E., Jr. 795 Cole, M. M. 732, 1388 Coleman, B. 2448 Coleman, J. C. 1238 1712 Coles, P. G. Collett, G. C. 800, 2481 Collins, R. T. 2515 Collins, W. E. 552, 1495, 1496 Collins, W. J. 1383 Coluzzi, M. 56, 563, 565, 873, 965, 968, 2096, 2255, 2303, 2304, 2311, 2312 Combiescu, I. 1329, 1330, 1534 Combs, G. P. 1869 Commey, J. O. O. 1583 Commonwealth Scientific and Industrial Research Organization, Australia 2435 Conley, R. H. 346 Connell, M. 286 Conolly, D. 1403 Conrad, R. D. 962 2100 Consoli, R. B. Contacos, P. G. 552, 1495, 1496 Conway, J. A. 1883 Cook, B. J. 1375 Cooke, J. A. L. 1307 Cookingham, R. A. Coombes, L. E. 2327 Cooney, J. C. 849

Coons, L. B. 2182, 2572

Cooper, N. B. 451 Copeman, D. B. 1068 Corbet, P. S. 2493 Cordellier, R. 2285 Cornet, M. 236, 546, 761, 1202, 2281 Cornford, M. 584 Corradetti, A. 564 Corrêa, R. R. 198 Cory, J. 1000 Coscarón, S. 1818 Cotrim, M. D. 538, 2116 Cotton, M. J. 204 Coura, J. R. 724, 1394 Courtois, D. 586 Cousserans, J. 73, 154, 785 Cova García, P. 967 Cowart, W. O. 1869 Cox, D. D. 255 Coyne, G. E. 1425 Coz, J. 784, 1227, 1653, 2113, 2507 Craig-Cameron, T. A. 252, 1847, 1848, 1849, 1850, 1851 Craig, G. B., Jr. 234, 993, 1193, 1310, 2105 Crandall, M. L. 1803 Crane, G. T. 381 Crans, W. J. 598, 2498 Crawford, R. 472 Crespo, O. 785 Crewe, W. 1728 Cristescu, A. 530, 589, 1328, 1329, 2258, 2259, 2263 Crivaro, G. 2217 Croft, C. C. 550 Cromroy, H. L. 625 Crooks, E. E. 1599 Croset, H. 121, 228, 241, 592, 1248, 1254, 1255, 1810 Cross, J. H. 1787, 2298 Crosskey, R. W. 419, 2152 Crossley, A. C. 2375 Crowder, L. A. 194, 441 Cruz, E. A. Baro de la 1128 Cruz, H. N. da 1162 Cruz, J. de la 2434 Crystal, M. M. 1279, 1863, 1872, 2185 Cser, Z. 2576 Cuba, C. 1393 Cuba Cuba, C. A. 526 Cueto, C. 1117 Cuisance, D. 421, 810, Cull-Candy, S. G. 2411

Culp, O. S. 128 Culver, J. 578 Cumming, J. E. 2521 Cunningham, M. P. 1945 Cunnington, A. M. 670 Cuonzo, G. Di 2103 Cupp, E. W. 2125 Curtis, C. F. 246, 1618, 2424, 2527 Czech, F. P. 676 Da Rocha e Silva, E. O. 528, 1154, 1155 Da Silva, C. E. T. 1394 Dadd, R. H. 1476, 2325 Daiter, A. B. 1654, 2400 D'Ajello, V. 2579 D'Alessandro, A. 197 D'Alessandro, G. 1487 Dalrymple, J. M. 1795, 1797 Dame, D. A. 974 Damian-Georgescu, A. 2, 904 Dancesco, P. 1007 Dando, B. C. 1754, 1756 Danebekov, A. E. 101 Daniel, M. 663, 677, 1296, 1655 Daniel, R. S. 2267 Danielová, V. 580, 999, 1203, 1204 Daniels, P. 1068 Danilevskii, M. L. 95, 142 Danks, H. V. 130, 1037, 2493 Dar, F. K. 1264, 1265, 1856 Darling, P. G. E. 1910 Darrow, D. I. 2085 Darskaya, N. F. 171, 1656 Darwazeh, H. A. 640, 756, 757, 1225, 2462, 2463 Das, H. L. 1290, 1936 Das, S. M. 2406 Dasgupta, B. 2550 Dashkina, N. G. 1657 Dass, C. M. S. 402, 1229 Dass, K. P. M. K. 2580 Dauterman, W. C. 633, 1124, 1282 124, 943, Davey, K. G. 1718, 2090, 2091, 2092 David, P. Timon- 1587 Davidovich, V. F. 17 Davidson, G. 876, 955, Davies, D. M. 1012, 1013, Davies, J. B. 925, 1998 Davies, L. 2152, 2432 Davies, W. J. Jones- 650

Davis, E. E. 399 Davis, H. G. 642 Davis, R. B. 342 Davydova, M. S. 1659 Dawkins, C. C. 862, 1291 Dazhiev, A. Z. 680 D'Costa, M. A. 1839 De Biasi, P. 1772 De Castro e Silva, E. P. 527 De Chaneet, G. 857 De Chiechi, N. 1396 De Hübsch, R. 1396 De la Cruz, J. 2434 De la Iglesia, F. A. 1719 De la Jara, F. 1580 De Sousa, A. E. 1019 De Souza, D. M. 1772 Deamer, W. C. 2222 Dean, W. D. 1869 Deane, L. M. 1223 Deane, M. P. 122 Deane, M. P. 240 1223 Deco, M. Di 565, 2310, Dedek, W. 163 Dedet, J. P. 592, 1248, Deeb, A. L. El-Deer, A. 1852 Degrugillier, M. E. 269 DeGuire, D. M. 2505 Deibel, R. 578, 2517 Déjardin, J. 1766 Del Prado, C. E. 529, 1715 Del Rosario, A. 2515 Delecolle, J. C. 1484 Dell, B. 1870 Dem'yanchenko, G. F. 1660 Dem'yanchenko, R. P. 1660 Denev, I. 1568 Dengg, E. 137, 699, 1573 Denham, D. A. 2256 Deniau, M. 241, 1247 Denlinger, D. L. 49, 428 Derbeneva-Ukhova, V. P. Dergacheva, T. I. 1087, 1671 Deschiens, R. 1180 Deshevykh, N. D. 101 Deshmukh, A. 2581 Desmarchelier, J. 2585 Desser, S. S. 1807 Detinova, T. S. 1661 Devi, C. S. 673 DeWitt, R. H. 751 Dhanda, V. 587 Dhar, G. M. 1373

Di Cuonzo, G. 2103 Di Deco, M. 565, 2310, 2312 Dias, J. A. T. S. 2155 Diaz, B. S. 723 Diaz, D. O. 2201 Díaz Nájera, A. 1468, Díaz-Ungría, C. 1893 Dickie, A. G. 515 Dickinson, D. B. 401, Diekman, J. D. 1804 Dietrick, E. J. 2532 Digoutte, J. P. 546, 2286 Dikaev, V. Yu. 2431 Dipeolu, O. O. 1831 Directo, C. C. 1774 Disney, R. H. L. 1508 Dixon, R. D. 579, 1219 D'Lima, L. V. 2565 Dmitriev, V. M. 1663 Dobreva, E. I. 1664 Dobrokhotov, B. P. 647 Dobrynina, L. I. 158 Dodd, C. W. H. 42 Dodd, J. 2129 Dojmi di Delupis, G. L. 564 Dolgov, N. F. 1665 Doll, J. 578 Domrow, R. 1068 Donaldson, B. R. 2188 Dondale, C. D. 1746 Doney, A. 1568 Donia, A. 366 Donnellan, J. F. 2373 Doré, C. 969 Dorontsova, V. A. 76 Dorward, W. J. 424 Dorzh, C. 1666 Dov, Y. Ben- 1747 Dover, A. S. 1792 Dow, R. P. 763 Downe, A. E. R. 1366, 2178 Downer, R. G. H. 721, Downes, J. A. 594 Downes, R. 239 Doy, F. A. 2364 Drake, J. L. 441 Draper, C. C. 212, 570 Dremova, V. P. 98, 301, 302, 327, 1577, 1667 Dripps, J. S. 1705 Drobishchenko, N. I. 1130 Drobozina, V. P. 162, 313, Drudge, J. H. 1269, 1270

Drummond, R. O. 425, 850, 1291, 1302, 1609, 2205, 2206 Dubitskiĭ, A. M. 18, 101 Dubois, K. P. 1110 Dubov, A. V. 1669, 2019 Dubrovskii, Yu. A. 2236 Dudkina, M. S. 332 Duffield, R. M. 2556 Duffy, J. L. 1307 Duffy, T. 2448 Duggan, A. J. 894 Duke, B. O. L. 1175, 1257 Dumbleton, L. J. 2352 Dunaeva, T. N. 647 Duncan, C. F. 1787 Dunkley, L. C. 2200 Dunn, A. M. 2376 Dunn, R. L. 2138 Dunning, L. L. 1868, 2356 Dunsmore, J. D. 731 Duport, M. 557, 589, 1328, 1329, 2258, 2259 Durbacă, S. 1226, 1328, 1329, 2258, 2259, 2260, 2263 Durbacă, S. Păun-530. 557 Durbin, C. G., Jr. 1046, 1047 Dusbabek, F. 1305 Dutova, G. M. 1629, 1665 Dutson, V. J. 662 Dutt, S. C. 2189 Duval, J. 585 Duval, J. L. 863 Duvall, J. B. 797 Duve, H. 1560 Dvořák, J. 1695 D'yakonov, L. P. 1060, 1662, 1931, 1932 Dyce, A. L. 1809 Dzasokhov, G. S. 1670 Dzhabarov, L. N. Dzneladze, M. T. Dzyuba, M. I. 14 Earle, D. P. 2227 Eastwood, E. B. 654 Ebert, M. A. 1646 Ebora, P. 531 Eckblad, J. W. 1866 Eddin, F. M. Gamal-1898, 1899 Eddy, G. A. 1206 Edelman, R. 1181 Edman, J. D. 206, 377, 760, 763 Egan, H. 1109 Egerton, J. R. 1134 Ehrhardt, D. A. 373, 1208 Eichenberger, G. 649

Eichler, W. 522, 1335, 1567, 1708 Eide, P. E. 1888 Eisner, T. 1091 El-Akkawi, M. M. 2315 El-Deeb, A. L. 1873 El-Hefny, A. 1959 El Kammah, K. M. 462, 1064, 2569 El-Latif, M. A. 509, 702, El-Refaii, A. H. 1943 El-Sadr, H. 1943 El-Sawaf, S. K. 366, 509, El-Sebae, A. H. 1545, 1563, 1564, 2315 El-Ziady, S. 2001 Elbel, R. E. 381, 1355 Eldefrawi, A. T. 915 Eldefrawi, M. E. 915 Eldridge, B. F. 209, 1795, 1796, 1797, 2453 Elhence, G. P. 1908 Elisberg, B. L. 1336 Eliseev, L. N. 1671 Elizarov, Yu. A. 985 Ellerbe, W. 732, 1388 1295 Elliott, G. Elliott, M. 1363 Elliott, R. 1433 Ellis, D. S. 212, 2525 Else, J. G. 1232 Elsen, P. 2232, 2524 Emel'yanova, N. D. 1672 Emmerson, F. R. 659 Emmons, R. W. 2455 Emslie, V. W. 1617 Enan, O. H. 275, 948 Enescu, A. 1329, 1330, 1376, 1377, 1534, 2261, 2262, 2264 Engelbrecht, C. M. 2557 England, E. C. 1523, 1524 Engroff, B. W. 1043 Enileeva, N. Kh. 936 Ennik, F. 2234 Enright, J. B. 662 Eouzan, J. P. 786, 2284 Erakey, M. A. S. 1397, 1398, 1399 Ernst, S. E. 850, 1291, 1302, 2206, 2559 Escandor, N. B. 531 Eschle, J. L. 449, 1317, 1554, 2181 2349 Eskina, G. V. Esozed, S. 1210, 1757 Espínola, H. N. 1157 Estes, P. C. 2228 Euw, J. von 2391 Euzéby, J. 294

Evangelista da Silva, J. Evans, E. S., Jr. 1741 Evans, K. W. 1451 Everett, R. E. 466 Evpalova, V. I. 159 Evseeva, V. A. 1673 Evstigneeva, N. S. 19, 152, 2279 Evtyushina, T. M. 175 Ewers, W. H. 1776 Ewert, A. 2144 Ewing, L. S. 72 Ewing, S. A. 1349 Ezhova, A. D. 159 Fabiyi, J. P. 1709 Fabrikant, I. B. 524 Fahy, E. 345 Fain, A. 669, 899, 1674, 1956, 2231, 2232, 2524 Faizulin, F. G. 183 Falcão, A. L. 1250 Fales, J. H. 321, 322, 1046, 1047, 1361, 1362 Fal'kova, N. Ya. 2064 Farhang-Azad, A. 202, 1169 Farias, E. N. Morales-Farish, D. J. 1887 Farrell, G. J. 47 Favorova, L. A. 478 Fawi, M. T. 2223 Fay, R. W. 367, 2128 Fechner, G. 1605 Fedder, M. L. 54, 88, 95, 142, 337 Fedorova, V. I. 2446 Feider, Z. 6 Feinberg, J. G. 1956, 2409 Feldman-Muhsam, B. 463, 2562 Feliciangeli, M. D. 1390, 1396 Fels, H. E. 261, 262 Felton, J. C. 320 Fenemore, P. G. 918 Feoktistov, A. Z. 1402 Fernández, E. 1393 Fernández, H. 2296 Fernández, W. 1393 Feroz, M. 2244 Ferrara, L. 786, 2284 Ferreira, E. 973 Ferreira, L. F. 724 Ferreira, M. O. 1164 Ferreira Neto, J. A. 1164, Ferreira, O. A. 1154, 1155, 2151 Ferrigno, F. 1417 Ferringer, E. C. 1803

Fest, C. 1928 Fetzer, L. E., Jr. 388 Fields, E. S. 321, 322, 1046, 1047, 1361, 1362 Figueiredo, N. 1394 Filipe, A. R. 549 Filipek, L. 1846 Filipponi, A. 853 Filippova, N. A. 1675, 2397, 2558 Fincher, G. T. 2199 Finizio, E. 583 Finklea, J. F. 2227 Finlayson, L. H. 1835 Fipps, G. W. 2482 Fischer, P. 2553 Fishelevich, M. A. 1021 Fisher, J. L. 2487 Fisher, W. F. 1069, 1952 Fistein, B. 1852, 1853 Flerova, O. A. 78, 1368 Fletcher, L. W. 2168, 2359 Flint, H. M. 267, 1882 Fluno, J. A. 1419 Flynn, R. J. 2080 Fobert, L. C. J. 2369 Foelix, R. F. 456, 1084, 2407 Folsom, M. D. 28, 1090 Fontaine, R. E. 2124 Foot, M. 265 Foote, B. A. 635 Forattini, O. P. 198, 538, 1154, 1155, 1713, 2151 Ford, H. R. 714, 1211, 1419, 2134 Ford, J. 1259 Forgash, A. J. 1025 Forsyth, D. J. 616 Foster, W. A. 590, 591 Foulkes, J. 808 Fowler, J. 2487 Fox, R. C. 2463 Fraenkel, G. 49, 621, 2427, 2505 Fraga de Azevedo, J. 1016, 1017, 1122, 1261, 1676 Fraiha, H. 588, 1249, 2149, 2150 Francis, T. I. 218 Francy, D. B. 1770 Frankland, A. W. 1959, 2409 Franklin, J. A. 2228 Franti, C. E. 662 Frantsevich, L. I. 912 Frazier, C. A. 1071 Fréchette, J. L. 2225 Fredeen, F. J. H. 132 Freeman, J. V. 627

Freier, J. 2362 French, M. C. 323 Freyvogel, T. A. 1312 Frezil, J. L. 812 Frick, J. H. 2582 Frick, O. L. 2222 Friedhoff, K. 1311 Frolov, B. A. 680 Frolova, L. G. 1661 Frommer, S. I. 615 Frondoza, C. 2514 Frontali, N. 2578 Frost, E. 710 Frost, E. L. 1412 Frost, S. 1014 Fruganti, G. 682 Fuentes, F. B. 724 1890 Fuhremann, T. W. Fujimoto, K. 1985 Fujita, Y. 2099 Fujito, S. 226 Fukami, J. 1702 Fukuda, T. 1436, 2301 Fukuto, T. R. 442, 917, 2585 Fultz, T. O., Jr. 971 Funayama, G. K. 200 Furlow, B. M. 978 Furr, K. O. 476 Furukawa, T. 351 Fussell, E. M. 2457 Futran, G. S. 81 Fye, R. L. 2170, 2183 Gaaboub, I. A. 318, 319, 366, 509, 702, 1873, 2095 Gaafar, S. M. 674, 675 Gabaldón, A. 1429, 2111, 2420 Gachegova, T. A. 79 Gad, A. M. 1236 Gadallah, A. I. 271, 1538, 2551 Gaddy, N. K. 2097 Gafurov, A. K. 1677 Gaĭdamovich, S. Ya. 144, 984, 1938 Galindo, P. 207, 1751 Galun, R. 609, 813, 814, 2395, 2560 Gamal-Eddin, F. M. 1898, 1899 Gamboa Cuadrado, J. Gan, E. I. 934, 936 Gandolfo, D. 2306 Garcia, C. 755, 1977 García de Lomas, J. 858, 1962, 1971 Garcia, J. J. 1028, 1029 García-Martín, G. 1428 García, P. C. 967

Garcia, R. 1802, 2468, 2471, 2485 Garde, V. R. 347 Garin, N. S. 326 Garms, R. 1814, 1815 Garner, D. D. 2237 Garrett-Jones, C. 1678 Garson, L. R. 2237 Gartrell, F. E. 543 Gassner, G., III 1897 Gassouma, M. S. S. 2525 Gatehouse, A. G. 1174 Gates, G. H. 2188 Gates, P. S. 1100 Gattafoni, S. 2305 Gayar, F. 1467 Gayral, P. 229, 548 Gecheva, G. 1902 Geiss, J. L. 1505 Gemert, W. 2320 Gemperlein, R. 38 Gemrich, E. G., II 1281 Geoffroy, B. 2285 George, L. F. 1074 Georgekutty, P. T. 841 Georgescu, L. 1679 Georghiou, G. P. 186, 233, 1439, 1550, 1995, 2247, 2511 Georgiev, B. 663 Gerber, H. C. 852 Gerberg, E. J. 1680 Gerhardt, R. R. 444 Germain, M. 786, 1681, 2284 Gerrish, R. R. 676 Gesztessy, T. 679 Ghafoor, M. A. 842 Gheorghiu, G. 557 Ghiasseddin, M. 57 Ghosh, R. N. 117 Gilbert, I. H. 2316 Gilby, A. R. 517 Gillett, J. D. 1190, 1191, 1199 Gillett, J. W. 1319, 1320 Gillies, M. T. 1173 744, 752, Gillies, P. A. 1183, 2456, 2457, 2458 Gillon, J. 1100 Gil'manova, G. Kh. 1641 Gilot, B. 574 380 Gilotra, S. Gimenez, D. F. 1937 Gingrich, A. R. 2084 Gingrich, R. E. 425, 2163 Giovanelli, N. E. 2216 Gironi, A. M. 2096, 2304 Giullin, C. M. 105, 2130 Gladney, W. J. 850, 862, 1291, 1302, 2206, 2559 Glanville, V. J. 790

Gleiberman, S. E. 688 Glenn, F. E., Jr. 2542 Glick, T. H. 220, 1494 Glicksberg, C. L. 884 Gliha, B. 292 Glukhov, V. F. 1061, 1947 Glukhova, V. M. 2341 Glushchenko, N. P. 2048 Goddard, E. J. 794 Godwin, D. R. 2276 Godzhaev, A. N. 1060 Goedbloed, E. 1264, 1265 Gogoi, A. R. 1303 Göksu, K. 824, 848 Gol'berg, A. M. 141, 143 Goldfield, M. 1410 Goldman, L. J. 1458 Goldwasser, R. 2502 Golini, P. I. 2164 Golini, V. I. 1012 Goma, P. C. 531 Gomes, A. 112 Gomez, I. 1476 Gomez-Nuñez, J. C. 1156 Gomoyunova, N. P. 125. 126, 2529, 2534 Gonçalves, A. C. B. 2155 Goncharov, A. P. 1036 Goñi, M. A. 1389 González Valdivieso, F. 723, 2110 Good, N. E. 1941 Goodfellow, R. D. 1562, 2383 Gooding, R. H. 110, 717, 907, 2277 Goodwin, J. T. 822 Gopachenko, I. M. 2028 Gopal, K. 1908 Gorchakovskaya, N. N. 158, 1683 Gordon, C. H. 436, 2173 Gordon, R. 518 Gorin, O. Z. 307 Gornostaeva, R. M. 1682 Gornostaeva, V. M. 79 Gorrie, C. J. R. 1068 Goryshin, N. I. 888 Gothe, R. 1918, 2403, 2404 Gothilf, S. 203, 1911 Gouck, H. K. 970, 1001, 2276, 2316 Gould, D. J. 1181 Goverdhan, M. K. 115 Grabarev, P. A. 326 Graber, M. 816 794 Graham, E. A. Graham, J. E. 369, 383, 1418, 2481 Graham, O. H. 287, 850, 1291, 1299, 2206, 2559

Granata, F. 2578 Granett, P. 709 Grant, F. C. 2282 Gratz, N. 1185 Gratz, N. G. 310 Gravson, J. M. 192, 1147 Grayson, M. A. 207 Grebel'skii, S. G. 1684 Grebenyuk, R. V. 1685, 1686 Green, C. A. 2308 Green, E. 1211 Greenberg, B. 614, 1541 Greenham, P. M. 264, 430, 1537, 1557 Gregorio, S. B. 1885 Grenier, P. 243, 420, 1681 Griffiths, H. J. 719 Grigolo, A. 447, 1049 Grillo Torrado, J. M. 1927, 2394 Grjebine, A. 1687 Grobov, A. G. 1688 Grodhaus, G. 920 Grokhovskaya, I. M. 8, 25, 97, 134, 311, 315, 316, 479, 1689 Grollman, A. P. 166 Gromashevskii, V. L. 2297 Gromova, M. I. 1654 Gross, H. P. 806, 1011 Groth, U. 629 Grothaus, R. H. 926, 2112 Grové, S. S. 239 Grover, K. K. 402, 793, 1229 Grover, R. W. 1307 Grubber, M. J. 1321 Grünberg, W. 1950 Grunin, K. Ya. 1690 1690 Grus, I. J. 2385 Gruson, H. 1535 Guarino, P. 1487 Gubarevich, A. V. 1034 Gubler, D. J. 1768 Guement, J. M. 847 Guerrant, G. O. 2447 Guerreiro, J. P. 1016 Gugushvili, G. K. 334, 1691 Guille, G. 154 Guin, J. J. 1588 Guinn, E. G. 552, 1495, 1496 463 Guirgis, S. S. Gulati, K. C. 913 Guleř, F. 155 Güler, S. 848 Gulevskaya, S. A. 1629 Guley, F. 155 Gulyakova, M. I. 2077

Gumerova, I. G. 1692 Gunawardena, K. 361 Gunin, P. D. 77 Gunther, F. A. 1318 Gunther, J. D. 1318 Gunther, L. F. 765 Gupta, A. P. 942 Gupta, S. K. 1723 Gupta, S. R. 1565 Gupta, V. P. 1546 Gurgenidze, L. N. 74 Guseĭn-Zade, A. I. 1632 Guseva, N. I. 815 Guthrie, F. E. 1282, 2182 Gutiérrez, E. 2094 Gutiérrez, R. O. 1927, 2394 Gutsevich, A. V. 1445, 2518 Guttman, D. 417 Guy, Y. 1248, 1588 Gvozdeva, I. V. 1693 Gwadz, R. W. 44, 1481, 2105 Haass, K. 1955 Hab, J. Abul- 1006 Habermann, E. 174 Habowsky, J. E. J. 1719 Hadani, A. 258, 282, 658, 1603, 1892 Hadaway, A. B. 248 Haddock, D. R. W. 1583 Haddow, A. J. 704 Haeger, J. S. 763 Hafez, M. 463, 2001 Hagen, A. F. 2162 Hagmann, L. E. 1425 Hair, J. A. 280, 458, 2563, 2564 Hajjar, N. P. 463, 644, 1300 Hájková, Z. 580, 728 Halgoš, J. 2522 Hall, C. C., Jr. 2408 Hall, D. W. 1976, 1980, 2300 Hall, R. P. 321, 322, 1046, 1047, 1361 Hall, T. F. 1438 Hall, W. T. K. 286 Hallinan, E. 2336 Halstead, S. B. 1775 Hamdy, B. H. 452, 1359 Hammad, S. M. 1873 Hammen, L. van der 1356 Hammon, W. McD. 864, 1308 Hammond, R. 1531 Hamon, J. 761, 1227, 2002, 2003, 2280 Han, Y. I. 883 Hanamori, T. 35

Handel, E. Van 340, 922 Hannine, S. Ben 2020 Hansen, C. P. 1274 Hansen, L. G. 1097 Hansens, E. J. 627, 1043 Hansgen, K. H. 2468 Hanson, R. P. 205 Harada, F. 371, 1465 Haramoto, F. H. 2410 Hardy, D. E. 2187 Hardy, G. J. 794 Hardy, R. J. 190, 191 Hargrove, J. W. 1836 Haridi, A. M. 1488 Harker, K. 2383 Harland, E. C. 678 Harman, R. R. M. 2391 Harmsen, R. 2528 Harmston, F. C. 1080 Harr, J. R. 1319, 1320 Harries, W. N. 424 Harrison, G. A. 969 Harrison, I. R. 1099 Harrison, R. J. 2225 Hartberg, W. K. 213 Harvey, R. S. 2368 Hasegawa, M. 618 Hasegawa, T. 1543 Hass, C. R. 464 Hassaïne-Daouadii, B. 1862 Hatch, C. 1724 Hathway, D. E. 1113 Hatsukade, M. 618, 1553 Hattori, K. 618 Haufe, W. O. 1102, 1615 Haupt, A. 1649 Havickhorst, R. F. 2461 Havivi, Y. 2562 Hawa, N. J. 2212, 2213 Hayashi, A. 618, 1053, 1054, 1553 Hayes, B. W. 817 Hayes, F. A. 667 Hayes, R. O. 1770, 2135 Hays, K. L. 624, 849, 978 Hazard, E. I. 1978, 2292, 2299 Hazeleur, W. C. 742 Hazeltine, W. 753, 2469 Hazra, D. K. 1908 Hazrati, A. 963 Heath, A. C. G. 834, 1384 Heaversedge, R. C. 1262, 1516, 2353 Hecker, H. 247, 1574, Hefnawy, T. 290, 911, 2001 Hefny, A. El- 1959 Heinz, F. 1058

Helson, G. A. H. 1135, 1136, 1137, 1138, 1139, 1140, 1141, 1142, 1143, 1144, 1145 Henderson, B. E. 577, 1785, 1790 Hennessy, D. J. 2250 Henriksson, K. 2240 Henry, V. G. 346 Herbert, E. W. 2132 Herrer, A. 416, 1392 Herrick, R. B. 2174 Herron, C. A. 2282 Herweijer, C. H. 636 Hess, A. D. 2451 Hester, P. 1551 Hibler, C. P. 2188 Hiepe, T. 2004 Hightower, B. G. 342, 1028, 1029 Hill, D. W. 381 Hill, W. G. 2424 Hills, M. 955 Hilton, D. F. J. 1548 Himel, C. M. 434 Hinsch, O. M. 2216 Hirakoso, S. 257, 293, 671, 672 Hiregoudar, L. S. 1581, 1924 Hirst, J. M. 2050 Hirumi, H. 551 Ho, B. C. 1769 Hobbiger, F. 1114 Hobza, R. F. 2180 458 Hoch, A. L. Hodgson, E. 28, 57, 632, 1090, 1097, 1124, 1533, 2549 Hoffmann, G. 852, 2207 Hogan, B. F. 449, 1317, 1554, 2589 Hokumura, T. 671 Holden, P. 1132, 1770 Holford-Strevens, V. 1958 Holman, G. M. 1375 Holubičková, B. 677 Hominick, W. M. 943 Hommel, M. 1245 Homsher, P. J. 1946 Hong, H. K. 2494, 2495 Honzáková, E. 1296 Hoogstraal, H. 461, 462, 844, 851, 1064, 2218, 2561, 2568, 2569, 2570 Hooper, R. L. 266 Hooshmand-Rad, P. 2212, Hopkins, D. E. 357, 946, 2084, 2238, 2268 Hopkins, G. H. E. 2331 Hopla, C. E. 1414

Horak, I. G. 1861 Hörchner, F. 852 Horsfall, W. R. 2005, 2146 Horstmann, E. 1095 Horwitz, S. B. 166 Houin, R. 121, 241, 1247, 1248 Hourrigan, J. L. 676 Howe, E. C. 2162 Howell, D. E. 349 Hoy, J. B. 443, 750, 966, 1131, 2478, 2486 Hozák, A. 1294 Huang, I. 2202 Huang, W. C. 2298 Huang, Y. M. 1221 Huang, Y. S. 1562 Hübsch, R. de 1396 Hudojo 1787 Hudson, A. 370 Hudson, J. E. 1210 Hudson, N. M. 190, 191 Huebner, E. 1718, 2271 Hughes, R. 690 Hughes, R. D. 1537, 1557 Hughes, T. B. 1770 Hull, R. M. 1825 Hulls, R. H. 562 Humphreys, G. L. 2455 Humphreys, J. G. 1503 Humphryes, K. C. 1259 Hunt, W. B., Jr. 2197 Hunter, P. E. 1539 Hurlbut, H. S. 1472 Hursey, B. S. 1018 Husbands, R. C. 746 Husman, C. N. 2359 Hussain, O. 1303 Hutchinson, M. P. 1263 Hutchinson, S. A. Hwang, C. H. 1354 Hyong-Sun Ah 1763 Ibragimov, S. Yu. 2006, 2007 Ibragimova, A. I. 1968 Idris, O. F. 2223 Iglesia, F. A. de la 1719 Iglisch, I. 643 Ignatov, D. 663 Ignatovich, V. F. 479, 1689 Ikeme, M. M. 1914 Il'chenko, L. Ya. 331 Il'ina, N. A. 161 Imanaka, K. 671, 672 Inatomi, S. 1464 Inch, T. D. 696 Inoue, T. 1542 Institute "Dr I. Cantacuzino" 2257

International Commission of Zoological Nomenclature 1791 International Union of Pure and Applied Chemistry 1989, 2241, 2243 Inui, T. S. 1768 Invest, J. F. 701 Ionescu, M. A. 1171 Iqbal, M. P. 2131 Irvin, A. D. 1067, 1915, 2211 Irving, G. S. 1787 Isaev, V. A. 333 Ishaaya, I. 2251 Ishii, A. 1964 Ishii, S. 1146 Ishimaru, M. 1346 Ismail, S. M. 1170 Ismailov, Sh. I. 2007 Issa, M. 2156, 2157 Itano, K. 1464 Itard, J. 421, 810, 871, 2526 Ito, S. 559 Itoh, T. 1780 Ivanov, D. I. 100, 2008, 2401 Ivanov, N. I. 178 Ivanov, V. I. 1034 Ivanova, G. B. 175, 314, 1901 Ivanova, L. V. 2009 Ivashchenko, L. A. 511, Ivashkin, V. M. 1880, Iversen, T. M. 1450, 1471 Ivey, M. C. 1317, 1554, 2426, 2589 Jackson, S. C. 92 Jacob, P. D. 841 926 Jacobs, D. E. 2376 Jacobson, M. 1149 Jagannath, M. S. 1571 Jakob, W. L. 1447, 1601 Jalil, M. 540 James, H. G. 770, 771 James, J. D. 41 James, M. T. 2371 Jamnback, H. 1326 Janes, M. J. 817 Janes, N. F. 1363 Jara, F. de la 1580 Järvilehto, M. 36 Jaskoski, B. J. 1920 Jatanasen, S. 1499 Jebson, J. L. 472 Jedlička, L. 1509, 2522 Jenkins, W. R. 2348 Jenner, D. W. Jenni, L. 1834

Jesudass, E. S. 404 Johannsen, F. R. 1288 Johanson, W. G., Jr. 961 John, K. O. 1906 Johnson, A. F. 804 Johnson, C. M. 1165 Johnson, K. M. 593, 1009, 1206, 1973 Johnson, M. D. 209 Johnson, O. A. 1552, 1871 Johnson, R. E. 1443 Johnson, W. B. 1821 Johnston, D. E. 2575 Johnston, L. 974 Jones, A. W. 1703 Jones, C. Garrett-Jones, C. M. 268 1678 Jones-Davies, W. J. 650 Jones, E. K. 288 Jones, G. S. 1967 Jones, J. C. 541 Jones, R. H. 1002, 1243, 1501 Jones, W. A. 1149 Jordan, A. M. 1015, 1840 Joseph, S. 1421 Joseph, S. R. 1074, 1420, 1422, 1737, 1744, 1767 Joshi, G. P. 2124 Jost, E. 996, 1079, 2104 Juarez, E. 527, 2087 Judson, C. L. 1232 Jueco, N. L. 2107 Jupp, P. G. 401, 1207, 2323, 2333 Jurášek, V. 2201 Just, W. H. 2013 Kadarsan, S. 2570 Kadnikov, V. V. 2166 Kadyrova, M. K. 929, 930, 2014 Kafuko, G. W. 1461 Kageruka, P. 573 Kahl, K. 133 Kahumbura, J. M. 607, 1819 Kaiser, M. N. 2561 Kalaw, F. 2515 Kale, H. W. 377 Kale, H. W., II 206, 760 Kallela, K. 2240 Kalmykov, E. S. 2015 Kalpage, K. D. 2016 Kalra, R. L. 988, 1228 Kalucy, E. C. 976, 977 Kamarli, A. P. 2164 Kamel, O. M. 972 Kamimura, K. 109, 439, 619, 1542, 1585 Kammah, K. M. El 415, 462, 1064, 2569 Kammenov, N. A.

Kan, P. I. 668 Kan, S. P. 1769 Kano, R. 1543 Kantarbaeva, Zh. K. 335 Kapal, V. K. 1722 Kaplanis, J. N. 1990 Kapoor, N. N. 923 Karandinos, M. G. 1039 Karapet'yan, A. B. 2017 Karapetyan, R. M. 336 Kardatzke, J. T. 1460 Karlson, P. 1991, 2361 Karpenko, A. S. 170 Karpenko, L. V. 499 Kasabov, R. 1568 Kashafutdinov, G. A. 161 Kashi, K. P. 189 Kasiev, S. K. 2018 Katin, A. A. 1669, 2019 Katori, K. 1585 Kauffman, E. 736, 2478 Kay, B. H. 1809, 2342 Kay, R. E. 2377, 2378 Kazda, V. 470 Kazyakina, V. I. 9 Kearnan, J. F. 285 Keegan, H. L. 13 Keeley, L. L. 1360 Keh, B. 523, 641 Keiding, J. 2020 Keilbach, R. 2021 Keirans, J. E. 2218 Kelly, D. C. 684 Kemp, G. E. 843 Kennaugh, J. H. 500 Kennedy, J. M. 1044 Kennel, E. W. 981 Keppler, W. J., Jr. 2126 Kerbabaev, E. B. 488 Kerdpibule, V. 257 Kern, E. R. 381 Kessler, H. 1284 Kethley, J. B. 2575 Khaĭrulin, F. Ya 482, 492 Khakimova, Kh. Kh. Khalidi, R. H. 2583 Khalil, G. M. 289, 457, 2235 Khaliulin, G. L. 2115 Khan, A. A. 788 Khan, A. Q. 394 Khan, M. A. 424, 1102, 1604 Khan, M. A. Q. 1364 Khanina, I. S. 332 Kharambura, Ya. I. 2022 Kharchenko, V. I. 139 Kharitonova, S. I. Khavkin, T. N. 2400 Khazova, Z. 159 Kholodov, I. Ya. 2224 Khoo, O. T. 1907

Khromova, L. A. 1880 Khrustselevskaya, N. M. Khutoretskaya, N. V. 144, 984 Kijima, H. 35 Kilgore, W. W. 271, 1538 Kim, K. C. 1386 Kim, S. J. 883 Kimmel, E. C. 1363 Kimura, S. 1400 King, J. M. 1915 Kingsford, E. 741, 753 Kinzer, D. R. 280 Kirby, P. 320 Kirimi, I. M. 1945 Kirkwood, A. C. 469, 1957 Kirya, B. G. 1771, 1790 Kisch, A. L. 2274 Kissam, J. B. 1258, 2347 Kissling, R. E. 777 Kistner, T. P. 667 Kitaoka, M. 1342, 1343, 1345, 1346, 1347, 1350 Kitaoka, S. 454 Kitching, R. L. 1004 Kitzmiller, J. B. 60, 385, 407, 973, 1434, 1473, 1749, 1750, 2126, 2337 Klein, J. M. 1166 Klemetson, D. J. 1897 Klinger, I. 282 Klowden, M. J. 614 Kluge, E. B. 1019 Klyuchko, Z. F. 1614 Knapp, F. W. 1530 Knapp, S. E. 1925 Knipling, E. F. 1121 Knowles, C. O. 177, 1283, 1288, 1610, 1935, 2171 Knudsen, J. H. 1043 Knutson, L. V. 128, 635 Knüttgen, H. J. Ko, R. C. 2208 Kobayashi, A. 350 Kobayashi, T. 1400 Kobulej, T. 2576 Kochetova, N. I. 64 Kochkareva, A. V. 1083 Koekkoek, H. H. M. Koeman, J. H. 165 Koh, T. S. 2145 Kolman, J. M. 663, 1293 Kolomiets, N. G. 126, 2534 Kolta, S. 187 Komarov, B. A. 1997 Kondrashin, A. V. 313 Koneva, I. V. 2023 Konkova, K. V. 329 Konshina, L. N. 183

Koo, S. H. 883 Kopeyan, C. 1593 Korenberg, E. I. 14, 146, Korneev, G. A. 94 Korshunova, O. S. 2024 Korte, F. 1103 Köseolğlu, H. 1020 Koshkina, I. V. 304 Koshy, T. 1773 Koskei, H. K. 2320 Kos'ko, F. A. 1021 Kosminskii, R. B. 2025 Kostylev, S. G. 1669 Kostyrko, I. N. 52 Kováčová, E. 664 1913 193

Koval'chuk, T. M. 332

Kovalevskii, Yu. V. 647 Kovshik, A. K. 1660 Kowald, G. 1081 Kowalski, J. A. 614 Kozlik, A. 1099 Kozlov, M. P. 1096 Kožuch, O. 1582, 1939 Krafsur, E. S. 2139 Kraft, W. 2403 Kramer, J. P. 1391, 2374 Kramer, M. C. 1184 Krasnobaeva, Z. N. 8, 311 Krasovsky, F. V. 657 Kremer, M. 582, 1244, 1245, 1505, 1651 Kreslavskii-Smirnov, A. G. 1506 Kretzschmar, K. 1566 Kreutzer, R. D. 60, 973, 2337 Krieger, R. I. 2585 Krishnaswami, A. K. 532 533, 1405, 1565 Kritzinger, D. A. 1019 Kropacheva, A. A. 317 Krug, W. 2161 Krutak, D. C. 599 Krynski, S. 1912 Kryshtal', A. F. 62 Kryuchechnikov, V. N. 311, 1689, 2026 Kubota, K. 1585 Kucheruk, V. V. 146 Kudoyarova, I. Ya. 77 Kudryashova, N. I. 102, 465, 2028 Kühlhorn, F. 1759 Kuhlow, F. 734, 882, 2118 Kukharchuk, L. P. 19, 2027, 2279 Kuklina, T. E. 935 Kulakova, Z. G. 2029

Kulanin, V. L. 80, 300, Kulieva, N. M. 2297 Kul'kova, T. A. 54 Kumada, N. 561, 1462 Kumar, P. 1558 Kumar, S. S. 910 Kumar, V. 1271 Kundin, W. D. 1967 Kunichkin, G. I. 2030 Kunitsa, G. M. 94 Kunz, C. 221 Kunz, E. 725 Kunz, S. E. 449, 466, 467, 2589 Kuo. C. 187 Kuo, J. 2298 Kupressova, V. B. 495 Kupriyanova, E. S. 312, 1365, 1625, 2031 Kurihara, T. 1463 Kuriyama, M. 2360 Kurtti, T. J. 1706 Kurzaev, G. M. 2166 Kusov, V. N. 2032 Kutzer, E. 1950 Kuwengwa 2354 Kuzin, I. P. 94 Kuznetsov, R. L. 16 Laaziri, M. 2503 LaBrecque, G. C. 260, 707, 827, 1489, 1739, 1871, 2183, 2366 Lachmajer, J. 775, 1187 Lackie, J. M. 720, 1374 Ladds, P. W. 1068 Ladle, M. 2348 Lainson, R. 588, 801, 802, 2149, 2150 Laird, M. 2033 Lakshminarayana, K. V. 1385 Lalitha, C. M. 1571, 1963 Lambrecht, F. L. 251, 1820 Lamontellerie, M. 2496 Landa, V. 1334 Lang, C. A. 1789 Langford, G. S. 1737, 1740, 1743, 1744 Langley, P. A. 253, 1837, Langman, M. J. S. 2409 Lanotte, G. 1248, 1255 Lapierre, J. 1595, 1596 Larsen, J. R. 2362 Lasovski, Y. 2502 Lassen, K. 1441 Latif, M. A. El- 509, 702, Laudani, U. 2319, 2509

Laurence, B. R. 555, 1727, 2034 Laurent, P. 1040 Lauterer, P. 628 Lavagnino, A. 653, 1487, Laven, H. 154, 874, 875 Lavrent'ev, P. A. 2035, Lavrova, I. P. 341 Lawyer, P. G. 800 Layne, J. N. 2273 Lazar, B. 292 Lazuick, J. S. 1770 Le Roy-Moret, M. C. 243, 420 Leal, H. 1164 Leatch, G. 1065 Lebedev, I. P. 146 Lebedeva, N. N. 2055 Lebedeva, O. P. 484 Leberre, G. 1244 Lebovits, N. 1070 Leclercq, M. 11, 12, 169, 276, 840, 1040, 2536 Ledger, M. A. 1945 LeDuc, J. W. 1796 LeDuc, J. W. 1796 Ledvinka, J. 1294 Lee, C. W. 2154 Lee, F. C. 389, 2127, 2133 Lee, J. E. 2466 Lee, J. T. 386, 2327 Lee, P. W. 2585 Lee, V. H. 219, 393 Leedham, D. 745 Leesch, J. G. 917 Legait, J. P. 895 Léger, N. 241, 1810 Legner, E. F. 2180, 2483, 2532, 2539 Lehucher, P. 420 Leinati, L. 612 Lelijveld, J. L. M. 570 Lemon, R. W. 1611 Leng, Y. P. 1777 Leopold, R. A. 269 Lepes, T. 1430 Leshkova, V. V. Lesmes, C. 2094 Lesser, F. H. 1411 Levchenko, N. G. 101 Leviev, P. J. 2036, 2192 Levy, G. F. 1942 Levy, R. 625 Lewallen, L. L. 746 Lewis, C. T. 1176 Lewis, D. J. 807, 1010 Lewis, D. L. 1511 Lewis, J. B. 440 Lewis, L. F. 747, 2464, 2470 Lewis, R. E. 952

Ley, R. V. 696 Levrer, R. L. 2430 L'Héritier, P. 879 L'Hermite, P. 33 Libíková, H. 1212 Lichtenstein, E. P. 1890 Liem, K. K. 1460 Lien, J. C. 2298 Lien, S. C. 2298 Lieux, M. 1540 Ligthart, G. S. 1264, 1265 Lim, B. L. 1940 Lima Falcão, A. 1250 Lin, Y. N. 1453 Linardi, P. M. 363 Lindsay, O. B. 168 Lindstrom, F. T. 1319 Lineva, V. A. 40, 103, 2037, 2192 Ling, C. M. 1461 Linkfield, R. L. 185 Linley, J. R. 1005 Linn, J. D. 1075 Linsdale, D. D. 256, 620 Lipke, H. 2363 Lisova, A. I. 2008 Lisova, A. I. 2038 Lissitzky, S. 1593, 2233 Lissner, L. 2514 Littlejohn, A. I. 469 Litvinova, V. M. 49 Liu, G. C. K. 2383 Liu, S. Y. 1441 Liu, T. P. 2416 494 Lizarzaburu, C. 1441 Lloyd, L. 1821 Lofgren, C. S. 707, 974, 1419, 1442, 2050, 2106, 2134, 2299, 2317, 2326 Loktev, N. A. 715 Lomas, J. G. de 858, 1962, 1971 Lomax, J. L. 709, 1424 Londt, J. G. H. 460 Long, J. D. 2129 Longhurst, W. M. 662 Loomis, E. C. 1301, 1805, 1868, 2356 Loots, G. C. 2557 Lopes, M. C. 2217 Lord, R. D. 777 Lorimer, N. 2336 Lounibos, L. P. 2105 Louw, J. P. 1861 Lowe, R. E. 981, 1976, 1979 Lowrie, R. C., Jr. 1474, 2497 Lu, L. C. 413, 544 Luby, J. P. 961 Luchkovskaya, O. N.

Ludlam, K. W. 796

Ludwig, H. W. 1708 Luedke, A. J. 1501 Luger, D. 1828 Lukoschus, F. S. 2220 Lumb, G. 1719 Lunina, E. A. 715 Lupascu, G. 589 Lur'e, A. A. 1297 Lusk, E. E. 2474 Lutta, A. S. 2039 L'vov, D. K. 145 L'vova, A. I. 144, 984 Lynch, E. E. 1743 Lyneborg, L. 1033 Lyons, E. T. 1269, 1270 McCabe, C. T. 1836 McCall, J. W. 1763 McCarthy, J. F. 1099 McCrae, A. W. R. 1233, 2288 McCrav. E. M., Jr. 979. 1448, 2128 McCray, T. L. 1448 McCubbin, J. H. 961 McCuiston, L. G. 598, 1741, 1742 McDaniel, H. C. 1378 McDermott, S. N. 263 McDonald, F. J. D. 830 MacDonald, G. 560, 790 McDonald, I. C. 267, 626, 831, 1050, 1051 McDonald, J. L. 387, 390, 413, 544, 982, 2136 MacDonald, P. T. 1486 Macdonald, W. W. 210, 1197, 2421 McDonnell, M. 2314 McDougal, M. L. 971 MacDougall, D. 1107 Macedo, V. 1826 Macfadyen, A. 2519-McFarland, G. C. 767, 1275, 2458 McGivern, J. J. 2338 McGovern, T. P. 642, 1286 McGreevy, P. B. 962 McGuire, E. J. 1719 McGuire, J. U. 392 Machado-Allison, C. E. 234 McHaffey, D. G. 1235 Machavariani, N. A. 2040 Machay, L. von 613 Machel, M. 1572, 1912 McIntosh, B. M. 401, McIver, S. 370 McIver, S. B. 20, 1459, 1807 Mack, R. 1078

McKague, B. 2521 McKeen, W. D. 2180 McKenna, R. J. 1184 Mackenzie, R. B. 2094 McKinney, R. M. 1132 Macklin, A. W. 1073 McLean, D. C. 2197, 2393 McLean, D. M. 794, 1238 MacLennan, K. J. R. 165 2355 McMahon, B. 2408 Macnamara, F. N. 1754, 1755, 1756 McRae, T. M. 596, 601 McWilliams, J. G. 2050 Madden, E. E. 1148 Maddock, D. R. 1601, 2447 Madel, G. 21 Maertens, K. 603 Maffi, M. 2313, 2314, Magat, A. 1119 Magayuka, S. A. 396, 1426 Magni, F. 2579 Maguire, T. 222, 1755, 2142 Mahadevan, B. 291 Mahdi, A. H. 118, 773, 972, 1170, 1725 Mahdi, M. T. 1006 Maibach, H. I. 788 Maillot, L. 1517 Majerská, M. 135 Majori, G. 50, 583, 2340 Makhan'ko, E. V. 180, Makiya, K. 225, 561, 1239, 1240, 1462 Malek, A. A. Abdel- 463, 791, 1470 Malina, L. K. 2064 Mališ, L. 2086 Málková, D. 999 Mallack, J. 796, 1074, 1421, 1422, 1737, 1740 Malyushina, E. P. 2041 Mamaev, N. Kh. 2164 Mamedniyazov, O. 1082 -Mameli, M. 1079 Mampe, C. D. 2079 Manaseryan, R. V. 1642 Maness, K. C. 1785 Mango, C. 2395 Manier, J. F. 1810 Mann, H. D. 1317, 2589 Manoochehri, A. 571 Mansingh, A. 1867 Mantukhov, A. G. 88, 95, Manuel, M. F. 1774

Maramorosch, K. 551 Marashi, M. H. 1829 March, R. B. 1030 Marchuk, L. M. 1579 Marei, N. 271, 1538, 2551 Margalit, J. 609, 813, 814, 1479, 1482, 1748, 2502 Marganian, V. M. 2148 Markevitch, A. P. 2042 Markina, V. V. 302, 327 Markkula, M. 716 Markov, A. A. 1930, 2043 Markovich, N. I. 2044 Marks, E. N. 2504 Marks, E. P. 700 Maroli, M. 866 Marsden, P. D. 1826 Marsden, P. D. 1827 Marshall, A. G. 2045 Marshall, I. D. 778 Martin, C. M. 1594 Martin, D. H. 1206, 2499 Martín, G. García- 1428 Martin, J. 1052 Martin, R. 586 Martin, R. D. 1878 Martins, A. V. 1249, 1250, Martins C. M. 1164 Martins, J. N. O. 2155 Martyn, E. J. 190, 191 Martynova, Z. I. 77 Maruyama, K. 762 Maslov, A. V. 2046 Masterson, R. A. 550 Mastrilli, M. L. 542, 2306 Mataika, J. U. 1754, 1756 Mathis, H. L. 383, 575 Mathis, M. 1387 Mathur, Y. D. 1373 Matola, Y. G. 570 Matsuda, M. 1702 Matsuhashi, T. 1964 Matsumura, F. 196, 1364, 2248 Matsuno, H. 1462 Matsuo, K. 2109 Matta, J. A. 1976 Matta, J. F. 485 Matthews, J. R. Mattila, T. 324 Mattingly, P. F. 2302. 2329, 2330, 2334 Maudlin, I. 1259 1854 Maunder, J. W. 1151 Maw, M. 771 Maw, M. G. 986 Mayer, M. S. 41 Mazel, P. 2586 Mazlum, Z. 1372 Mazurkiewicz, J. E. 2413

Means, R. 2137 Medley, J. G. 2425 Medved, R. A. 2483 Medvedeva, G. I. 25 Meergansová, J. 1293 Meifert, D. W. 260 Meisch, M. V. 386, 2327 Meleney, W. P. 859 Mello, D. 2239 Meltzer, J. 1607, 1608 Meredith, J. 1761 Meresz, O. 1867 Meriç, İ. 1020 Merk, W. 972 Měrka, V. 2229 Mesghali, A. 803 Meshchertakova, I. S. 647 Metcalf, R. L. 1120 Metelitsa, V. K. 692 Metselaar, D. 1461, 2320 Mettrick, D. F. 2200 Mews, A. R. 1828, 1846 Meyer, M. K. P. 2557 Meyer, N. 2452 Mezaini, S. Al- 136 Mezenev, N. P. 2047 Mian, A. 994, 995, 998 Michael, A. G. 373, 1208 Michael, S. 1943 Micks, D. W. 2097 Migicovsky, B. B. Mihályi, F. 2544 Mikhailov, A. K. 478 Mikhnovskaya, N. D. 341 Miles, J. A. R. 1755, 2142 Miles, J. W. 2447 Miles, M. A. 1826, 1827 Miles, V. I. 2135 Millar, E. S. 1384 Miller, D. L. 777 Miller, F. H. 1307 Miller, F. H., Jr. 2269 Miller, R. W. 435, 436, 438, 1549, 2173, 2382 Miller, T. 442, 1044 Mimioğlu, M. 848 Minaeva, V. M. 20 Minář, J. 580, 992, 999 1758 Minina, L. V. 2164 Ministry of Agriculture, Fisheries and Food 1380, 1407 Minter, D. M. 1264, 1265, 1826, 1827 Minter-Goedbloed, E. 1826, 1827 Miranda, F. · 1593, 2233 Mirchamsy, H. 963 Mironescu, I. 6 Mirzaeva, A. G. 2048,

Mirzoeva, N. M. 2297 Misch, D. W. 2543 Misirov, Z. G. 1968 Mitchell, C. J. 1770 Mitchell, R. 540 Mitrofanov, A. M. 305, 496 Mittler, R. E. 1325 Mitwally, H. 275 Miura, T. 48, 344, 384, 754, 2484 Miyagi, I. 1491 Miyamoto, J. 671, 672, 1964 Miyamoto, N. 293 Miyata, T. 196 Miyazaki, M. 293, 671, 672 Mizuno, T. 193, 1382, 1699 Mizutani, K. 293, 671, 672 Mobedi, I. 839 Mock, D. E. 1529 Modi, G. B. 587 Mogi, M. 116, 1490, 1783 Mohammed, A. N. Mohandas, A. 1906 Mohiuddin, S. 508, 1891 Mohrig, W. 409 Molen, L. G. Van der Starre-van der 23, 24, 1086 Molineros, J. A. 630 Molkhou, P. 2387 Moloo, S. K. 1822, 1824, 1858 Molyneux, D. H. 1832, 1859 Monath, T. P. 1790, 2290 Monroe, R. E. 29, 427, 1561, 2430 Montaña, A. C. 531 Monty, J. 2186 Moore, C. G. 567 Moore, D. L. 393 Moore, D. L. 39 Moore, H. S., IV 2347 Moore, R. C. 2083 Moorhouse, D. E. 623 Morales-Farias, E. N. Morales, N. 1393 Morel, P. C. 880, 1921 Moret, M. C. Le Roy-243, 420 Morettini, B. 682 Morgan, C. E. 273, 1042 Morgan, N. O. 435, 1878, Morgan, P. B. 827, 1871, 2183, 2545 Morge, G. 1333

Moriarty, F. 323, 521, 914 Morita, H. 35, 1889 Moriya, K. 371, 1465 Morozova, I. V. 2446 Morris, C. D. 2517 Morrison, F. O. 903 Morrison, P. E. 905 Morsy, T. A. 118, 773 Mortenson, E. W. 2473 Mosna, B. 853 Mostafa, F. I. 1563, 1564 Moteyunas, L. I. 493 Motoki, M. 1463 Motoyama, N. 633 Moucha, J. 1033 Mouchet, J. 114, 420, 445, 446, 733, 869, 872, 1681, 1766, 2003, 2049, 2282, 2291 Mouki, B. 2503 Mount, D. A. 1319 Mount, G. A. 379, 386, 921, 2050 Mourier, H. 1027, 2358 Moussa, M. I. 844, 2561 Moustafa, F. I. 1545 Mowry, G. R. 1549 Mozier, J. O. 255 Mozogai, C. 1867 Mrzel, I. 292 Muangman, D. 1181 Muhsam, H. V. 463 Muir, D. A. 231 Muir, D. C. G. 887 Mukai, S. 1054 Mukanov, S. M. 1730 Mukherjee, A. B. 2282 Mukwaya, L. G. 1461 Mularczykowa, Z. Wróblewska- 2396 Mulhern, T. D. 1224 Muljarskaja, L. V. Mulla, M. S. 640, 756, 757, 1276, 1870, 2492, 2547 Mullee, M. T. 255 Mullen, G. R. 711, 1745 Mullenax, C. H. 2094 Müller, B. 2207 Müller, P. 230 Muller, R. 1982 Mulyarskaya, L. V. 3, 4, 173, 2051 Munakata, M. 86 Muniss, J. N. 395 Munż, K. 1597, 1637 Mura, D. 1528 Mura, D. Muraleedharan, K. 1906 Murdie, G. 211 Murphey, F. J. 1732 Murray, M. D. 472, 722 Murray, V. I. E. 1022

Musatov, V. A. 2052 Musatova, A. I. 155, 2053 Mustafaev, A. S. 2054 Mutinga, M. J. 1010 Myalkovskaya, S. A. 703 Myamba, J. 1757 Mvers, R. M. 404 Nadakal, A. M. 1906 Nadchatram, M. 1339 Nadim, A. 803, 1008, 2519 Nadzhafov, I. G. 184 Nagasawa, S. 426 Nagem, R. L. 363 Nagy, G. 1923 Nahif, Ali Agha 21 Naidu, M. B. 1992 Na'isa, B. K. 165 Nájera, A. D. 1468, 1512 Nájera, J. A. 1427 Nakajima, S. 226 Nakamura, H. 226, 559 Nakao, J. C. 1885 Nambe, M. 1476 Napan, M. 1392 Nappi, A. J. 429, 1877 Narang, N. 1473 Narang, S. 407, 1473, 1749, 1750 Narang, S. L. 1234 Narchuk, E. P. 835 Narsesyan, O. A. 2025 Nascimento, M. F. 1164 Nash, T. A. M. 123 Nasr, A. E. Aboul- 652, 1397, 1398, 1399 Natvig, H. L. 1996 Naumov, R. L. 156, 1297, Nawarat, P. 1886 Nawrocka, E. 2396 Nayar, J. K. 763, 1088, 1475 Nazaimukhamedov, N. A. 931 Nazarova, S. A. 856 Neaga, A. 1306 Neal, F. C. 678 Neal, H. 2411 Neal, H. Needham, D. J. 35 353 Neilson, C. L. Neilson, J. L. Neitz, W. O. 1916, 1917 Nelms, M. W. 1763 Nelson, B. C. 722 Nelson, D. R. 1882 2256 Nelson, G. S. Nelson, M. J. 1799 Nelson, R. L. 411, 2475, 2476 Nemeséri, L. 679

Nepoklonov, A. A. 611, 668, 692, 818, 1035, 1670, 2056, 2064 Nepoklonova, M. I. 1670 Neranov, I. M. 2028 Neri, I. 2305, 2307 Neri, P. 240 Neto, J. A. F. 1164, 1223 Netskii, G. I. 152, 2057 Neves, D. P. 2443 Neves, J. L. 2159, 2160 Nevill, E. M. 1808 Newbold, G. T. 1100 Newhouse, V. F. 577, 777, 1206 Newlands, G. 861 Newton, W. H. 287 Ng, W. K. 2108 Nguyen-Van-An 1500 Ni, G. V. 480 Niaussat, P. 863 Nicholas, W. L. 617 Nickel, W. E. 1710 Nicoli, R. M. 1587 Nicolson, S. W. 987 Niculescu, A. 2215 Nielsen, J. L. 820, 2370 Nielsen, L. T. 766 Niesiołowski, S. 1813 Nigg, H. N. 2362 Nijhout, H. F. 1193 Nikitina, N. A. 52 Nikolaev, K. A. 2588 Nikol'skiĭ. S. N. 1933. 1948, 2058, 2214 Nikulin, T. G. 2555 Nir, Y. 1748, 2502 Nisalak, A. 1775 Nishigaki, J. 116, 1490 Nishioka, T. 1780 Nitschmann, J. 1566 Nitzan, M. 477 Nnochiri, E. 354 Noblet, R. 1258, 1539, 2347 Nocerino, F. 723 Nogge, G. 26, 27 Nolan, J. 505, 846 Nolan, R. A. 1014 Noor, N. 1787 Noorderhaven, A. 1301 Norden, D. A. 250 Norland, R. L. 1870 Nosek, J. 63, 666, 1582, 1939 Notestine, M. K. 764 Nourrit, J. 1587 Novák, D. 759, 1294, 2117, 2278 Novak, G. E. 84 Novokreshchenova, N. S. 93

Nozik, S. I. 657 Nsanzumuhire, E. 354 Nunes Oliveira Martins, J. 2155 Oban, E. 1788 O'Berg, A. G. 966, 2486 Oberosler, R. 612 Oblesova, L. N. 157 O'Brien, R. D. 505, 915 Obudho, W. O. 1192, 1757 Obukhova, V. R. 1938 Oda, T. 1493, 1784 Odhiambo, T. R. 31 Oehler, D. D. 1317, 1554 Oemijati, Sri 554, 1787 Offori, E. D. 1828, 1846 Ogden, L. J. 362 O'Grady, J. J. 342, 750, 1131, 2130 Ogunba, E. O. 218 Ohkawa, H. 1098 Ohkawa, R. 1098 Ohtaki, T. 1031, 2361 Ohya, S. 561 Okamoto, R. 392 Okereke, T. A. 2230 Okino, T. 1463 Okubo, K. 1345, 1347, 1350 Okubo, S. 1463 Okulov, V. P. 2192 Okulova, N. M. 1683 Okuno, Y. 1985 Okuntsova, E. V. 1057 Older, J. J. 365 Oldham, M. L. 2459, 2474 Oliveira Martins, J. N. Oliver, D. R. 130, 1037 Oliver, J. E. 1287, 2372 Oliver, J. H., Jr. 486, 927, 1063, 1946 Olkowski, W. 272 Olsuf'ev, N. G. 647, 648 Omarov, L. M. 306 Omarova, M. V. 2164 O'Meara, G. F. 2101 Omori, N. 1214, 1492, 1783 Ono, S. 1381 Onyango, R. J. 898 Oppenoorth, F. J. 1106 Oppong, E. N. W. Orlov, V. M. 495 Ormsbee, R. A. 851 Országh, I. 1241, 1242 Osburn, R. L. 486, 1063 Osgood, C. E. 1801 Osipova, N. Z. 2059 Osman, F. Ben 592 Osmani, Z. 1992

Ossi, G. T. 768 Otčenášek, M. 1695 Otsuji, J. 1342, 1343, 1347 Ouma, J. H. 2320 Ovazza, M. 445, 446, 1406 Overby L. R. 1461 Overland, D. E. 626, 831 Ovies Diaz, D. 2201 Ovnanyan, K. O. 1630 Owen, D. 1953 Owen, D. F. 1698 Pacheco, S. 1277 Page, K. W. 2060 Page, W. A. 1045, 1857, 2061 Paggi, P. 2412, 2578 Pailt, E. P. 610 Paint, E. P. 610

Painter, R. R. 271

Pajot, F. X. 2283

Pal, R. 392, 877, 2002, 2062, 2063 Palatroni, P. 2554 Palička, P. 2086, 2229 Palmer, B. H. 1099 Palmer, D. L. 2274 Palmer, E. D. 108 Palmer, J. S. 691, 1315 Palmieri, C. 564 Pan American Health Organization 2417 Pandey, V. S. 2574 Pandit, C. J. 553 Panel on Perspectives in Mosquito-Control Methods suitable for Developing Countries 2324 Panfilova, S. S. 146 Pangburn, H. C. 749 Panova, V. V. 2028 Pant, C. P. 215, 1185, 2500 Pantuwatana, S. 205 Panyukov, A. N. 2064 Pápay, D. 298 Papierok, B. 121, 1254 Parer, I. 730 Paris, J. 1265, 1856 Parkash, D. 2415 Parker, J. 1578 Parker, J. D. 607, 1192, 1819 Parker, K. 364 Parkin, W. E. 864 Parmar, B. S. 913 Parrot, L. 586 Parsons, M. A. 550 Partono, F. 554, 1787 Pascoe, R. R. 1072 Passaleva, A. 1589, 1590 Pastre, J. 1252, 1253

Pastukhov, G. I. 85

Pastukhova, A. N. 152 Patankar, M. R. 115 Patnaik, B. 1271 Patrusheva, V. D. 2351 Pats, S. I. 657 Pattenden, G. 949 Patterson, J. W. 1855 Patterson, R. S. 714, 1419, 1489, 2134, 2317 Patterson, W. J. 2146 Pattoli, D. B. G. 1713, 2151 Pattoli, D. G. B. 198, Paul, T. C. 475 Păun-Durbacă, S. 530, 557 Pautou, G. 574 Pavlov, P. 663 Pavlova, N. V. 1670 Pavri, K. M. 115 Pchelkina, A. A. 52, 153, Pearson, K. G. 1707 Pearson, W. G. 2453 Peck, T. D. 638, 735, 1273, 1903, 2449, 2530 Pedersen, C. E., Jr. 795 Pedini, B. 681 Peenen, P. F. D. van 398 Peers, R. R. 2102 Peirce, M. A. 1578, 1915, Peleg, B. A. 2560 Pell, P. E. 252, 1847, 1848, 1849, 1850, 1851 Pelsue, F. W. 602, 767, 1275, 2458 Penaud, A. 1587 Pengelly, D. H. 804 Pepys, J. 1958 Perez Arrieta, A. 2394 Pérez, C. 950 Perez, C. 1921 Perié, N. M. 1929 Perkins, I. V. 2153 Perkins, P. V. 2132 Perlowagora-Szumlewicz, A. 1162 Pernot-Visentin, O. 2537 Perry, C. T. 1578 Pershin, E. Ya. 481 Pessôa, S. B. 1772 Pesson, P. 1535 Peter, C. T. 841 Peters, A. H. 1942 1806 Peters, L. L. 1884 Peters, O. B. Peters, R. F. 2455 Peters, R. H. 748 Peters, T. M. 558

Petersen, J. J. 372, 966, 1436, 1478 Peterson, B. V. 419 Peterson, R. J. 642 Petkov, P. 1568 Petrarca, V. 2255 Petrelli, G. 853 Petrishcheva, P. A. 2066 Petrov, V. G. 2067 Petrova, B. K. 2068, 2535 Petrovskii, V. V. 1128, 2069 Petruchuk, O. E. 182, 328, 496 Petrukhina, T. E. Pfäffli, P. 2240 Pflumm, W. 39 705 Phelps, R. J. Phillippon, B. 2070 Phillips, J. E. 1761 Phillogene, B. J. R. 1101 Philpot, R. M. 57, 1090, 2549 Piccione, G. 564 Pichon, G. 761 Pichon, Y. 2438 Pickens, L. G. 435, 1549, 2172, 2382 Picq, J. J. 2113 Pierce, N. W. 379, 386, 921, 974 Pierdominici, E. 542 Pierdominici, G. 583 Pifano C., F. 1324 Pilitt, D. R. 541 Pillai, J. S. 2142 Pillai, M. K. K. 402, 793, 1229, 2242 Pimley, R. W. 1837 Pinger, R. R., Jr. 798 Pinho, A. C. de 1720 Pinkovsky, D. O. 375 Pinkston, K. N. 2582 Pinon, C. 2387 Pinto, M. R. 549 Piotrowski, F. 1619, 2071 Pipano, E. 282 Pitois, M. 1606 Pitts, C. W. 266 Plapp, F. W., Jr. Plattner, H. 1091 Plencovich, A. R. 2093 Pletzen, R. Van 2557 Plowright, W. 1578 Podboronov, V. M. 315, 316 Podenaite, V. I. 493 Poinsot, S. 241 Pokidov, I. I. 1036 Polanco, R. 2296 Pollock, J. N. 901, 1844 Polovodova, V. P. 2072

Polyakov, D. K. 2203, 2431 Polyakova, V. K. 175 Ponce, C. 2089 Ponirovskii, E. N. 147, 2073, 2345 Ponnudurai, T. 2256 Ponting, G. 2471 Poon-King, T. 2227 Poorbaugh, J. H. 523, 620 Poorbaugh, J. H., Jr. 2539 Popham, E. J. 1830 Porter, C. H. 1507 Porter, J. E. 1601 Posey, K. H. 970 Pospelova-Shtrom, M. V. Postiglione, M. 990 Postoian, S. R. 1128, 1129 Postoyan, S. R. 1062. 1642 Potapov, A. A. 87, 304, 2074 Potashova, L. A. 134 Potemkin, V. I. 1670, 2442 Potter, E. V. 2227 Potter, H. W., Jr. 1002, 1243 Potts, W. H. 809 Poulsen, E. 1108 Pound, J. M. 927 Povolný, D. 1556, 2075 Pozov, S. A. 2214 Pradhan, G. D. 2124 Pradhan, J. N. 959 Prado, C. E. Del 529, 1715 Prasad, B. G. 1373 Prasad, R. S. 535, 2272 Pratt, G. E. 2090, 2091, Pratt, G. K. 1032 Pratt, H. D. 1032 Pretzmann, G. 221 Price, G. M. 1532 Price, M. A. 287, 466, 1299 Price, R. G. 476 Price, W. J. 731 Priester, W. De 23, 1092 Prieto, R. 1128 Prigorodov, V. I. Prince, A. M. 1461 Prince, W. T. 2194, 2541 Prine, J. E. 2473 Pritulin, P. I. 2442 Přívora, M. 352, 1167, 1446, 2191, 2192 Procter, P. J. 718 Prod'hon, J. 1485 Prokhorova, P. K. 1948

Provost, M. W. 763, 2076 1093 Prusch, R. D. Prygunova, I. G. 410 Pshenichnov, A. F. 2078 Pshenichnov, R. A. 2077 Ptito, M. 1306 Pudney, M. 1762 Puga, F. R. 2239 Pulido F., J. 967 Purnell, R. E. 283, 1915, 1945, 2211 Purvin-Good, K. W. 794 Putnam, H. D. 1041 Puttler, B. 1042 Quélennec, G. 244, 805 Quinn, T. C. 993 Quraishi, M. S. 1178, 1179 Qureshi, S. A. 508, 1891 Rabbani, M. G. 385, 2126 Rabello, E. X. 198, 538, 1154, 1155, 1713, 2151 Rabinovich, J. E. 201, 359, 360, 2088 Rabinsky, R. 258 Rad, P. Hooshmand-Radeleff, R. D. 467, 1112 Radford, S. V. 2543 Radtke, H. E., Jr. 1562 Rafatjah, H. Rafes, P. M. 1620, 1987, 2000 Raffensperger, E. M. 1735 Rageau, J. 114 Raghaven, N. G. S. 1565 Rai, K. S. 403, 1486, 2336, 2338, 2508 Raisbeck, B. 1700 Raj-Bahadur, R. 622 Rajagopalan, P. K. 281, 2565 Rajamohanan, K. 610 Rajapaksa, N. 210 Raley, T. G. 2467 Ramachandran, C. P. 119 Ramade, F. 33, 1535 Ramalingam, S. 2109 Ramke, D. 2462 Ramke, D. J. 208, 2463 Ramsdale, C. D. 990 Rangnekar, D. V. 1924 Rao, C. K. 1405, 1565 Rao, S. R. 1289 Rao, V. P. 1981 Rapley, P. E. L. 190, 191 Raquib, A. 1303 Rashev, Kh. . 663 Rashti, M. A. Seyedi-803, 2519 Rasnitsyna, N. M. 1506 Rathburn, C. B., Jr. 374,

Ratnasiri, N. B. 2362 Rauch, P. A. 615 Rauchbach, K. 1892 Ravdonikas, O. V. 2401 Ravindran, P. C. 1405 Raybould, J. N. Raymond, S. M. 1861 Reader, P. M. 211 Rebert, C. S. 399 Rebosolan, J. B. 529 Reddy, C. N. 673 Reddy, C. R. R. M. 673 Reed, D. E. 2482, 2489 Reed, W. P. 2274 Rees, D. M. 800 Reeves, E. L. 755, 1977 Reeves, W. C. 1206, 2418, 2450 Refaii, A. H. El- 1943 Regnery, D. C. 778 Rego, A. A. 2195 Řeháček, J. 135, 664, 881, 1913, 1937 Rehbinder, C. 1966 Rehbronn, W. 37 Reichstein, T. 2391 Reierson, D. A. 2436 Reinert, J. F. 1215, 1216, 1222, 2328 247, 1574 Reinhardt, C. Reisen, W. K. Repin, V. M. 954 1035 Repkina, L. V. 82, 99 Respicio, N. C. 1280 Retief, L. A. 854 Rettich, F. 1446, 2098 Reuben, R. 404 Rey Calero, J. del 858, 1962, 1971 Reyes, H. 1716 Reyes, P. V. 127, 531 Reynolds, D. G. 397, 2510 Řežábová, B. 1334 Reznik, E. P. 95, 142 Rhodes, H. A. 1002 Ribbeck, R. 937, 1150 Ribeiro, R. D. 1160, 1161, 2444, 2445 Ribelin, W. E. 1073 Ricci, M. 1589, 1590 Rice, M. J. 609, 813, 814, 1839 Rich, G. B. 718, 1864, 1926 Richard, P. W. 1080 Richard, R. D. 1897 Richards, P. G. 903 Richardson, B. B. 1495 Richardson, M. W. 1085 Riche, S. 380 Richter, C. B. 2228 Rickenbach, A. 446, 786

726 Rickett, F. E. 697 Ricossé, J. H. 895, 896 Riedel, H. Sollers- 779, Riedl, H. 1582 Riehl, L. A. 2356 Riethmüller, H. 2404 Rifaat, M. A. 118, 773 Rijksen, H. D. 165 Rimando, L. C. 599 Rimbey, C. W. 1868 Ring, R. A. 1048 Rio, D. F. 503 Ríos, R. 1441 Rioux, J. A. 121, 228, 241, 592, 869, 1248, 1254, 1255, 1588, 1810 Ritter, C. 690 Ritz, E. 1704 Rivière, J. L. 1535 Rivosecchi, L. 1510, 1514, 2350 Robb. R. 1531 Robbins, W. E. 1990 Roberts, D. M. 2432 Roberts, D. V. 1111 Roberts, F. C. 740, 2468 Roberts, I. H. 859 Roberts, J. R., Jr. 486 Roberts, M. J. 501, 510, 902, 1266 Roberts, R. H. 924 Robertson, A. G. 1019 Robertson, H. A. 2441 Robin, Y. 546, 2281 Robinson, A. S. 1618 Robinson, D. M. 795 Robinson, E. S. 1703 Robson, J. 1521 Rocha e Silva, E. O. da 528, 1154, 1155 Rochat, H. 1593 Rockstein, M. 47, 910 Rodger, F. C. 1817 Rodhain, F. 229, 1406, Rodin, S. D. 1035, 2069 Rodrigues, C. 1525, 1526 Rodrigues, F. M. 115 Rodrigues Puga, F. 2239 Rodriguez, P. H. 1310, 1497, 2143 Rogers, A. 608, 1841, 1842, 1843 Rogers, C. E. 1530 Rogers, C. J. 639, 712, 1904, 1905 Rogers, D. 2158 Rogoff, W. M. 642, 1115, 2470

Rohitayodhin, S. 1775

Rohwedder, R. W. 529, Rojakovick, A. S. 1030 Rojas, A. 950 Rojo, M. 1716 Rolant, F. 1909 Rolland, A. 605 Rolseth, B. M. 2277 Romagnani, S. 1589, 1590 Roman, É. 1794 Romanenko, V. N. 495 Römer, F. 2379, 2380 Romney, S. V. 766 Romoser, W. S. 1085 Ronald, N. C. 2546 Ronéus, O. 1527 Ronguillo, M. C. 2146 Roomi, R. A. 490 Roomi, M. W. 508 Rooney, W. F. 2180 Rosales-Ronquillo, M. C. Rosario, A. del 2515 Rosay, B. 764 Rose, N. J. 220, 1494 Rosen, P. 2321 Roshdy, M. A. 456 Rosický, B. 999 Roslavtseva, S. A. 175, 314, 1901 Ross, M. H. 944, 945, 2081 Ross, R. H., Jr. 29 1561 Rossem, G. van 2437 Rossetti, C. 603 Rossi, A. 2412 Rossi, M. A. 1879 Rostigaev, B. A. 75 Rotheram, S. 1374 Rothschild, M. 364, 2391 Rothwell, T. L. W. 1134 Rotramel, G. L. 2473 Rottman, F. M. 2552 Roulston, W. J. 455, 645, 1301, 1610 Rousset, G. 1588 Rowley, W. A. 584, 798 Roxburgh, N. A. 2548 Roy-Moret, M. C. Le 243, 420 Roy, P. 2550 Rozeboom, L. E. 232, 975, Ruber, E. 886 Rubin, R. H. 220, 1494 Rubina, M. A. 156, 2055 Rubtsov, I. A. 299, 539, Rudenko, B. N. 1035 Ruderman, B. G. 1035 Rühm, W. 418, 595, 1816

Rupeš, V. 1167, 1294, Rupp, H. R. 188, 1738 Russell, F. E. 2581 Russell, G. B. 918 Russell, P. K. 1775, 1797 Russo-Caia, S. 2554 Rust, J. H., Jr. 1354 Rustamov, B. R. 481 Ryan, A. F. 355 Ryazantseva, A. E. 2318 Ryba, J. 580 Ryckman, A. 1807 Rye, J., Jr. 260 Rzhakova, O. E. 2055 Saccà, G. 542, 631, 2306 Sacchi, L. 447, 1049 Sacher, R. M. 1498 Sadr, H. El- 1943 Safronov, V. V. 149 Safyanova, V. M. 2236 Saggers, D. T. 1100 Said, M. S. 1943 Said, S. 998 St. Amant, J. 1870 St. Clair, A. D. 1319, Saito, Y. 461, 2218, 2568 Sakai, R. K. 994, 995, 998, 1483, 2131 Sakharova, E. P. Sakumoto, D. 1464 Saladze, I. D. 338 Sales, S. 1227, 1766, 2003 Salimov, B. 1056 Salit, A. 1236 Salpeter, M. 1091 Samish, M. 2294 Sams, J. T. 2408 Samšiňák, K. 1305 Samuel, D. 1405 Sanchez Diaz, B. 723 Sanders, C. V., Jr. 961 Sanders, D. P. 1803 Sanders, R. D. 2472 Sanderson, A. E., Jr. 1740 Săndescu, I. 557, 1226, 1329, 2259, 2260 Sandner, H. 514 Săndulescu, M. 530 Sanford, J. P. 961 Sanmartín, C. 2094 Sannasi, A. 66 Sannier, C. 1766 Santiago, D. 774 Santos Dias, J. A. T. Santos, J. L. F. dos 1154 Sanwald, R. 1704 Sardey, M. R. 842, 1289 Sareen, M. L. 1722 Sarkisova, E. N. 492 Sarma, R. D. 2406 Sarma, B. D. 2406

Saroso, J. S. 398 Sartbaev, S. K. 1685 Sasa, M. 560, 1213, 1463, 1964 Sasakawa, M. 2360 Sass, B. 796 Sasso, D. R. 1785 Sather, G. E. 864 Satija, R. C. 1723 Sato, H. 1463 Sauer, J. R. 280, 566, 2563, 2564 Sauerman, D. M., Jr. 1475 Saugstad, E. S. 1795, 1796 Saunders, D. S. 42 Saunders, J. C. 919 Savage, K. E. 1979 Savage, L. B. 387, 390, 2136 Savel'ev, D. V. 2166 Savel'eva, I. P. 495 Savitskii, B. P. 1057 Savova, S. 1568 Sawaf, S. K. El- 366, 509, 702, 2095 Sawant, V. A. 1559 Sawicki, R. M. 440, 2179 Saxena, K. N. 1237 Sayeed Quraishi, M. 1178, 1179 Sayın, F. 1020 Scanga, M. 2305, 2307 Schaefer, C. H. 48, 208, 382, 400, 738, 2465 Schaeffer, P. A. 576 Scharrer, B. 1358 Schechter, M. S. 1599, 1600 Schein, E. 852, 2207 Schenone, H. 725, 950, 1592 Scherer, W. F. 576 Schiefer, B. A. 2453 Schilling, P. E. 378 Schlein, Y. 43, 310, 364 Schlinger, E. I. 2485 Schlinke, J. C. 1315 Schmeller, E. 1582 Schmidt, C. D. 270, 2181 Schmidt, C. H. 707 Schneider, J. 1955 Schnitzerling, H. J. 455, 645, 846, 1935 Scholtens, R. G. 1427 Scholtyseck, E. 1311 Schonbrod, R. D. 1026 Schoof, H. F. 979, 1440, 1448, 1601, 2447 Schoonen, J. M. C. P. Schotz, M. 2405 Schreck, C. E. 970, 2316

Schrecke, W. - 1918 Schreiber, G. 1720 Schroeder, F. 167 Schulte, W. 380 Schumacher, H. H. 891 Schumann, H. 131 Schuntner, C. A. 455, 845. 846 Schuster, W. 238, 409 Schwarz, H. 163 Schwarz, M. 1285 Scirocchi, A. 542 Scorza, J. V. 1251 Scrivani, R. P. 411 Seawright, J. A. 789, 1489, 2106, 2326 Sebae, A. H. El- 1545. 1563, 1564, 2315 Sebastian, A. 383, 575 See, R. 398 Seetharam, P. L. 2309 Seger, C. L. 1268 Sehgal, B. S. 1558 Self, L. S. 214, 383, 575 Seligman, I. M. 2364 Selinger, R. 55 Sellers, L. G. 2182 Selman, C. L. 450 Semenov, B. F. 145 Semenyuta, I. S. 84 Sempala, S. D. K. 1771 Semtner, P. J. 458, 2564 Semushkina, T. V. 159 Senff, R. E. 34 Serafimova, A. M. 1693 Sergiev, V. P. 313 Serra, F. 2217 Serter, F. 1292 Service, M. W. 308, 706, 2119 Ševcová, M. 1954 Seyedi-Rashti, M. A. 803, 2519 Seymour, W. M. 1958 Sezi, C. L. 354 Shaaya, E. 2361 Shafyi, A. 963 Shahgudian, E. R. 571 Shaiman, M. S. 148, 657 Shalaby, A. M. 729, 1186 Shali, P. L. 2415 Shalli, A. A. 769 Shamsiev, S. V. 936 Shamukhamedova, L. Sh. 483 Shanahan, G. J. 2381, 2548 Shankland, D. L. 194 Shargel, L. 2586 Sharma, G. P. 1473 Sharma, O. P. .1473 Sharma, R. N. 1237

Sharma, S. P. 1723 Sharma, V. P. 714 Shastri, U. V. 347 Shaw, J. J. 588, 801, 802. 2149, 2150 Shaw, R. D. 660, 661 Shazli, A. 1467 Shchedrin, V. I. 715 Shcheglova, E. E. 152 Shcherban', Z. P. 141, 933 Shcherbina, V. P. 836 Sheahan, B. J. 468, 674, 675 Shelley, A. J. 1778 Shelton, R. M. 2120 Shemanchuk, J. A. 1615 Shen Chin Chang 166 Shengeliya, G. Yu. Shepard, M. 1539 Sheremet, V. P. 62 Shergin, Yu. K. 2164 Sherlock, I. A. 1811 Sherlock, V. A. 1811 Sherman, E. J. 1184 Sherman, M. 1280, 2174 Shiitsu, T. 58 Shilenko, V. I. 1083 Shilkin, K. B. 1907 Shim, J. C. 2494, 2495 Shimada, Y. 1272 Shimizu, A. 1350 Shimshoni, A. 258 Shimshony, A. 658, 1603 Shin, H. K. 2494, 2495 Shinonaga, S. 1543 Shiraishi, A. 35 Shiranovich, P. I. 75, 171 Shirasaka, A. 293, 671, 672, 1585 Shirinov, F. B. 1968 Shirova, L. F. 173 Shishido, W. H. 2187 Shivpuri, D. N. 2415 Shkolnik, L. Ya. 1711 Shogaki, Y. 561 Shol', V. A. 1130 Sholdt, L. L. 373, 1208 Shope, R. E. 404 Shrestha, S. L. 959 Shrivastava, S. P. 2171 Shroyer, D. A. 983 Shukla, G. S. 1895 Shulepova, T. G. 146 Shulov, A. 477, 1070 Sichinava, Sh. G. 312 Sidorov, V. E. 107, 1689 Siebeck, W. 1089 Silhacek, D. L. 41 Silva, C. E. T. da 1394 Silva, E. O. da R. e 528, 1154, 1155 Silva, E. P. de C. e 527

Silva, J. E. da 1250 Silveira, S. M. 737, 2459 Silverman, P. H. 235 Simasathien, P. 1775 Simetskii, M. A. 1949 Simonneau, P. 73 Simons, R. W. 235 Simpson, C. F. 678 Simpson, M. G. 555 Sincer, N. 1020 Sinden, R. S. 2513 Sinegre, G. 785 Singh, J. 1994 Singh, J. P. 1895 Singh, K. P. 1230 Singh, K. S. 1726 Singh, M. M. 1908 Singh, N. 1371 Singh, P. 918 Singh, S. N. 164 Singh, S. P. 1773 Singharaj, P. 1775 Sinha, R. N. 475, 1951, 1969 Sirivanakarn, S. 1220 Sison, J. A. 140 Sivasubramanian, P. 621 Siverly, R. E. 274, 983 Sivers, P. von 422, 1821, 2156, 2157 Sixl, W. 137, 699, 1573, Sjogren, R. D. 751, 2460, 2490, 2492 Sjorgren, R. D. 751 Skinner, J. C. 552, 1495, 1496 Skvortsova, S. S. 94 Slack, E. 1836 Sládková, D. 1294 Sláma, K. 448 Slonov, M. N. 149 Smallman, B. N. 845, Smart, K. L. 381 Smatov, Zh. S. 410 Smelova, V. A. 1661 Smies, M. 165 Smiraglia, C. B. 1487, 2103 Smirnov, A. V. 146 Smirnova, S. N. 301, 327, 1577 Smissaert, H. R. 1105 Smith, A. 1192, 1210, 1757 Smith, C. E. G. 547 Smith, C. N. 1325, 2050 Smith, E. 259 Smith, F. G. A. M. 953 Smith, J. A. 218 Smith, N. 2276

Smith. R. F. 1325 Smith, S. M. 1648 Smith, T. A. 256 Smithers, C. N. 1988 Smithson, T. W. 1231 Smittle, B. J. 2134, 2184 Smola, U. 38 Snelling, R. R. 2556 Snetsinger, R. 1984 Snoddy, E. L. 606 Snow, D. H. 1322, 1323 Snow, K. R. 459 Snow, W. F. 799 Snyder, G. 690 Soares Barata, J. M. 2116 Sobey, W. R. 1403 Soboleva, R. G. 432, 930, 1900, 2367 Société Belge de Médecine Tropicale 890 Society for Invertebrate Pathology 1974 Sodhi, H. S. 2153 Sokol, N. S. 332 Sokolova, E. I. 2297 Sokolova, N. Yu. Solina, L. T. 30 Sollers-Riedel, H. Solomakha, A. I. 2166 Someren, E. C. C. van 1191, 2320, 2331 Sonenshine, D. E. 1348, 1942, 2204 Soni, B. K. 164 Sonoda, H. 226, 227 Sosunova, A. N. 2446 Soto, S. T. 1714 Soto U., R. 1714 Sousa, A. E. de 1019 Sousa, O. E. 1165, 2270 Southern, D. I. 252, 1847, 1848, 1849, 1850, 1851 Southwick, J. W. 2587 Southwood, T. R. E. Souza, D. M. de 1772 Souza, S. A. 1395 Spadoni, R. D. 2135, 2475, 2476 Spătaru, P. 904 Spates, G. E. 828, 1874 Spates, G. E., Jr. 1028, 1029 Spears, G. F. S. 1754, 1755, 1756 Spencer, C. B. 550 Spencer, D. A. 693 Spencer, E. Y. 1104 Spencer, M. 758, 960 Spencer, R. W. 825 Speranskii, V. V. 150 Spieckermann, D. 1798

Spielberger, U. 422, 1821, 2156, 2157 Spillane, J. T. 1132 Sreenivasan, M. A. 2565 Sri Oemijati 554, 1787 Srihongse, S. 2103 Srivastava, G. C. 860 Srivastava, J. B. 1278 Ssenkubuge, Y. 704 Staddon, B. W. 949 Stagno, S. 950 Stampa, S. 686, 1125 Standards Institute of Malavsia 1612 Standfast, H. A. 1809 Stanek, M. 1556 Stark, H. E. 1354, 1355 Starodubtseva, G. I. 2078 Starozhitskaya, G. S. 93 Starratt, A. N. 1801 Stauch, J. 2202 Steele, J. E. 721, 2441 Steele, R. W. 1867 Steelman, C. D. 378 Stegmiller, H. W. 550 Steiger, R. 247 Steiger, R. F. 1822, 1860 Stein, J. P. 2383 Steinberg, E. A. 1617 Stella, E. 2306 Stendel, W. 1928 Stenius, B. 1958 Stenram, H. 1708 Stepanchenok-Rudnik, G. I. 8, 134, 311, 315, 316 Stepanova-Kostina, M. N. 317, 1536 Stepanova, N. I. 1932 Stephenson, M. A. 191 Sterling, H. R. 476 Sterling, P. D. 349 Sternberg, S. 364, 2395, 2560 Stevens, V. Holford- 1958 Stewart, C. C. 399 Stewart, G. H. 1569, 1570 Stitzel, K. A. 962 Stoffolano, J. G., Jr. 429, 826, 1877 Stoimenov, K. 1568 Stokes, G. 380 Stokes, G. M. 2125 Stoltz, D. B. 991 Stone, A. 606 Stone, B. F. 645 Storey, J. 1189 Storey, R. S. 1789 Storozheva, E. M. 1693 Stovbun, V. V. 332 Strausfeld, N. J. 1094 Streck, P. 1357

Strelkova, M. V. 104

Strel'nikova, G. N. 488 Strickland, R. K. 676 Strong, F. E. 2138 Strout. V. 2363 Suárez, G. 1592 Suárez, O. M. 1637 Suárez Torres, G. 776 Subra, R. 787, 956, 957, 1764, 1765, 2003 Subramanian, G. 1290, 1936 Subramoniam, T. 66 Sudia, W. D. 577, 777, 1206 Suenaga, O. 1780, 1781, 1875, 2501 Suguri, S. 1464 Sukhova, M. N. 179 Sulař, A. Yu. 1660 Sulkin, S. E. 961 Sullivan, M. F. 1886 Sullivan, M. J. 1181 Sullivan, W. N. 392, 1599, 1600 Sultanov, M. A. 928 Sumiyo, I. 226 Summers, M. D. 991 Sun, Y. P. 1115 Suplicy, N. 1282 Supryaga, V. G. 88, 337 Surkov, V. S. 329 Surmin, V. M. 94 Surtees, G. 217, 1598 Sussman, O. 1410 Sutherland, D. J. 1423, 1738, 2265 Sutton, R. A. 1286 Suvarnakumari, G. 673 Suvorov, P. S. 474 Suyemoto, W. 1796 Suzuki, H. 1585 Svoboda, J. A. 1990 Swerzcek, T. N. 1270 Syartman, M. 2227 Sychevskaya, V. I. 92 Sytova, N. A. 40 Szabó, J. 70 Szabó, J. B. 298, 1126 Székely, R. 1716 Szumlewicz, A. Perlowagora- 1162 Tabanli, S. 990 Tabaru, Y. 350 Tacal, J. V., Jr. 140 Tâcu, V. 1328, 1329, 2258, 2259, 2260 Tahori, A. S. 1479, 1482, 1748, 1989, 2241, 2243 Takahashi, M. 2361 Takahashi, R. M. 384, 2484 Takama, Y. 1053

Takenouchi, Y. 58 Takhirov, B. 1568 Talbot, N. T. 1134, 1584, 1696 Talibi, S. A. 394 Tanaka, H. 1463 Tanaka, I. 672 Tanaka, T. 1054, 1553 Tandan, B. K. 1726 Tantawy, A. O. 1470 Tanzania. Ministry of Health and Social Welfare. Sleeping Sickness Service 1260 Tarimo, C. S. 607, 1819 Tarjanyi, I. 298 Tarshis, I. B. 604 Tashliev, A. O. 1083 Tatarinova, S. G. 2253 Taufflieb, R. 2281 Taylor, A. D. 2393 Taylor, A. E. R. 1982 Taylor, B. 368, 2322 Taylor, J. E. 1533 Taylor, R. T. 1440 Taylor, W. M. 1469 Tekle, A. 240 Telle, H. J. 516 Tello, M. P. 2433 Těmín, K. 992, 1294, 1758 Tempel, A. 1607 Tempelis, C. H. 590 Tenquist, J. D. 834, 1555 Terauds, A. 190, 191 Terriere, L. C. 916, 1026 Terry, P. H. 2169, 2170 Terwedow, H. A., Jr. Tesh, R. B. 593, 1009, 2499 Teshima, I. 122 Tesovskaya, L. P. 715 Thayer, D. W. 46, 1477 Thiel, P. H. van 893 Thimijan, R. W. 2172, 2382 Thomas, A. W. 637, 1024, 1658 Thomas, G. D. 273, 1042 Thomas, R. F. 2425 Thomas, V. 1777, 2293 Thompson, G. A. 339 Thompson, J. H., Jr. 128 Thompson, M. J. 1990 Thompson, P. G. 645 Thompson, S. N. 513 Thompson, W. H. 205 Thomson, J. W. 651 Thornberry, H. 1118 Thornhill, A. R. 624 Thornton, K. W. 566 Thrift, E. C. 971 Thymakis, K. 2124

Tibayrenc, R. 421 Tidwell, Mac A. 1869 Tidwell, Margaret A. 1869 Tiepolo, L. 2319 Tiflov, V. E. 1656 Tiittanen, K. 716 Tikasingh, E. S. 412, 925 Tikhomirov, P. A. 160, 489 Timofeeva, L. V. 496 Timon-David, P. 1587 Tinsley, T. W. 684 Tipton, V. J. 13, 919 Tischler, M. 477 Tkachenko, A. A. 2203 Tleugabylov, M. K. Tobe, S. S. 124 Tod, M. E. 2376 Tokareva, T. G. 2254 Tomaszunas, S. 1188 Tomlin, A. D. 1025 Tondl, F. 1167, 2192 Tongu, Y. 1464 Tonn, R. J. 211, 1499 Tonomura, K. 559 Toole, R. F. 1785 Torrado, J. M. G. 1927, 2394 Toshioka, S. 13, 58 Tosta da Silva, C. E. 1394 Toth, R. S. 277, 1457 Tour, S. 121, 228 Touré, S. M. 809 Townzen, K. R. 1996 Toyokawa, K. 1344 Tran-Thi-Minh-Phuong 1500 Tran-Van-Mau 1500 Traoré, S. 896 Trapido, H. 2094 Traub, R. 1336, 1337, 1339, 1340, 1352, 1353 Travassos Santos Dias, J. A. 2155 Travis, B. V. 599, 600 Treece, R. E. 630 Trejos, A. 295 Trejos, R. 295 Trevino, J. L. 287, 850, 1299, 2206, 2559 Tribunskii, M. P. 2164 Trimble, R. M. 1217 Trofimova, M. G. 305 Trotskaya, D. F. 95 Trpiš, M. 556, 572, 792, 1205, 1242, 1509, 1615 Trueman, K. F. 1068 Truseneva, N. S. Trykin, V. S. 94 Tsafrir, N. 658 Tsaturova, A. Ya. Tsikhistavi, Sh. G. 2025

Tsilinskiĭ, Ya. Ya. 144 984 Tsizin, Yu. S. 303 Tsuboi, Y. 1585 Tsuda, K. 2099 Tsuji, H. 193, 1381, 1382, 1699 Tucker, L. E. 2438 Tukei, P. M. 2287, 2288 Tupitsyn, Yu. I. 18 Turillazzi, P. 941 Turner, D. A. 701, 1829 Turner, E. C., Jr. 237, 1003, 1503 Turner, J. P. 2168, 2359 Turner, R. L. 980 Turov, I. S. 2254 Turvandishvili, S. A. 1944 Tverskaya, R. M. 332 Tyndale-Biscoe, M. 1537 Ubelaker, J. E. 451 Ubertalle, A. 885 Ueba, N. 2295 Uehara, S. 1889 Uetz, G. W. 2577 Uilenberg, G. 278, 284 Uk, S. 434 Umphlett, C. J. 2128 Ungría, C. Díaz- 1893 Ungureanu, E. M. 713 Unita, T. 1449 United States Department of Agriculture, Cooperative State Extension Services 1803 Urribarrí, R. S. 525 Ursu, A. 1171 Usachev, G. P. 2028 Ushakova, G. V. 167 1675 Usherwood, P. N. R. 2411 Uspenskii, I. V. 157, 487 Utley, D. 696 Vachon, M. 2414 Vago, C. 878 Vaidya, R. G. 959 Vainshtein, A. M. 483 Vaivanijkul, P. 2410 Valdivieso, F. G. 723, 2110 Valentyuk, E. I. 10 Valeza, F. 2516 Van Bronswijk, J. E. M. H. 1367, 1586, 1951, 1969, 2220 Van de Bund, C. F. 2437 Van der Hammen, L. 1356 Van Handel, E. 340, 922 Van Peenen, P. F. D. 398 2570

Van Pletzen, R. 2557 Van Rossem, G. 2437 Van Someren, E. C. C. 1191, 2320, 2331 Van Wettere, P. 1833 Vaňková, V. 2175 VanNatta, D. L. 732, Vannote, R. L. 739 Vansulin, S. A. 1466 Vargas, V. M. 600 Varghese, C. G. 841 Varma, M. G. R. 1576, 1762 Varma, R. N. 291 Varute, A. T. 1559 Vasenin, A. A. 307 Vashchenok, V. S. 30 Vashkevich, R. B. 1865 Vashkov, V. I. 302, 317, 1536 Vasil'eva, I. S. 153, 2428, 2429 Vaškov, V. I. 1536 Vattier-Bernard, G. 414 Vazhev, A. P. 1083 Vedadi, L. 839 Védy, J. 111 Venard, C. E. 65, 568, 1416 Venkatachari, S. A. T. 2580 Venkitasubramanian, T. A. Venters, D. 1408 Venturas, D. J. 250 Verani, P. 2217 Vercammen-Grandjean, P. H. 1133 Vervent, G. 1227 Vey, A. 811 Vianna Martins, A. 1249, 1250 2520 Vianna, N. 578 Vieira, W. 1394 Viglianai, E. C. 491 Vigny, F. 574 Vigo, G. 785 Viktorov, G. A. 1369 Viktorov-Nabokov, O. V. Villarroel, F. 725, 950 Villeneuve, D. C. 1994 Vinai Kumar 1271 Vincent, A. L. 297 Vinograd, I. A. 1938 Vinogradskaya, O. N. 2584 Vinokurov, V. V. 1949 Virchow, C. 2573 Virtamo, M. 2240

Visan, M. 557 Vishinsky, Y. 258 Vittal, M. 115 Vladimirova, V. V. 87, 303, 304, 2074 Voblikova, N. V. 2064 Vobrázková, E. 1305 Vodyanov, A. A. 1933 Voelker, J. 1814 Voitsekhovskii, D. P. 332 Volkov, V. I. 15, 172 Volkova, T. V. 327 Volyanskaya, E. A. 81 Von Sivers, P. 422, 1821, 2156, 2157 Vongtangswad, S. 1886 Vorob'ev, M. M. 1034 Vorobieva, Z. G. Voronkina, T. M. 688 Voronov, G. A. 1057 Vorontsova, T. A. Vos, C. 1607 Voschakina, N. V. 657 Vránová, J. 2175 Vychodil, J. 1167, 2192 Vyslouzil, J. 2140 Wada, Y. 116, 672, 1214, 1463, 1490, 1492, 1585, 1782, 1783, 1784, 2275 Waddill, V. H. 1360 Wagoner, D. E. 1552, 1871 Wakerley, S. B. 1099 Wakid, A. M. 1470 Walker, J. B. 2557 Walker, J. M. 1537 Wall, W. J., Jr. 2148 Wallace, G. D. 2440 Wallace, H. K. 2 Walsh, J. F. 245 Walters, H. S. 1917 Waltinger, H. 137, 699, Walton, T. E. 1973 Wang, I. W. Chu- 2407, 2571 Ward, C. R. 2181 Ward, F. P. 884 Ward, R. A. Ward, R. D. 2332 802, 1812, 2149, 2150 Ware, G. W. 441 Warnick, S. L. 694 Warthen, J. D., Jr. 1149 Washington, F. 732, 1388 Washino, R. K. 1075, 1184, 2487, 2488, 2491 Wassif, S. F. 118, 773 Watanabe, M. 109, 439, 619, 1542, 1585, 2275 Waters, K. S. 519

Waters, R. M. 321, 322, 392, 1046, 1047, 1361, 1362 Watkins, R. 726, 727 Watkins, T. I. 1099 Watson, A. D. J. 1322 1520 Watson, H. J. C. Wattal, B. L. 1228, 1565 Watts, B. P., Jr. 927 Watts, D. M. 205 Weathersby, A. B. 1763 Weaver, L. 690 Webber, L. A. 206, 377, Weber, G. 1311, 1370 Weber, L. J. 1319, 1320 Weidhaas, D. E. 707, 1419, 1435, 1739, 2134 Weighton, D. M. 1099 Weiner, J. S. 969 Weiser, J. 965 Weiss, E. 1697 Weisser, C. F. 1386 Weitz, B. 1617 Welch, E. 950 Welling, W. 2246 Wells, E. A. 1729 Wenceslao, J. M. 1788 Wenk, P. 1515 Wenzel, R. L. 1338 Wessen, A. F. 1431 West, A. S. 806 West, L. S. 1884 Westfall, J. A. 266 Westlake, W. E. 1870 Wettere, P. van 1833 Wetzel, H. 423, 2553 Wharton, G. W. 473 Whetstone, T. M. 1302, Whitacre, D. M. 567 Whitcomb, W. H. 296 White, G. B. 216, 395, 396, 570, 1426, 2321, 2335, 2512 White, K. E. 744, 752, 920, 2456 White, R. 2188 Whitehead, D. L. 1845 Whitehead, G. B. 460 Whitesell, K. G. 1075, 1182, 1183, 1184 Whitfield, T. L. 2184, 2366 Whitney, E. 578, 1309, WHO Expert Committee on Insecticides 695 WHO Expert Committee on Yellow Fever 391 WHO Scientific Group

Wide, L. 1958 Wigglesworth, V. B. 1613, 2133 Wilder, W. H. 382, 400, 2465 Wilkes, A. 431 Wilkinson, C. F. 2249 Wilkinson, P. R. Williams, K. L. 906 Williams, R. C., Jr. 2274 Williams, R. E. 844, 2561 Williams, R. T. 730 Williams, R. W. 843 Williams, W. R. Bransby-958 Willis, J. H. 49 Willis, O. R. 372 Wilson, A. 1111 Wilson, A. J. 1264, 1265, Wilson, B. H. 1540 1739 Wilson, H. G. 280 Wilson, J. G. Wilson, J. T. 645, 1935 Wilson, N. 655, 947, 1351 2382 Wilson, R. L. Wilson, S. G. 1929 Wilson, T. G. 632 Wilson, V. J. 689 Wilton, D. P. 367, 388 Wingo, C. W. 2546 Winney, R. 1209 Wirth, W. W. 2147 Wishart, G. 771 Wisseman, C. L., Jr. 524. 1339, 1340 Wolfe, R. L. 2459 Womeldorf, D. J. 744, 752, 1182, 1183, 2456, 2457, 2474 Woo, R. F N. 381 Wood, C. S. 969 Wood, J. 2193 Wood, R. J. 989 Wood, T. G. 2384 Woods, C. W. 2169, 2170 Woods, W. 2162 Work, T. H. 2454 World Health Organization 497, 780, 781, 782, 783, 1753, 1986 Wormald, P. J. 1960 Wray, D. L. 1717 Wrenn, R. T. 195 Wright, C. A. 1172 Wright, C. G. 1378 Wright, J. E. 828, 829, 1285, 1551, 2252 Wright, J. W. 392, 1196, 1874 Wright, M. E. 662 Wright, R. E. 1038

Wróblewska-Mularczykova. Z. 2396 Wülker, W. 1052 Wygodzinsky, P. 1, 1392 Wylie, H. G. 833, 2177 Yabe, T. 371, 1465 Yakovlev, E. P. 2028 Yakuba, V. N. 1402 Yakubovich, V. Ya. 88, Yamada, T. 1786 Yamagishi, H. 1463 Yamaguchi, H. 1054 Yamaguti, N. 13 Yamamoto, I. 1098 2360 Yamauchi, T. Yang, R. S. H. 1124 Yarnykh, V. S. 1035, 1949 Yaroshenko, N. N. 139 Yastrebov, V. K. 656 Yasuno, M. 211, 1371, 2500 Yasutomi, K. 223 Yates, W. E. 743, 1183 Yeo, R. R. 2477 Yermolenko, V. M. 1614 Yoshida, A. 2360 Yoshida, M. 226, 559 Young, C. 1953 Young, D. G. 1507 Young, O. P. 1797 Yu, S. J. 916 Yun, Y. H. 2494 Yundin, E. V. 93 Yung-Sheng Huang 1562 Yunker, C. E. 1000 Yurkiewicz, W. J. 405 Yurkina, V. I. 2012 Yutuc, L. M. 536 Zabegalova, M. N. 1083 Zagniborodova, E. N. 1083 Zahar, A. R. 955 Zaĭtseva, V. I. 1083 Zakharova, N. F. 68, 176 Zatulovský 1711 Žďárek, J. 448, 621 Ždimerová, Z. 2175 2175 Zebe, H. 1704 Zeev, M. Bar- 203, 1911 Zeledón, R. 295, 2089, 2346 Zelenko, A. P. 484 Zemskaya, A. A. 138 Zettler, F. 36 Zhakharova, N. F. 502 Zhernovov, I. V. 1083 Zhmaeva, Z. M. 2024, 2065 Zhukov, V. I. 14 Ziady, S. El- 2001

Zielke, E. 239, 406, 1876, 2343
Ziprkowski, L. 1909
Ziv, M. 1603
Zlotkin, E. 1070, 1593, 2233
Złotorzycka, J. 1708
Zola, A. 603
Zolotova, S. I. 1401
Zong, M. S. 883
Zucas, S. M. 527
Zucoloto, S. 1879
Żukowski, K. 2396
Żulueta, J. De 231
Zumpt, F. 1295, 1547
Zumpt, F. 1295, 1547
Zumpt, J. 1881
Župančičová, M. 664, 1913, 1937
Zward, D. 1929
Zwart, D. 1929
Zwart, D. 1929
Zwart, K. 2086



SUBJECT INDEX

This is the first subject index in this Review to have been produced with the aid of a computer. The most detailed entries are those under the names of arthropods, but the index includes other organisms, countries, chemicals, and general subjects as headings. All references are to abstract numbers.

Under the names of arthropods are references to their control, distribution, food-plants, animal hosts, natural enemies, vector ability, taxonomic relationships, and miscellaneous subjects. Entries for species will be found under the generic name, and there are also, as usual, 'reverse names' with the specific and subspecific names given first. If two or more names are accepted by the Review for a taxon during one year, each name is entered separately, with a 'see also' reference to other names. Cross-references from names not accepted by the Review refer to the name currently accepted.

Under the names of animals and plants are references to the arthropods that affect them, or to arthropod-transmitted pathogens and the side-effects of pesticides. Animals other than arthropods are indexed to specific level only, under English common names for the more important domesticated birds and mammals, or under scientific names. Plants are indexed under scientific names down to specific level, or under English common names for the more important or familiar crops. Cross-references are given between common names (sometimes reversed) and scientific names.

Viruses pathogenic for arthropods are indexed under the names of their hosts, and the hosts are listed at the heading 'Viruses and virus diseases'. Other pathogens of arthropods are indexed at the scientific name of the pathogen. Pathogens of animals other than arthropods and of plants are indexed at the name of the pathogen, the scientific name if one is available, or else the English common name. Entries will also be found under the names of diseases (sometimes reversed).

Geographical locations are keyworded, as appropriate, to geographical regions, countries, islands or archipelagoes and, for Australia, Canada and the U.S.A., to States and Provinces.

Chemicals are indexed under either a trivial name or a systematic name. The common names used at present are listed in the Editorial to volume 59 (1971). A few other compounds, notably antibiotics, are indexed under trivial names, and all remaining compounds are indexed under the names used in the indexes of Chemical Abstracts volumes 66-75. Synonymous names used in abstracts in the Review have been retained as index headings, unless they are almost identical to the CA index names.

SUBJECT INDEX

| Abapa, in Cuba 832 | |
|--|---|
| | Acetamide, N-sulfanilyl- contd. |
| Abate (see Phosphorothioic acid, O,O'- | against contd. |
| (thiodi-p-phenylene) 0,0,0',0'- | Anopheles stephensi 506 |
| tetramethyl ester; or O,O,O',O'- | Acetanilide, N-butyl- |
| Tetramethyl O,O'-thiodi-p-phenylene | repellent for |
| diphosphorothioate) | |
| abbreviatus, Hister | |
| Aboimisalis punctata (see Haemaphysalis) | H. detritum 1577 |
| abruptus, Oedaleus | H. dromedarii 1577 |
| abruptus, Thyridanthrax | Ixodes persulcatus 301 |
| Absidia repens, Glossina fusca, in, in | Ornithodoros tholozani 301 |
| Central African Republic 811 | Rhipicephalus turanicus 1577 |
| | Acetanilide, Nisopentyl- |
| Acalyptrates, in Hungary 613 | repellent for |
| Acari, in Ethiopian region 2557 | Hyalomma asiaticum 1577 |
| Acaricides, formulations of 2069 | H. detritum 1577 |
| Acaridida, taxonomy of 1356 | H. dromedarii 1577 |
| Acarus siro | |
| control of | Rhipicephalus turanicus 1577 |
| γ BHC tested for 2220 | Acetanilide, 4',5'-(methylenedioxy)-2'- |
| DDT tested for 2220 | (phenylthio)-, synergist for, carbaryl |
| in Spain 858, 1971 | 2585 |
| in dwellings, in Spain 1971 | Acethydrazide, effects of, on, Aedes aegypti |
| | 1477 |
| in feedstuffs, effects on mammals of 679 | Acetic acid |
| in house dust | hydrazide, in Aedes aegypti, effects of |
| competing with other mites 2220 | 1477 |
| in Spain 858 | 1-phenylhydrazide, synergist for, |
| on man, literature on 150 | |
| ACD-10284 (see Phosphorodithioic acid, | carbamates 1564 |
| O, O-diethyl ester, S-ester with N-(2- | Acetic acid, dichloro-, p-bromophenyl ester, |
| cyanoethyl)-2-mercaptoacetanilide or | repellent for, Ornithodoros tholozani |
| O, O-Diethyl phosphorodithioate S-ester | 1911 |
| | Acetic acid, (2,4-dichlorophenoxy)-, butyl |
| with N-(2-cyanoethyl)-2- | ester, in Cochliomyia hominivorax, |
| mercaptoacetanilide) | toxicity of 1863 |
| Acephate (see Phosphoramidothioic acid, | Acetic acid, fluoro- |
| acetyl-, O,S-dimethyl ester) | sodium salt |
| Acetamide, N,N-diethyl-2-phenoxy- | in Nosopsyllus consimilis, effects on |
| · repellent for | |
| Hyalomma asiaticum 1577 | fertility of 2254 |
| H. detritum 1577 | in Xenopsylla cheopis, effects on |
| H. dromedarii 1577 | fertility of 2254 |
| Rhipicephalus turanicus 1577 | Acetic acid, mercapto-, attractant for, Aedes |
| Acetamide, 2-fluoro- | aegypti 2276 |
| in Nosopsyllus consimilis, effects on | Acetic acid, mercaptophenyl-, ethyl ester, S- |
| fertility of 2254 | ester with <i>O,O</i> -dimethyl |
| | phosphorodithioate (see Phenthoate) |
| in Xenopsylla cheopis | Acetic acid, thiocyanato-, isobornyl ester |
| effects on fertility of 2254 | (see Thanite) |
| effects on Pasteurella pestis of 2253 | Acetic acid, trichloro-, propylene ester, |
| in Xenopsylla gerbilli, effects on | repellent for, Ornithodoros tholozani |
| Pasteurella pestis of 2253 | 1911 |
| Acetamide, 2-fluoro-N-methyl-N-1-naphthyl- | |
| against | Acetic acid, (2,4,5-trichlorophenoxy)-, butyl |
| Musca domestica 1288 | ester, in Cochliomyia hominivorax, |
| Tetranychus urticae 1288 | toxicity of 1863 |
| in mice, effects of 1288 | Acetone, (2,4-dinitrophenyl)hydrazone, |
| | synergist for, carbamates 1564 |
| mode of action of 1288 | Acetone, dihydroxy- (see 2-Propanone, 1,3- |
| Acetamide, N-sulfanilyl- | dihydroxy-) |
| against | N-acetyl-N-phenylhydrazine, synergist for, |
| Aedes aegypti 506 | carbamates 1564 |
| | |

1-Acetyl-1,2,3,4-tetrahydroquinoline, Aedes contd. repellent for, ticks 1577 flight activity in, related to disease transmission 1173 Achaearanea tepidariorum control of, pesticides tested for 1984 hog cholera, virus of, not transmitted by preying on, Culex pipiens 1746 thiotepa in, effects of 1746 hosts of, in Czechoslovakia 992, 1758 aciculifer. Haemaphysalis in Mississippi 924 in New York 1745 Acilius semisulcatus in Canada 770 in South-East Asia in USSR 19 preying on, mosquitos, in Ontario 770 aconitus, Anopheles insecticide resistance in Acropsylla episema biochemistry of 1647 genetics of 1647 in India 532 reproductive isolation in 1193 on Mus platythrix, in India 532 Venezuelan equine encephalitis, virus of, Actinedida, taxonomy of 1356 isolated from, in Texas 2451 Actinotrichida, taxonomy of 1356 vellow fever Acuaria hamulosa. Dermestes ater. control of, and, in Africa 391 intermediate host of 2201 virus of, transmitted by, in West Africa Adelina Phlebotomus perniciosus, in, in Corsica Aedes aegypti amino acids in Sergentomyia minuta, in, in Corsica effects of antibiotics on 1477 1810 effects of antimalarials on 1477 adenensis, Anopheles culicifacies effects of diet on 46 adersi, Simulium antennae in Adipamide, N.N-bis[2-(1-aziridinyl)ethyl]sensilla chaetica on 1459 sterilant for sensilla coeloconica on 20 Musca domestica 1536 apholate resistance in, genetics of 789 synanthropic flies 1536 attractants for 2276 Adipic acid Bacillus thuringiensis in, pathogenicity of dibutyl ester in cattle, toxicity of 2141 Beauveria tenella in, infectivity of 2472 repellent for BHC resistance in, in Ghana 2291 Aedes communis 2141 breeding places of 211, 556, 792 A. punctor 2141 Brugia malayi, susceptibility to, in Adipinat (see Adipamide, N, N'-bis[2-(1-B. pahangi aziridinyl)ethyl]-; or N,N'-Bis(2-(1development of, in males 1497 aziridinyl)ethyl)adipamide) susceptibility to, in 1310 B. patei, development of, in 1727 autogeny in, in Canada 2016 California myxoma virus, transmission of, behaviour in 2506 breeding places of 496 chikungunya virus, isolated from, in India control of 496 (+)-trans-allethrin tested for 392 Chilo iridescent virus in, infectivity of benzimine tested as repellent for 302 bioresmethrin tested for 392 coldhardiness in 979 deet tested as repellent for 302 control of aliphatic amines tested for 1423 dihexamethylenecarbamide tested as 302 (+)-trans-allethrin tested for 1737 repellent for in aircraft 392 antibiotics tested for 1607-1608 in USA 687 Bacillus thuringiensis tested for 755 insecticides tested for 2117 malathion tested for 2468 bioresmethrin tested for diazinon tested for 1053 repellents tested for 161 fatty acid esters tested for fatty acids tested for 1178 resmethrin tested for 392 trichlophos tested for 160 fenthion for 734 in Americas 734 dispersal of, factors affecting 328 feeding behaviour in insecticides for 2289 on fruit 1420 insecticides tested for 230, 1499, 1601 related to disease transmission 1173 juvenile hormone analogues tested for female genitalia in 2318 1447, 1498, 1804

| edes aegypti contd. | Aedes aegypti contd. |
|--|--|
| control of contd. | in Angola 549, 1793 |
| malathion for 549 | in Brazil 734, 780 |
| malathion tested for 380, 1185, 1737 | in Brunei 210 |
| naled tested for 380 | in Cameroon 786, 2284 |
| organic phosphates for 734 | in Central African Republic 2283, 2286 |
| organic phosphates tested for . 215, | in Colombia 734, 1793 |
| 1185 | in Costa Rica 772, 1793 |
| Piper peepuloides extract tested for | in El Salvador 734, 780 |
| 1278 | in Ghana 2282, 2291 |
| pyrethrins tested for 321–322, 1209 | in Grenada 1793 |
| pyrethroids tested for 1046–1047, | in Guam 954 |
| 1053, 1361–1362 | in Guyana 734, 780 |
| repellents tested for 2237, 2316 | in Honduras 780 |
| resmethrin tested for 1423, 1737-1738 | in India 115, 553 |
| sulfonamides tested for 506, 1116 | in Indonesia 398 |
| terpenoids tested for 1237 | in Italy 1484 |
| (+)-trans-tetramethrin tested for 321 | in Mexico 734, 780, 1468 |
| crossover suppressor-enhancer system in | in Nigeria 219, 393, 2290 |
| 997, 2121 | in Panama 780 |
| dengue, control of, and, in Americas 780 | in Sabah 210 |
| dengue haemorrhagic fever, role of, in | in Sarawak 210 |
| 1308 | in Tanzania 556, 733, 792, 1205 |
| dengue type 1 virus, transmission of, by | in Thailand 211, 215, 1185, 1499, 2500 |
| 1238 | in Trinidad and Tobago 1793 |
| dengue type 4 virus | in Venezuela 2110 |
| isolated from, in India 115 | insecticide resistance in 2049 |
| transmission of, by 1238 | insecticide susceptibility in, normal |
| densonucleosis virus in 484 | variation in 1766 |
| development in 211 | insemination in, effects of juvenile |
| DNA and cell numbers during 408 dieldrin resistance in | hormone analogues on 2105 |
| in Ghana 2291 | Kemerovo virus, multiplication of, in 1212 |
| in Tanzania 733 | Lagenidium culicidum in, pathogenicity of |
| digestion in, effects of honey on 2277 | 2128 |
| Dirofilaria immitis, development of, in | larval development in |
| 962 | effects of y-irradiation on 403 |
| D. repens, infectivity of, for 2304 | growth retardant factor and 567 |
| egg viability in, effects of delayed | life-span in, effects of air currents on |
| oviposition on 544 | 1448 |
| engorgement in, recognition of stages in | linkage groups in 1486 |
| 541 | lipids in 405 |
| enzyme polymorphism in 968, 2096 | meconium in 2505 |
| enzymes in 717, 908 | mid-gut protease activity in 2294 |
| fecundity in | Nosema spp. in, localisation of 2299 |
| effects of absence of oviposition sites on 544 | N. algerae in, infectivity of 562 |
| effects of y-irradiation on 403 | olfactory responses in 399 on man |
| feeding behaviour in | allergic reaction to 2514 |
| in Cameroon 786 | in Indonesia 398 |
| in Indonesia 398 | organic phosphates in |
| fertility in, effects of γ-irradiation on | absorption of 917 |
| 403 | metabolism of 917 |
| flight activity in, effects of repellents on | oxygen consumption in, effects of |
| 788 | crowding on 558 |
| folate metabolism in, in thoracic muscles | paracentric inversion in 2338 |
| 1408 | Plasmodium gallinaceum, development of, |
| Friend leukaemia virus, development of, | in 1763 |
| in 551 | P. juxtanucleare, infectivity of, for 1774 |
| genetics of 877 | P. subpraecox, susceptibility to, in 2305 |
| gonotrophic cycle in 2500 | post-metamorphic growth in 310 |

| African horse sickness, virus of, propagated in culture of 963 cell cultures from 1230 competing with, Aedes polynesiensis 1474, 2497 cross-mating in, with, Aedes polynesiensis 1213 in Brunei 210 in Brunei 210 in Guam 232, 954 in India 553 in Japan 2136 in Korea 2494 in Okinawa 387 in Philippines 1221, 1788 in Sabah 210 in Sarawak 210 in Vietnam 2132 verewintering in 24 | Aedes aegypti contd. | Aedes albopictus |
|--|---|---|
| cell cultures from 1230 competing with, Aedes polynesiensis 1474, 2497 cross-mating in, with, Aedes polynesiensis 1212 in Bruncii 50 in Korea 2494 in Okinawa 387 in Philippines 1221, 1788 in Sabab 210 in Vietnam 2132 insecticide susceptibility to, in 2501 in Korea 2494 in Okinawa 387 in Philippines 1221, 1788 in Sabab 210 in Vietnam 2132 overwintering in 2494 Plasmodium juxtanucleare, infectivity of, for 1774 proboscipedia mutant of 993 spermatogenesis in 996 vertebrate patho | proboscis cleaning in 1458 | African horse sickness, virus of, |
| ance of, in Tanzania 792 papillosa with 1752 of, by 1177 ur in, role of hormones in transmission of, by 2297 ation of larvae of 341 in Nigeria 219 512, 783 in 1458 op, in 484 une encephalitis now enceruela 2110 f., in 984 ent of, in 1644 of, for 577 f., in 576 atitis virus on of, in 1637 in of, by 1637 n. of, by 177 and 391 cas 780 n. Africa 546 nsmitted by, in West Africa expypti, desiccation in, geographic variation in premosus resistance to, geographic n. 234 19 733 f., for viruses, in Nigeria four in, in Cameroon 786 rus, antibodies to, in, in 1461 786, 2284 competing with, Aedes polynesiensis 1474, 2497 cross-mating in, with, Aedes polynesiensis 2123 Dirofilaria immitis, susceptibility to, in 2501 in Brunei 210 in Guam 232, 954 in India 553 in Japan 2136 in Korea 2494 in Okinawa 387 in Philippines 1221, 1788 in Sabab 210 in Sarawak 210 in Veitnam 2132 kemerovo virus, multiplication of, in 1212 overwintering in 2494 Plasmodium juxtanucleare, infectivity of, for 1774 proboscipedia mutant of 993 spermatogenesis in 996 vertebrate pathogens associated with 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes annuliges in Colombia 2094 Aedes annuliges in Colombia 2094 Aedes annuliges in Colombia 2094 Aedes annuliges | radiocaesium in, effects of potassium on | |
| lance of, in Tanzania 792 papillosa with 1752 cof, by 1177 ur in, role of hormones in transmission of, by 2297 ation of larvae of 341 in Nigeria 219 512, 783 comozygotes in 2336 pip in 484 unine encephalitis or Venezuela 2110 fi, in 984 ent of, in 144 cof, for 577 of, for in 1637 n, effects of enforced eggman 1232 morofii with 1752 and 391 cas 780 n Africa 546 nsmitted by, in West Africa egypti, desiccation in, geographic variation in 234 promosus resistance to, geographic na 234 promosus resistance to, geographic or in Cameroon 786 rus, antibodies to, in, in 1461 786, 2284 1474, 2497 cross-mating in, with, Aedes polynesiensis 2121 ali, with, Aedes polynesiensis 2121 in, with, Aedes polynesiensis 2121 in, with, Aedes polynesiensis 2121 in Brunei 210 in Gruam 232, 954 in India 553 in Japan 2136 in Korea 2494 in Okinawa 387 in Philippines 1221, 1788 in Sabah 210 in Sarawak 210 in | accumulation of 569 | cell cultures from 1230 |
| with 1752 of, by 1177 ur in, role of hormones in transmission of, by 2297 ation of larvae of 341 in Nigeria 219 512, 783 in 1458 in Venezuela 2110 of, in 984 ent of, in 164 of, for 577 f, in 576 atitis virus on of, in 1637 on, effects of enforced egg- in 1232 ancrofti with 1752 in of, by 1177 and 391 cas 780 on Africa 546 ensmitted by, in West Africa egypti, desiccation in, geographic variation in formosus resistance to, geographic in 234 in Cameroon 786 rus, antibodies to, in, in 1461 786, 2284 cross-mating in, with, Aedes polynesiensic 2123 Dirofilaria immittis, susceptibility to, in 2501 in Brunei 210 in Guam 232, 954 in India 553 in Japan 2136 in Korea 2494 in Okinawa 387 in Philippines 1221, 1788 in Sabah 210 in Sarawak 210 in Vietnam 2132 insecticide susceptibility in, in Vietnam 2132 Kemerovo virus, multiplication of, in 1212 overwintering in 2494 Plasmodium juxtanucleare, infectivity of, for 1774 Plasmodium juxtanucleare, infectivity of, for 1774 leades alcasidi sp. n., description of 1221 in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 in Czechoslovakia 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Aedes allanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, esistance to, geographic variation in 234 | rearing of, techniques for 1789 | competing with, Aedes polynesiensis |
| with 1752 of, by 1177 ur in, role of hormones in transmission of, by 2297 ation of larvae of 341 in Nigeria 219 512, 783 in 1458 iomozygotes in 2336 up in 484 unine encephalitis in Venezuela 2110 f., in 984 ent of, in 144 of, for 577 of, in 576 atitis virus on of, in 1637 of, by 1637 of, for 577 in effects of enforced egenatic mutth 1752 of, by 1177 and 391 casa 780 on Africa 546 onsmitted by, in West Africa egypti, desiccation in, geographic variation in 20 promosus resistance to, geographic in 234 pg. 733 of, for viruses, in Nigeria four in, in Cameroon 786 ous, antibodies to, in, in 1461 786, 2284 2123 Dirofilaria immitis, susceptibility to, in 2501 in Brunei 210 in Guam 232, 954 in India 553 in Japan 2136 in Korea 2494 in Okinawa 387 in Philippines 1221, 1788 in Sabah 210 in Sarawak 210 in Philippines 1221, 1788 in Sabah 210 in Sarawak 210 | seasonal abundance of, in Tanzania 792 | 1474, 2497 |
| Learn smission of, by 2297 ation of larvae of 341 in Nigeria 219 siz, 783 in Japan 2136 in Korea 2494 in Okinawa 387 in Philippines 1221, 1788 in Sabah 210 in Sarawak 210 in Vietnam 2132 insecticide susceptibility in in Vietnam 2132 in of, by 1637 in of, in 576 atitis virus on of, in 1637 in of, by 1637 in of, by 1177 and 391 casa 780 in Africa 546 insmitted by, in West Africa perpetute by, in Vietnam 20132 in Philippines 1221 in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified | Setaria labiatopapillosa | cross-mating in, with, Aedes polynesiens |
| ur in, role of hormones in transmission of, by 2297 ation of larvae of 341 in Nigeria 219 512, 783 in Japan 2136 in Korea 2494 in Okinawa 387 in Philippines 1221, 1788 in Sabah 210 in Sarawak 210 in Sa | infection of, with 1752 | 2123 |
| in Brunei 210 in Guam 232, 954 in India 553 in Japan 2136 in Korea 2494 in Okinawa 387 in Philippines 1221, 1788 in Sabah 210 in Sarawak 210 in Vietnam 2132 insecticide susceptibility in, in Vietnam 2132 in | transmission of, by 1177 | Dirofilaria immitis, susceptibility to, in |
| in Nigeria 219 512, 783 in 1458 in Nomozygotes in 2336 ip in 484 une encephalitis in Venezuela 2110 f. in 984 ent of, in 144 of, for 577 f. in 576 atitis virus on of, in 1637 in of, by 1637 in of, by 1637 in of, by 1637 in of, by 1177 and in dia 391 cas 780 in Africa 546 in Microsus resistance to, geographic in 234 in Guam 232, 954 in India 553 in Japan 2136 in Korea 2494 in Okinawa 387 in Philippines 1221, 1788 in Sabah 210 in Sarawak 210 in Vietnam 2132 insecticide susceptibility in, in Vietnam 2122 insecticide susceptibility in, in Vietnam 2132 insecticide susceptibility in, in V | sexual behaviour in, role of hormones in | 2501 |
| in Nigeria 219 512, 783 1 1458 10 mozygotes in 2336 10 p. in 484 10 in encephalitis 10 Venezuela 2110 11 in 144 11 of, for 577 12 in 1637 11 of, by 1637 11 of, by 1637 11 of, by 1177 11 in Uganda 1771 12 in Uganda 1771 18 in Usanda 1771 18 in Usanda 1771 18 in Cameroon 786 18 in Naigeria 219 18 in Japan 2136 18 in Japan 2136 18 in Korea 2494 19 in Okinawa 387 19 in Philippines 1221, 1788 18 in Sabah 210 19 in Vietnam 2132 19 in Sarawak 210 10 in Sarawak 210 11 in Vietnam 2132 12 insecticide susceptibility in, in Vietnam 2132 13 in Japan 2136 14 in Korea 2494 15 in Okinawa 387 16 in Hoia 553 17 in Philippines 1221, 1788 18 in Sabah 210 19 in Vietnam 2132 11 in Vietnam 21 | 44 | in Brunei 210 |
| in Nigeria 219 512, 783 1458 10mozygotes in 2336 19, in 484 uine encephalitis In Venezuela 2110 6, in 984 ent of, in 144 1 of, for 577 16, in 576 2 of, by 1637 In, effects of enforced eggnatitis with 1752 In of, by 1177 and 391 | Sindbis virus, transmission of, by 2297 | |
| in Nigeria 219 512, 783 in 1458 in monozygotes in 2336 in in 484 unine encephalitis in Venezuela 2110 Grin 984 ent of, in 144 ent of, for 577 if, in 576 atitis virus in of, by 1637 in, effects of enforced egg- in 1232 invertifit in thilippines 1221, 1788 in Sabah 210 in Sarawak 210 in Vetenam 2132 insecticide susceptibility in, in Vietnam 2132 insecticides susceptibility in, in Vietnam 2132 insect | surface sterilisation of larvae of 341 | |
| in Okinawa 387 in 1458 in 1451 | surveillance of | |
| in Philippines 1221, 1788 in Sabah 210 in Sarawak 210 in Vietnam 2132 insecticide susceptibility in, in Vietnam 2132 overwintering in 2494 Plasmodium juxtanucleare, infectivity of, for 1774 proboscipedia mutant of 993 spermatogenesis in 996 vertebrate pathogens associated with 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes anulipes control of bromophos-ethyl tested for 1446 in Czechoslovakia 1446 Aedes apicoargentus chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Aedes allanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | | |
| in Sabah 210 in Sarawak 210 in Sarawak 210 in Venezuela 2110 f, in 984 ent of, in 144 of, for 577 of, in 576 atitis virus on of, in 1637 n, effects of enforced egg- in 1232 ancrofti with 1752 in of, by 1177 and 391 cas 780 in Africa 546 insmitted by, in West Africa segypti, desiccation in, geographic variation in promosus resistance to, geographic in 234 f, for viruses, in Nigeria in Sabah 210 in Sarawak 210 in Vietnam 2132 insecticide susceptibility in, in Vietnam 2132 Kemerovo virus, multiplication of, in 1212 overwintering in 2494 Plasmodium juxtanucleare, infectivity of, for 1774 proboscipedia mutant of 993 spermatogenesis in 996 vertebrate pathogens associated with 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 Aedes annulipes in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 in Czechoslovakia 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | methods for 512, 783 | |
| in Sarawak 210 in Venezuela 2110 Gin 984 ent of, in 144 of, for 577 f, in 576 atitis virus on of, in 1637 n, effects of enforced egg- nn 1232 ancrofti with 1752 nof, by 1177 and 391 cas 780 n Africa 546 nsmitted by, in West Africa mitted by, in West Africa pegypti, desiccation in, geographic or maximum are geographic variation in 2004 permosus resistance to, geographic in 234 permosus resistance to, geographic in 346 permosus resistance to, geographic in 2494 plasmodium juxtanucleare, infectivity of, for 1774 proboscipedia mutant of 993 permatogenesis in 996 vertebrate pathogens associated with 1221 permosus in Colombia 2094 venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 venezuelan equine encephalitis, virus of, isolated from 1446 permosus resistance to, geographic in 1771 permosus resistance to, in | tibial combs in 1458 | |
| in Vietnam 2132 insecticide susceptibility in, in Vietnam 2132 Kemerovo virus, multiplication of, in 1212 overwintering in 2494 Plasmodium juxtanucleare, infectivity of, for 1774 proboscipedia mutant of 993 spermatogenesis in 996 vertebrate pathogens associated with 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | translocation homozygotes in 2336 | |
| insecticide susceptibility in, in Vietnam 2132 Kemerovo virus, multiplication of, in 1212 overwintering in 2494 Plasmodium juxtanucleare, infectivity of, for 1774 proboscipedia mutant of 993 spermatogenesis in 996 vertebrate pathogens associated with 1221 and | Vagoiavirus spp. in 484 | |
| 2132 Kemerovo virus, multiplication of, in 1212 overwintering in 2494 Plasmodium juxtanucleare, infectivity of, for 1774 proboscipedia mutant of 993 spermatogenesis in 996 vertebrate pathogens associated with 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 fenthion tested for 1446 fenthion tested for 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | Venezuelan equine encephalitis | |
| Kemerovo virus, multiplication of, in 1212 overwintering in 2494 Plasmodium juxtanucleare, infectivity of, for 1774 proboscipedia mutant of 993 spermatogenesis in 996 vertebrate pathogens associated with 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 fenthion tested for 1466 fenthion tested for 1471 Aedes allanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | | |
| 1212 overwintering in 2494 Plasmodium juxtanucleare, infectivity of, for 1774 proboscipedia mutant of 993 spermatogenesis in 996 vertebrate pathogens associated with 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 fenthion tested for 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | virus of | |
| of, for 577 f, in 576 f, in 576 f, in 576 for 1774 proboscipedia mutant of 993 spermatogenesis in 996 vertebrate pathogens associated with 1221 ancrofti with 1752 and, by 1177 and 391 cas 780 n Africa 546 nsmitted by, in West Africa megypti, desiccation in, geographic variation in 207 208 208 209 209 209 200 201 201 202 203 203 204 204 205 206 207 208 208 208 208 208 208 208 208 208 208 | biology of, in 984 | |
| for 1774 proboscipedia mutant of 993 spermatogenesis in 996 vertebrate pathogens associated with 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 fenthion tested for 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | development of, in 144 | overwintering in 2494 |
| atitis virus on of, in 1637 or, effects of enforced egg- in 1232 or, of, by 11637 or, effects of enforced egg- in 1232 or, of, by 1177 or, effects of enforced egg- in 1232 or, of, by 1177 or, of, by 1177 or, effects of enforced egg- in 1232 or, of, by 1179 or, of, by 121 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 or, of, by 121 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 or, of, by 121 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 or, of, by 121 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 or, of, by 121 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 or, of, by 121 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 or, of, by 121 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 or, of, by 121 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 in Philippines 1221 taxonomy of, misidentified a | infectivity of, for 577 | |
| spermatogenesis in 996 vertebrate pathogens associated with 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 in Czechoslovakia 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 Tika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic vertebrate pathogens associated with 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 fenthion tested for 1446 in Czechoslovakia 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 In Uganda 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | stability of, in 576 | |
| vertebrate pathogens associated with 1232 nn effects of enforced egg- nn 1232 nn fire 1232 norofti with 1752 nof, by 1177 and 391 cas 780 n Africa 546 nsmitted by, in West Africa segypti, desiccation in, geographic variation in permosus resistance to, geographic n 234 19 733 7, for viruses, in Nigeria references of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 fenthion tested for 1446 fenthion tested for 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | vesicular stomatitis virus | |
| 1221 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 fenthion tested for 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 in Czechoslovakia 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | multiplication of, in 1637 | |
| Aedes alcasidi sp. n., description of 1221 in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 in Czechoslovakia 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 In Uganda 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes alcasidi sp. n., description of 1221 in Philippines 1221 Aedes angustivitatus in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 fenthion tested for 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | transmission of, by 1637 | |
| sp. n., description of 1221 in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 fenthion tested for 1446 fenthion tested for 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 Tika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | vitellogenesis in, effects of enforced egg- | |
| with 1752 a of, by 1177 and 391 cas 780 n Africa 546 nsmitted by, in West Africa egypti, desiccation in, geographic variation in 234 19 733 7, for viruses, in Nigeria 786, 2284 in Philippines 1221 taxonomy of, misidentified as A. scutellaris, in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 fenthion tested for 1446 fenthion tested for 1446 fenthion tested for 1446 in Czechoslovakia 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | retention on 1232 | |
| taxonomy of, misidentified as A. scutellaris, in Philippines 1221 Acetes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Acetes annulipes control of bromophos-ethyl tested for 1446 in Czechoslovakia 1446 Acetes apicoargenteus chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Acetes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Acetes atropalpus desiccation in, resistance to, geographic variation in 234 | Wuchereria bancrofti | |
| scutellaris, in Philippines 1221 Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 fenthion tested for 1446 in Czechoslovakia 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | infection of, with 1752 | |
| Aedes angustivitatus in Colombia 2094 Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 fenthion tested for 1446 | transmission of, by 1177 | scutellaris, in Philippines 1221 |
| venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 Aedes annulipes control of bromophos-ethyl tested for 1446 fenthion tested for 1446 in Czechoslovakia 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | yellow fever | |
| resistance to, geographic normsus resistance to, geographic normsus resistance to, geographic normsus, for viruses, in Nigeria resistance to, geographic normsus, resistance to, geographic normsus, for viruses, in Nigeria resistance to, geographic normsus, resistance to, geographic normsus, in Cameroon 786 normsus, antibodies to, in, in 1461 resistance to form, in Colombia 2094 **Aedes annulipes** control of bromophos-ethyl tested for 1446 in Czechoslovakia 1446 **Aedes apicoargenteus* chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 **Aedes atlanticus** host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 **Aedes atropalpus** desiccation in, resistance to, geographic variation in 234 | control of, and in Africa 391 | in Colombia 2094 |
| n Africa 546 nsmitted by, in West Africa egypti, desiccation in, geographic variation in resistance to, geographic n 234 19 733 6, for viruses, in Nigeria for viruses, in Cameroon 786 tus, antibodies to, in, in 1461 786, 2284 Aedes annulipes control of bromophos-ethyl tested for 1446 fenthion tested for 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Aedes allanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | in Americas 780 | |
| control of bromophosethyl tested for 1446 fenthion tested for 1446 in Czechoslovakia 1446 Aeles apicoargenteus chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Aeles atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aeles atropalpus desiccation in, resistance to, geographic variation in 234 | | |
| bromophos-ethyl tested for 1446 fenthion tested for 1446 in Czechoslovakia 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | | |
| geypti, desiccation in, geographic variation in geographic variation in geographic variation in geographic variation in geographic in Czechoslovakia 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | 896 | |
| geographic variation in in Czechoslovakia 1446 Aedes apicoargenteus chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | Aedes aegypti aegypti, desiccation in, | |
| Aedes apicoargenteus chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | | |
| resistance to, geographic n 234 chikungunya virus, transmission of, by 1771 in Uganda 1771 Zika virus, isolated from 1771 Aedes atlanticus f, for viruses, in Nigeria host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | 234 | |
| resistance to, geographic n 234 in Uganda 1771 Zika virus, isolated from 1771 Aedes atlanticus for viruses, in Nigeria host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | Aedes aegypti formosus | |
| Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | desiccation in, resistance to, geographic | |
| 733 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | variation in 234 | in Uganda 1771 |
| host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | in Nigeria 219 | Zika virus, isolated from 1771 |
| hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | in Tanzania 733 | Aedes atlanticus |
| in USA 1796, 2125 pupae of 2328 vus, antibodies to, in, in 1461 desiccation in, resistance to, geographic variation in 234 | | |
| our in, in Cameroon 786 pupae of 2328 Needes atropalpus desiccation in, resistance to, geographic variation in 234 | | |
| Aedes atropalpus desiccation in, resistance to, geographic variation in 234 | | |
| desiccation in, resistance to, geographic variation in 234 | | |
| 786, 2284 variation in 234 | | |
| | | |
| | in Central African Republic 2283, 2285 | |
| | in Nigeria 393, 2290 | Aedes atropalpus atropalpus |
| | in Uganda 1461 | |
| | yellow fever, role of, in, in Africa 546 | rearing of, techniques for 1789 |
| rouning or, in involved culture tubes | in Nigeria 219 in Tanzania 733 surveillance of, for viruses, in Nigeria 219 Aedes africanus | Zika virus, isolated from 1771 Aedes atlanticus host preferences of 2125 hosts of, in Maryland 1796 in USA 1796, 2125 pupae of 2328 Aedes atropalpus desiccation in, resistance to, geograp |
| | | |
| 461 autogenous fecundity in 2101 | yellow lever, role of, in, in Africa 546 | rearing of, techniques for 1789 |

| Subject Hidex | 1. |
|--|--|
| Aedes atropalpus epactius, autogenous | Aedes caspius contd. |
| fecundity in 2101 | population dynamics of 1470 |
| Aedes atropalpus nielseni | Ťahyňa virus, isolated from, in Austria |
| autogenous fecundity in 2101. | 221 |
| Coelomomyces spp. in, in Utah 766 | Thelohania opacita in, in France 228 |
| in USA 766 | Aedes caspius caspius, in USSR 19, 84, |
| rearing of, techniques for 1789 | 2279 |
| Aedes atropalpus perichares, autogenous | Aedes caspius dorsalis (see A. dorsalis) |
| fecundity in 2101 | Aedes cataphylla, control of, mucilaginous |
| Aedes australis | seeds tested for 759 |
| Coxsackie A6 virus, transmission of, by | Aedes cinereus |
| Whataroa virus, muliplication of, in | California encephalitis, virus of, isolated from, in New York 578 |
| 2142 | in USA 540, 578 |
| Aedes behningi, in USSR 84 | in USSR 87, 494 |
| Aedes beklemishevi | Aedes circumluteolus, Rift Valley fever, |
| dispersal of 182 | virus of, transmission of, by 2323 |
| in USSR 87, 182 | Aedes communis |
| Aedes canadensis | biology of 1471 |
| Bunyamwera virus | control of |
| multiplication of, in 2102 transmission of, by 2102 | DDT tested for 488 dichlorvos tested for 488 |
| California encephalitis | fenthion tested for 488 |
| virus of | malathion tested for 488 |
| isolated from | repellents tested for 2141 |
| in New York 578 | dispersal of 120, 182 |
| in Ohio 550 | in Canada 120 |
| control of | in Denmark 1450, 1471 |
| organic phosphates tested for 1738 | in USSR 84, 87, 182, 2141 |
| hosts of, in Maryland 1796 | life-span in 120 on cattle, in Komi Republic 2141 |
| in Canada 794 | preyed on by, <i>Colymbetes fuscus</i> , in |
| in USA 540, 550, 578, 924, 1738, 1741, | Denmark 1471 |
| 1745, 1795–1796 | Thelohania opacita in, effects on |
| parasitised by, mites, in Ohio 540 | haemolymph of 2115 |
| viruses, isolated from, in Yukon 794 | Aedes dentatus |
| Aedes canadensis canadensis feeding behaviour in, on fruit 1420 | biology of 2320 in Kenya 2288, 2320 |
| in USA 1420 | Aedes detritus |
| Aedes cantans | habitats of 2119 |
| control of | in France 228 |
| bromophos-ethyl tested for 1446 | in Germany 409 |
| fenthion tested for 1446 | in Israel 1748 |
| dispersal of 182 in Czechoslovakia 1203, 1446 | in Italy 2103 in Sinai Peninsula 1479 |
| in USSR 182 | in UK 2119 |
| Aedes cantator, in USA 540, 1411, 1741, | in USSR 494 |
| 1795 | Nosema stegomyiae in, in France 228 |
| Aedes caspius | seasonal abundance of, in Israel 1748 |
| breeding places of 1482 | Stempellia magna in, in France 228 |
| Coelomomyces psorophorae in, in | S. tuzetae in, in France 228 |
| Uzbekistan 141 control of, fenitrothion tested for 785 | Thelohania opacita in, in France 228 Aedes domesticus, eggs of 1215 |
| DNA in, related to taxonomy 1079 | Aedes dorsalis |
| in Austria 221 | Beauveria tenella in, infectivity of 2472 |
| in Egypt 1236, 1470 | California viruses, isolated from, in Utah |
| in France 228, 785 | 381 |
| in Israel 1482 | Coelomomyces spp. in, effects on |
| in Italy 2103 | haemolymph of 2115 |
| in Sinai Peninsula 1479 in USSR 141, 494 | control of fenchlorphos tested for 489 |
| population biology of 2072 | water management for 749 |
| F - F | |

| Aedes dorsalis contd. | Aedes infirmatus |
|---|--|
| in Austria 221 | host preferences of 2125 |
| in Canada 579 | in UŜA 2125 |
| in Germany 409 | Aedes japonicus |
| in Greenland 1080 | activity in, effects of light intensity on 71 |
| in Japan 1463 | descriptions of 1491 |
| in USA 381, 540, 749, 765, 2481, 2485 | in China 1491 |
| | |
| preyed on by | in Japan 1491 |
| Gambusia affinis, and biological control | in Korea 1491 |
| using, in Japan 1463 | in Taiwan 1491 |
| Pardosa sternalis, in California 2485 | in USSR 1491 |
| Ťahyňa virus, isolated from, in Austria | taxonomy of, Aedes shintienensis as |
| 221 | synonym of 1491 |
| western equine encephalitis, virus of, | Aedes kobayashii |
| isolated from, in Utah 381 | in Korea 2494 |
| Aedes excrucians | overwintering in 2494 |
| dispersal of 182 | Aedes koreicoides |
| in USSR 87, 182 | descriptions of 1491 |
| Aedes fijiensis, in Fiji 1755 | in Japan 1491 |
| Aedes flavescens, in USSR 494 | Aedes koreicus |
| Aedes flavopictus | descriptions of 1491 |
| activity in, effects of light intensity on 71 | in China 1491 |
| in Korea 2494 | in Korea 1491, 2494 |
| overwintering in 2494 | overwintering in 2494 |
| Aedes fryeri | Aedes lineatopennis, Rift Valley fever, virus |
| in Aldabra Island 2331 | of, transmission of, by 2323 |
| in Kenya 2331 | Aedes luteocephalus |
| taxonomy of, Aedes mombasaensis as | dengue type 2 virus, isolated from, in Nigeria 393 |
| synonym of 2331 Aedes furcifer | in Ghana 2291 |
| | |
| eggs of 1216 in Ghana 2291 | in Nigeria 393, 2290 |
| Aedes galloisi | in Tanzania 733 yellow fever, virus of, isolated from, in |
| in Korea 2494 | Nigeria 393 |
| in USSR 18 | Zika virus, isolated from, in Nigeria 393 |
| overwintering in 2494 | Aedes mariae, enzyme polymorphism in |
| Aedes geniculatus | 563, 968 |
| development in, effects of temperature on | Aedes mediovittatus, Lagenidium culicidum |
| 1657 | in, pathogenicity of 2128 |
| in USSR 84 | Aedes melanimon |
| Aedes guamensis, in Guam 232 | abundance of, methods for determining |
| Aedes hexodontus | 2482 |
| control of | control of |
| DDT tested for 488 | insecticides tested for 2457 |
| dichlorvos tested for 488 | propoxur tested for 751 |
| fenthion tested for 488 | DDT resistance in, in California 752 |
| malathion tested for 488 | feeding behaviour in, in California 2476 |
| dispersal of 182 | in USA 744, 751-752, 2455, 2476, 2482 |
| flight activity in, diurnal rhythm of 327 | insecticide resistance in, in California |
| in USSR 87, 182, 327 | 744 |
| Aedes hoguei | insecticide susceptibility in, in California |
| descriptions of 2322 | 752 |
| in Solomon Islands 2322 | parathion resistance in, in California 752 |
| on man, in Solomon Islands 2322 | parous rate in, in California 2476 |
| Aedes horotoi, sp. n., description of, taken | western equine encephalitis, virus of, |
| biting man in Solomon Islands 368 | isolated from, in California 2455 |
| Aedes impiger | Aedes metallicus, in Tanzania 733 |
| descriptions of 2493 | Aedes mombasaensis, taxonomy of, synonym |
| dispersal of 182 in Canada 2493 | of A. fryeri 2331 |
| in Canada 2493 | Aedes nigripes |
| in Greenland 1080 | descriptions of 2493 |
| in USSR 182 | in Canada 2493 |

| edes nigromaculis | Aedes poicilia contd. |
|---|--|
| abundance of, methods for determining 2482 | Wuchereria bancrofti, isolated from, in Philippines 1788, 2516 |
| Bacillus thuringiensis in, pathogenicity of | Aedes polynesiensis |
| 1977 | competing with, Aedes albopictus 1474, |
| California encephalitis viruses, isolated | 2497 |
| from, in California 2455 | Coxsackie A6 virus |
| control of | isolated from, in Fiji 222 |
| Bacillus thuringiensis tested for 755, | transmission of, by 222 |
| 1977 | cross-mating in, with, Aedes albopictus |
| chlorinated hydrocarbons tested for | 2123 |
| 753 | in Fiji 222, 1754–1755 |
| DDT tested for 753 | Wuchereria bancrofti, transmitted by, in |
| fenthion tested for 753 | Fiji 1754 |
| Flit MLO tested for 208, 737 | Aedes pseudoscutellaris |
| in California 738 | in Fiji 1754 |
| insecticides tested for 2457, 2492 | Wuchereria bancrofti, transmitted by, in |
| juvenile hormone analogues tested for | Fiji 1754 Aedes punctor |
| 400, 1804, 2465 | control of |
| petroleum oils tested for 2462-2463 | DDT tested for 488 |
| phenothiazine tested for 746 | dichlorvos tested for 488 |
| propoxur for 736–737 | fenthion tested for 488 |
| pyrethrins for 736 | malathion tested for 488 |
| fecundity in | repellents tested for 2141 |
| effects of blood meal on 384 | dispersal of 182 |
| effects of body weight on 384 | in Denmark 1450 |
| fenthion resistance in, in California | in USSR 84, 87, 182, 2141 |
| 736–737 | on cattle, in Komi Republic 2141 |
| flight activity in, in California 754 | Aedes refiki |
| in USA 208, 736–738, 744, 746, 754, 765, 1804, 1977, 2455–2456, | biology of 574 |
| 2462–2463, 2481–2482, 2492 | distribution of 574 in France 574 |
| insecticide resistance in, in California | Aedes riparius, in USSR 87 |
| 744, 2456 | Aedes rossicus |
| insecticide susceptibility of, factors | development in, effects of temperature on |
| affecting results of tests for 382 | 1657 |
| malathion resistance in, in California 737 | in Czechoslovakia 2098 |
| methyl-parathion resistance in, in | insecticide susceptibility in, in |
| California 736–737 | Czechoslovakia 2098 |
| oviposition sites of 2484 | Aedes scapularis |
| parathion resistance in, in California 737 edes nipponicus | in Mexico 1468 on man, in Mexico 1468 |
| in Korea 2494 | Aedes scutellaris |
| overwintering in 2494 | in Guam 954 |
| edes nocturnus | taxonomy of, Aedes alcasidi misidentified |
| in Guam 954 | as, in Philippines 1221 |
| in Philippines 2107 | group of, in South-East Asia 1221 |
| edes paullusi, in Philippines 1221 | Aedes serratus |
| edes phoeniciae, enzyme polymorphism in | in Mexico 1468 |
| 968 | on man, in Mexico 1468 |
| edes pionips | Aedes sexlineatus |
| control of DDT tested for 488 | in Colombia 2094 |
| dichloryos tested for 488 | Venezuelan equine encephalitis, virus of, isolated from, in Colombia 2094 |
| fenthion tested for 488 | isolated from, in Colombia 2094 Aedes shintienensis, taxonomy of, synonym |
| malathion tested for 488 | of A. japonicus 1491 |
| in USSR 19, 87, 2279 | Aedes sierrensis |
| edes poicilia | abundance of, oviposition sites for |
| Dirofilaria immitis, isolated from, in | determining 2473 |
| Philippines 2516 | Beauveria tenella in, in California 2472 |
| in Philippines 1788, 2516 | biology of 2471 |

| Aedes sierrensis contd. | Aedes spencerii, in Canada 579 |
|--|---|
| control of, insecticides tested for 2474 | Aedes squamiger, in USA 2135 |
| in USA 2135, 2471–2474 | Aedes sticticus |
| pathogens of, in California 2472 | dispersal of 182 |
| rearing of, techniques for 741 | embryonic development in 1615 |
| traps for 2130 | in USA 540, 924 |
| Aedes simpsoni | in USSR 182 |
| anthropophily in 2287 | parasitised by, mites, in Ohio 540 |
| breeding places of 556, 1190 | Aedes stimulans |
| Coelomomyces spp. in, in Uganda 1233 | in USA 540 |
| control of, insecticides for 2289 | larval development in, effects of salinity |
| feeding behaviour in | on 1460 |
| in Cameroon 786 | parasitised by, mites, in Ohio 540 |
| in Kenya 1192 | sex determination in 2146 |
| in Tanzania 1191 | Aedes taeniorhynchus |
| host preferences of 1001 in Cameroon 786, 2284 | calorific reserves in, determination of |
| in Central African Republic 2283 | 922 |
| in Ghana 2282 | control of |
| in Kenya 1192 | Dursban tested for 379 |
| in Nigeria 393 | fenthion tested for 374 |
| in Tanzania 213, 556, 733, 1190-1191 | malathion for 971 |
| in Uganda 1233 | malathion tested for 374, 380 |
| on man, in Uganda 1233 | naled tested for 374, 379–380 |
| parous rate in, in Uganda 1233 | organic phosphates tested for 374, 379 |
| taxonomy of, relation of A. woodi and | pirimiphos-methyl tested for 379 |
| 213 | pyrethrins tested for 379 |
| yellow fever, role of, in, in Africa 546 Aedes sollicitans | resmethrin tested for 376 Entomophthora coronata in, pathogenicity |
| California encephalitis, virus of, isolated | of 981 |
| from, in Ohio 550 | host preferences of 2125 |
| calorific reserves in, determination of | in Costa Rica 1206 |
| 922 | in Guatemala 777 |
| control of | in Jamaica 2061 in Mexico 1468 |
| fenthion tested for 374 | in Mexico 1468 |
| habitat management for 1417 | in USA 373–374, 971, 1469, 2125 |
| malathion for 375, 971 | Lagenidium culicidum in, pathogenicity o |
| malathion tested for 374, 380 | 2128 |
| naled for 375 naled tested for 374, 380, 1744 | life span in, effects of temperature on 1088 |
| organic phosphates tested for 374 | mating in, effects of age on 763 |
| development in, effects of temperature on | mosquito iridescent virus in 1976, 1980 |
| 2120 | degradation of 991 |
| eastern equine encephalitis | on man, in Mexico 1468 |
| control of, and, in New Jersey 1410 | preyed on by, Gambusia affinis, and |
| virus of, transmitted by, in Maryland | biological control using, in North |
| 1797 | Carolina 373 |
| host preferences of 2125 | pupation rhythms in 2076 |
| in Mexico 1468 in USA 373-375, 540, 550, 971, | regular mosquito iridescent virus in, effects of 2300 |
| 1410–1411, 1417, 1741, 1797, 2125 | traps for 2061 |
| Lagenidium culicidum in, pathogenicity of | Venezuelan equine encephalitis |
| 2128 | attenuated virus of, not transmitted by |
| preyed on by, Gambusia affinis, and | 1469 |
| biological control using, in North | virus of |
| Carolina 373 | infectivity of, for 577 |
| Venezuelan equine encephalitis | isolated from |
| control of, and, in Texas 375 | in Costa Rica 1206 |
| virus of, isolated from, in Mexico | in Guatemala 777 |
| 1468 | Aedes theleter |
| western equine encephalitis, virus of, transmitted by, in Maryland 1797 | Aedes thelcter in Mexico 1468 |
| transmitted by, in maryland 1797 | III IVICATOO 1700 |

| Subject Index | /4 |
|--|--|
| Aedes thelcter contd. | Aedes trivittatus contd. |
| Venezuelan equine encephalitis, virus of, | in USA 540, 550 |
| isolated from, in Mexico 1468 | on man, in Mexico 1468 |
| Aedes togoi | parasitised by, mites, in Ohio 540 |
| activity in, effects of light intensity on 71 | Aedes vexans |
| anal papilla in 1761 | Bunyamwera virus |
| autogeny in 1777 | multiplication of, in 2102 |
| Brugia malayi, superinfection of, with | transmission of, by 2102 |
| 2144 | California encephalitis, virus of, isolated |
| B. pahangi, effects of, on 1769 | from, in Ohio 550 |
| Brugia patei | California encephalitis viruses, isolated |
| development of, in 555, 1727 | from, in Germany 1798 |
| infectivity of, for 2034 Coelomomyces in, in USSR 142 | control of |
| control of, genetic 2508 | chlorinated hydrocarbons tested for 753 |
| Dirofilaria immitis, susceptibility to, in | DDT tested for 753 |
| 1781 | diazinon tested for 1421 |
| in Japan 1214 | Dursban tested for 1421 |
| in Malaysia 1777 in Taiwan 1777 | fenthion tested for 753 |
| in Taiwan 1777 | iodofenphos tested for 1421 |
| in USSR 95, 142 | malathion tested for 1421 |
| Japanese encephalitis, role of, in, in USSR 95 | mucilaginous seeds tested for 759 |
| on flowers, survival of 1465 | organic phosphates tested for 1740 |
| Wuchereria bancrofti, role of, in | phoxim tested for 1421 |
| epidemiology of, in USSR 95 | propoxur tested for 1421 |
| Aedes togoi, Wuchereria bancrofti, | pyrethrins tested for 2466 |
| transmitted by, in Japan 1214 | diapause in |
| Aedes tormentor, pupae of 2328 | effects of photoperiod on 1235 |
| Aedes triseriatus | effects of temperature on 1235 |
| Bacillus thuringiensis in, pathogenicity of 1977 | Dirofilaria immitis, transmitted by 962 |
| biology of 1742 | eastern equine encephalitis, virus of, transmitted by, in Maryland 1797 |
| breeding places of 2137 | feeding behaviour in, in California 2476 |
| California encephalitis, virus of, isolated | host preferences of 2125 |
| from, in Ohio 550 | in Canada 579 |
| cell cycles in larval brain in 2129 | in Czechoslovakia 580, 1203 |
| control of, Bacillus thuringiensis tested for | in Fiji 1755 |
| 755 | in Germany 1798 |
| development in, effects of temperature on 2120 | in Japan 762, 2136 in Okinawa 387, 390 |
| diapause in | in USA 540, 550, 752, 796, 924, 962, |
| effects of photoperiod on 65 | 1235, 1740–1741, 1745, 1797, 2125, |
| effects of temperature on 65 | 2450, 2476 |
| host preferences of 1742 | in USSR 84, 494 |
| in USA 540, 550, 1741, 1745, 2137 | insecticide susceptibility in, in California |
| LaCrosse virus, transmission of, by 205 | 752 |
| Lagenidium culicidum in, pathogenicity of | larval development in, effects of salinity |
| 2128 oesophageal diverticula in 568 | on 1460 |
| on horses, symptoms of feeding by 1735 | parasitised by, mites, in Ohio 540 parous rate in, in California 2476 |
| on Sciurus carolinensis 205 | seasonal abundance of, in Japan 762 |
| on Tamias striatus 205 | Ťahyňa virus, seasonal incidence of, in, in |
| parasitised by, mites, in Ohio 540 | Čzechoslovakia 580 |
| peritrophic membrane in 1085 | western equine encephalitis, virus of, |
| Venezuelan equine encephalitis, virus of, | transmitted by, in Maryland 1797 |
| infectivity of, for 577 | Aedes vexans nipponii |
| Aedes trivittatus California encephalitis, virus of, isolated | in Guam 954 in Japan 225 |
| from, in Ohio 550 | in USSR 19, 2279 |
| in Canada 1217 | Aedes vexans nocturnus (see A. nocturnus) |
| in Mexico 1468 | Aedes vigilax, taxonomy of 1791 |
| | |

Aedes vittatus africanus, Aedes Afrocalvolia glossinarum in Ghana 2291 in India 553 gen. et sp. n., description of 2231 in Nigeria 393 descriptions of 2232 in Zaïre 2231-2232 in Tanzania 733 Aedes woodi on Glossina fuscipes, in Zaïre 2231 in Tanzania 213 Afrocalvolia tsetse taxonomy of, relation of A. simpsoni and sp. n., description of 2232 in Zaïre 2232 on Glossina fuscipes, in Zaïre 2232 aegypti, Aedes Agabus erichsoni (Stegomvia) Aegyptianella pullorum in Canada 770 Argas spp., isolated from, in South Africa preying on, mosquitos, in Ontario 770 agrestis, Atylotus A. persicus, transmitting, in USSR 1933 agyrtes, Ctenophthalmus aegyptium, Hyalomma aikenii, Culex Aerobacter aerogenes (see Enterobacter B) Aircraft Aeshna cyanea insects in, control of 687, 882, in USSR 2555 1599-1602 trematodes, isolated from, in Byelorussia mosquitos in, control of 392 akamushi, Leptotrombidium Aeshnidae Akodon nigritus nigritus, Trypanosoma aliphatic amines in, toxicity of 640 cruzi, isolated from, in Brazil 1160 larvicidal oils in, toxicity of 640 Alabama petroleum oils in, toxicity of 757 Aethus indicus Anopheles crucians in 978 in India 1055 A. punctipennis in 978 Spirocerca Jupi, infectivity of, for 1055 A. quadrimaculatus in 978 affinis, Hybomitra Culex erraticus in 978 affinis, Sergentomyia, (Phlebotomus) Ixodidae in 849 affinis, Vespa Simuliidae in 606 Afghanistan Uranotaenia sapphirina in 978 Anopheles superpictus in 1188 alactagalis, Ornithodoros Argas reflexus in, viruses in 844 alajensis, Simulium, (Tetisimulium) malaria in 1188 Alaska mosquitos in 2332 Culiseta spp. in 1414 Africa Oedemagena tarandi in, on Rangifer Anophelinae in 1661 tarandus granti 1386 Argas in 654 Solenopotes tarandi in, on Rangifer Chirodiscidae in 669 tarandus granti 1386 Listrophoridae in 669 alaskaensis. Culiseta malaria in 891 albellum, Simulium, (Obuchovia) Muscinae in 1876 Oestrinae in 423 sleeping sickness in 891, 894 Atylotus incisuralis in 1024 trypanosomiasis in 894 Hybomitra spp. in 1024 vellow fever in 547 albiceps, Chrysomya Africa, East albiclavus, Syntomosphyrum Culex pipiens in, control of 216 albimanus, Anopheles sleeping sickness in 898 albipictus, Dermacentor trypanosomiasis in 898 albipuncta, Hydrotaea albipunctatus, Telmatoscopus venomous arthropods in 1312 Africa, West albirostris, Culex (see Aedes viglax) Anopheles gambiae complex in albopictus, Aedes Onchocerca volvulus in 896 alcasidi, Aedes sleeping sickness in 897 Alces alces, Dermacentor andersoni infesting Wuchereria bancrofti in 896 yellow fever in 548, 896 Aldabra Island, Aedes fryeri in 2331 African horse sickness, virus of, Aedes Aldicarb, against, Musca domestica 1535 Aldrichina grahami albopictus, propagated in culture of 963 africana, Mansonia in Japan 1875 africana, Sergentomyia, (Phlebotomus) in cattle bones, in Japan

| Subject Index | , |
|--|---|
| Aldrin | Allethrin contd. |
| against | trans-(+)- contd. |
| Alphitobius diaperinus 1313 | against contd. |
| Dermestes ater 1314 | Chrysops spp. 1737 |
| biochemistry of 1103 | Cimex lectularius 1602 |
| in fowls, toxicity of 1313 | Culex spp. 392 |
| in Musca domestica, enzyme induction by | Culex pipiens 1046–1047 |
| 916 | insects in aircraft 1600 |
| Alectorobius tartakovskyi (see | Musca autumnalis 1046–1047 |
| Ornithodoros) | Musca domestica 1046–1047, 1361 |
| Alectorobius tholozani papillipes (see | 1601, 1737 |
| Ornithodoros tholozani) | Periplaneta americana 1602 |
| Aleochara, hosts of, in USSR 92 | Rhodnius prolixus 1601 |
| Aleochara bimaculata | Stomoxys calcitrans 1046–1047 |
| in USA 1284 | Tabanus spp. 1737 |
| parasitising, Musca autumnalis, in South | Triatoma infestans 1601 |
| Dakota 1284 preying on, Musca autumnalis 1284 | Xenopsylla cheopis 1601–1602 |
| Aleochara bipustulata | in fogging machines, losses of 697 Allodermanyssus sanguineus |
| in USSR 92 | development in 2059 |
| · parasitising | in USSR 2059 |
| Bellieria gorodkovi, in USSR 92 | Allotheobaldia longiareolata (see Culiseta) |
| B. rohdendorfi, in USSR 92 | Allothyridae, taxonomy of 1356 |
| Ravinia striata, in USSR 92 | 4-Allylbenzyl chrysanthemate |
| Aleuroglyphus ovatus, on man, literature on | against |
| 150 | Aedes aegypti 1361 |
| alexandri, Phlebotomus | Musca domestica 1361 |
| Algeria, visceral leishmaniasis in 149 | Alphitobius diaperinus |
| algeriensis, Anopheles | control of |
| alienus, Carpoglyphus | aldrin tested for 1313 |
| Aliquot 221 | γ BHC tested for 1313 |
| against | DDT tested for 1313 |
| Culex peus 756 | malathion tested for 1313 |
| C. tarsalis 756 | trichlorphon tested for 1313 |
| in ponds, non-target effects of 640 | Subulura suctoria, intermediate host of |
| N-alkyl(C ₁₂ -C ₁₄)cyclohexylamine repellent for | 1313 |
| Ornithodoros tholozani 203, 1911 | Alphitobius laevigatus, Hymenolepis diminuta, intermediate host of 2195 |
| Xenopsylla cheopis 203 | Alphitobius piceus (see A. laevigatus) |
| Allethrin | alpicola, Hybomitra (see H. montana) |
| against | Altosid (see 2,4-Dodecadienoic acid, 11- |
| Aedes aegypti 1053, 1361 | methoxy-3,7,11-trimethyl-, isopropyl |
| Culex pipiens 1053, 2099 | ester, (E,E) -; or Isopropyl $(2E,4E)$ -11- |
| Lucilia cuprina 1053 | methoxy-3,7,11-trimethyl-2,4- |
| Musca domestica 618, 1053–1054, | dodecadienoate) |
| 1361, 2099 | Alveonasus lahorensis (see Ornithodoros) |
| Sarcophaga peregrina 1053 | Alycina, taxonomy of 1356 |
| Tabanus iyoensis 439 | Alyssum calycinum, mucilaginous seeds of, |
| Telmatoscopus albipunctatus 1053 | tested as mosquito larvicides 759 |
| in Ephemeroptera, toxicity of 2492 | Alyssum montanum, mucilaginous seeds of |
| synergists for 1054 | tested as mosquito larvicides 759 |
| trans-(+)- | amazonensis, Lutzomyia, (Psychodopygus) |
| against 302 | amazonicum, Simulium Amblyomma |
| Aedes spp. 392 Aedes aegypti 1046–1047, 1361, | in British Honduras 1576 |
| 1601, 1737 | in Japan 13 |
| Anopheles spp. 392 | in Korea 13 |
| Anopheles albimanus 1046–1047, | in Ryukyu Islands 13 |
| 1601 | in Saudi Arabia 136 |
| Anopheles quadrimaculatus | in Senegal 1919 |
| 1046–1047, 1601 | Amblyomma americanum |
| Blattella germanica 1602 | claw sensilla in 2571 |

America, South contd. Amblyomma americanum contd. control of yellow fever in 547 acaricides tested for 1302, 1609, 2050 American dog tick (see Dermacentor burning of woodland for 458 variabilis) in USA 687 americana, Neoschoengastia americana, Periplaneta Haller's organ in 1084 posterior capsule of 2398 americanum, Amblyomma identification of 1694 americanus, Chaoborus in USA 458, 687, 1942 amica, Musca moulting in 2564 Amidex, against, Musca domestica 438 Amidophos (see Crufomate) on cattle, symptoms of infestation with 4-Amino-1.5-bis(methylamino)anthraquinone. 1694 oral secretion in 2563 in Aedes aegypti, effects of 1477 Aminocarb, against, Pediculus humanus palpal receptors in 2407 Rocky Mountain spotted fever, role of, in, in USA 1942 8-((4-Amino-1-methylbutyl)amino)-6traps for 280 methoxyquinoline, in Aedes aegypti, Amblvomma caiennense effects of 1477 in British Honduras 1576 Amitraz (see Formamidine, N-methyl-N'on man, in British Honduras 1576 2,4-xylyl-N-(N-2,4-xylylformimidoyl)-)Amblyomma cohaerens, Rickettsia Amphibia, preying on, Anopheles gambiae, in Kenya 706 prowazekii, infectivity of, for 851 Amyrsidea powelli Amblyomma cyprium, in Fiji group of in Nigeria 1709 Amblyomma cyprium cyprium in Papua and New Guinea 1696 on pigs, in Papua and New Guinea on fowls, in Nigeria 1709 Amblyomma hebraeum Anactinotrichida, taxonomy of . 1356 control of, acaricides tested for 1099 Anaphe, toxic compounds in 2391 distribution of, related to vegetation 460 Anaplasma in South Africa 460 cattle, in, in Turkey taxonomy of, Amblyomma theileri as goats, in, in Turkey 852 synonym of 1295 sheep, in, in Turkey 852 Amblyomma maculatum, control of, Anaplasma centrale, Boophilus annulatus, acaricides tested for 1302 transmission of, by 282 Amblyomma oblongoguttatum, in British Anaplasma marginale Honduras 1576 Boophilus microplus, transmission of, by Amblyomma theilerae (see .A. theileri) 286, 1065 Mansonia titillans, not persisting in 1128 Amblyomma theileri, taxonomy of, synonym of A. hebraeum 1295 Anas, Rhinonyssus spp. infesting, in USSR Amblyomma variegatum Bhanja virus, isolated from, in Nigeria Anas acuta, Rhinonyssus subrhinolethrum infesting, in USSR control of, acaricides for 284 Anas erecca, Rhinonyssus subrhinolethrum Cowdria ruminantium, transmission of, by infesting, in USSR Anas querquedula, Rhinonyssus dermatophilosis, role of, in 1569 subrhinolethrum infesting, in USSR Dugbe virus, isolated from, in Nigeria anatidae, Rhinonyssus rhinolethrum anatolicum, Hyalomma in Malagasy Republic 278 Ancylostomidae, synanthropic flies, in Nigeria 843 contaminated with 184 in Sicily 653 andersoni, Dermacentor on cattle, in Malagasy Republic 278 Andorra, Tabanidae in 11 Rickettsia prowazekii, infectivity of, for andrejevi, Phlebotomus Androctonus australis Thogoto virus, isolated from, in Nigeria venom of 174 843 insect toxin from 1593 ambulans, Haemogamasus Androlaelaps casalis America, Central in USA 297 ectoparasites in on Sturnus vulgaris, in California 1338 297 547 yellow fever in Androlaelaps fabrenholzi America, South in USSR 15 ectoparasites in 1338 on rodents, in Kharbarovsk 15

| nduzei, Culex | Anopheles albimanus contd. |
|---|---|
| ngola | control of contd. |
| Aedes aegypti in 549, 1793 | chromosomal translocations for 385 |
| Loa loa in 892 | fenthion tested for 974 |
| malaria in 892 | insecticides tested for 1601 |
| Onchocerca volvulus in 892 | juvenile hormone analogues tested for |
| sleeping sickness in 892 | 1447 |
| | |
| Wuchereria bancrofti in 892 | propoxur tested for 1441, 2122 |
| yellow fever in 549, 892, 1793 | pyrethroids tested for 1046–1047 |
| ngustipes, Simulium (see S. aureum) | water management for 1437 |
| ngustitarse, Simulium | development in, effects of temperature of |
| (Eusimulium) | 2120 |
| ngustivittatus, Aedes | fenitrothion resistance in, in El Salvador |
| -anisaldehyde, 2-hydroxy-, repellent for, | 233 |
| Ornithodoros tholozani 1911 | habitats of 1432 |
| nnularis, Anopheles | in El Salvador 233, 1432, 1437, 1439, |
| nnulata, Culiseta | 1441, 2122, 2511 |
| (Theobaldia) | in Guatemala 1439 |
| nnulatus, Boophilus | in Honduras 1439 |
| nnulipes, Aedes | in Mexico 776 |
| nnulipes, Anopheles | in Nicaragua 1439 |
| nnulus, Culex (see C. vishnui) | in Panama Canal Zone 974 |
| noa (see Anoa depressicornis) | insecticide resistance in |
| noa depressicornis, Haemaphysalis | in central America 1439 |
| celebensis infesting, in Indonesia 2570 | in El Salvador 2511 |
| nocentor nitens | seasonal fluctuation in 2511 |
| control of, insecticides tested for 1291, | malaria, role of, in, in Mexico 776 |
| 2206 | malathion resistance in, in El Salvador |
| oviposition in, effects of solvents on 2205 | 233 |
| nopheles | methyl-parathion resistance in, in El |
| behaviour in 2506 | Salvador 233 |
| breeding places of 496 control of 496 | Nosema spp. in, descriptions of 1978 pairing in, effects of human breath on |
| trans-(+)-allethrin tested for 392 | 388 |
| bioresmethrin tested for 392 | parathion resistance in, in El Salvador |
| in aircraft 392 | 233 |
| in USA 687 | propoxur resistance in |
| in USSR 83 | and cross-resistance 1439 |
| insecticides tested for 2259 | in El Salvador 233, 1441 |
| resmethrin tested for 392 | rearing of, techniques for 1211 |
| sterile-insect release for 1435 | salivary gland chromosomes in 2126 |
| feeding behaviour in, on fruit 1420 | sterilisation of, X-irradiation for 975 |
| genetics of 877 | Anopheles algeriensis |
| hosts of, in Czechoslovakia 1758 | in Israel 1747–1748 |
| in Mississippi 924 | in Italy 1487 |
| in Morocco 2503 | seasonal abundance of, in Israel 1748 |
| in New York 1745 | Anopheles annularis |
| in Sierra Leone 1189 | DDT resistance in, in Gujarat 1186 |
| in Upper Volta 1227 | in India 1186 |
| Plistophora culicis in, infectivity of 965 | in Nepal 959 |
| traps for 1227 | Anopheles annulipes |
| nopheles aconitus, in Bangladesh 394 | in Australia 730, 977 |
| nopheles adenensis (see A. culicifacies | Mermithidae in, in New South Wales |
| adenensis) | 977 |
| nopheles albimanus | myxoma virus, transmitted by, in New |
| biology of 1432 | South Wales 730 |
| breeding in, effects of vegetation on 1438 | rearing of, techniques for 976 |
| carbaryl resistance in, in El Salvador 233 | Anopheles aquasalis |
| chromosomal translocations in 385 | in Venezuela 2111 |
| control of | malaria, role of, in, in Venezuela 2111 |
| aziridine derivatives tested as sterilants | Anopheles atroparvus (see A. labranchiae |
| for 2106 | atroparvus) |
| | |

2140

Anopheles darlingi Anopheles atropos in Colombia 1433 host preferences of 2125 in USA 2125 malaria, role of, in, in central America Anopheles balabacensis Culicoides anophelis, attached to, in salivary gland chromosomes in 973 Taiwan 413 Anopheles dthali in Taiwan 413 in Egypt 1236 Nosema spp. in, descriptions of 1978 in Iran 571 Anopheles balabacensis balabacensis, malaria, role of, in, in Iran 571 Plasmodium cynomolgi, transmission of, Anopheles farauti biology of 960 by 552 control of, DDT for 1776 Anopheles barbirostris in Papua and New Guinea 758, 960, filariae, isolated from, in Indonesia 1787 in Indonesia 1787 in Solomon Islands 2314 Anopheles bradleyi Anopheles farauti No. 1 in USA 60 taxonomy of, characters distinguishing A. in Australasia 1454 crucians and 60 mating behaviour in 1456 taxonomy of 1454-1455 Anopheles claviger distribution of 990 Anopheles farauti No. 2 in Germany 409 in Australasia 1454 in Italy 1487 mating behaviour in 1456 in Morocco 2503 in Poland 775 taxonomy of 1454-1455 Anopheles fluviatilis control of, DDT tested for 959 in Turkey 990 in Nepal 959 malaria control of, and, in Near East 231 in Yemen 2313 role of, in, in Turkey 990 Anopheles franciscanus orientation in 1759 in USA 2135, 2455, 2480 seasonal abundance of, in California Anopheles confusus, in Ethiopia 2335 Anopheles coustani 2480 hepatitis B virus, antibodies to, in, in taxonomy of, raised to specific rank, from subsp. of A. pseudopunctipennis 1231 Kenya 1461 in Ethiopia 2139 Turlock virus, isolated from, in California in Israel 1747-1748 in Kenya 1461 Anopheles freeborni control of in Yemen 16 Rift Valley fever, virus of, transmission of, chlorinated hydrocarbons tested for by 2323 seasonal abundance of, in Israel 1748 DDT tested for 753 Anopheles crucians Dursban for 1182-1184 fenthion tested for 753 control of Dirofilaria immitis malathion tested for 380 naled tested for 380 development of, in 962 transmitted by 962 habitats of, aquatic vegetation associated with 978 DNA in, related to taxonomy 1079 host preferences of 2125 feeding behaviour in, in California 2476 in USA 744, 962, 966, 1182-1184, 2450, in USA 60, 372, 978, 2125 Reesimermis nielseni in, and biological 2476, 2480, 2488 in rice-fields, insects associated with control using, in Louisiana 372 taxonomy of, characters distinguishing A. bradleyi and 60 insecticide susceptibility in, in California Anopheles cruzii in Brazil 1223 parous rate in, in California 2476 Plasmodium cynomolgi, transmission of, simian malaria, role of, in, in Brazil P. fieldi, infectivity of, for 1495 Anopheles culicifacies control of, water management for 1437 P. simium, infectivity of, for 1496 in India 1437 Reesimermis nielseni in, and biological in Nepal 959 control using, in California 966 seasonal abundance of, in California Anopheles culicifacies adenensis, in Ethiopia

2480

| Anopheles funestus | Anopheles gambiae contd. |
|--|---|
| Bwamba virus, isolated from, in Nigeria | Wuchereria bancrofti contd. |
| 393 | transmitted by contd. |
| hepatitis B virus, antibodies to, in, in | in West Africa 896 |
| Kenya 1461 | complex of, in West Africa 1653 |
| in Ethiopia 980, 2139 | Anopheles gambiae Bwamba cytotype (see |
| in Ghana, 1180 | also A. gambiae species D) |
| in Kenya 1461 | taxonomy of, spermathecal size as |
| in Nigeria 393 | character for 395 |
| in Sierra Leone 1189 | Anopheles gambiae species A |
| in Tanzania 570, 1426 | biology of 2321 |
| in Upper Volta 784, 1227, 2496 | Coelomomyces spp. in, in Kenya 706. |
| in dwellings, in Upper Volta 784 | DDT resistance in |
| malaria, role of, in, in Ethiopia 980, | in Toga 1488 |
| 2139 | in Upper Volta 1488 inheritance of 1488 |
| traps for 784 | |
| vectorial activity of, in Tanzania 1426 | in Kenya 706, 2321 |
| Wuchereria bancrofti | in Tanzania 1426 |
| transmitted by | in Togo 1488 |
| in Upper Volta 2496 in West Africa 896 | in Uganda 2512 |
| Anopheles gambiae | in Upper Volta 1488, 2113, 2507 mating behaviour in 1480 |
| Brugia patei | nematodes in, in Kenya 706 |
| development of, in 1727 | on man, blood-group preferences in 969 |
| infectivity of, for 2034 | pathogens of, in Kenya 2321 |
| Coelomomyces spp. in, in Upper Volta | Plasmodium falciparum, infectivity of, for |
| 229 | 2113 |
| control of | predators of, in Kenya 706 |
| fenitrothion tested for 2124 | seasonal abundance of, in Tanzania 1420 |
| genetic 2062 | taxonomy of |
| hybrid sterility for 874, 876 | characters distinguishing species B and |
| pyrethrins tested as repellent for 1210 | 955, 2308 |
| pyrethrins tested for 1757 | characters distinguishing species C and |
| Crithidia fasciculata in, morphology of | 2308 |
| 1452 | spermathecal size as character for 395 |
| cytogenetics of 2062 feeding behaviour in, in Uganda 704 | vectorial activity of, in Tanzania 1426 |
| | Wuchereria bancrofti |
| in Ethiopia 2114, 2139 in Ghana 1180 | infection of, with 1752 infectivity of, for 2507 |
| in Kenya 2124 | isolated from, in Kenya 2321 |
| in Nigeria 219, 393 | transmission of, by 1177, 2498 |
| in Sierra Leone 1189 | Anopheles gambiae species B |
| in Sudan 1180 | biology of 2321 |
| in Tanzania 562, 570, 1210, 1757 | Coelomomyces spp. in, in Kenya 706 |
| in Uganda 704 | DDT resistance in |
| in Upper Volta 229, 784, 1227, 2062, | in Senegal 1488 |
| 2496 | in Sudan 1488 |
| in dwellings | in Togo 1488 |
| assessing control of 2124 | in Upper Volta 1488 |
| in Upper Volta 784 malaria, role of, in, in Ethiopia 2139 | inheritance of 1488 |
| | in Ethiopia 980 in Kenya 706, 2321 |
| Nosema spp. in, descriptions of 1978 N. algerae in, in Tanzania 562 | in Nigeria 2113, 2507 |
| Nyando viruses, isolated from, in Nigeria | in Senegal 1488 |
| 393 | in Sudan 1488 |
| salivary gland chromosomes in 1473 | in Tanzania 1426 |
| surveillance of, for viruses, in Nigeria | in Togo 1488 |
| 219 | in Uganda 2512 |
| traps for 784 | in Upper Volta 1488 |
| Wuchereria bancrofti | in Zambia 1778 |
| transmitted by | malaria, role of, in, in Ethiopia 980 |
| in Upper Volta 2496 | mating behaviour in 1480 |

Anopheles gambiae species B contd. Anopheles labranchiae contd. in Italy 1487 nematodes in, in Kenya 706 pathogens of, in Kenya 2321 in Morocco 2503 Plasmodium falciparum, infectivity of, for Anopheles labranchiae atroparvus Brugia patei, development of, in control of, insecticides tested for predators of, in Kenya 706 seasonal abundance of, in Tanzania 1426 1329, 2260 DDT susceptibility in, in Poland taxonomy of dieldrin susceptibility in, in Poland 1187 characters distinguishing species A and 955, 2308 DNA in, related to taxonomy 1079 characters distinguishing species C and DNA synthesis in 2319 in Poland 1187 spermathecal size as character for 395. on guineapig, sensitisation to 1226 vectorial activity of, in Tanzania 1426 oviposition in 2509 Wuchereria bancrofti, infectivity of, for Thelohania legeri in, in France 228 Anopheles leucosphyrus, in Bangladesh 394 Anopheles gambiae species C Anopheles lindesayi in Ethiopia 980 in Zambia 1778 in Nepal 959 Anopheles litoralis malaria, role of, in, in Ethiopia 980 in Philippines 2515 taxonomy of malaria, role of, in, in Philippines 2515 characters distinguishing species A and Anopheles longipalpis, in Ethiopia 2335 characters distinguishing species B and Anopheles maculatus control of, DDT for 2145 Anopheles gambiae species D Culicoides anophelis, attached to, in breeding places of 2512 Taiwan 413 feeding behaviour in 2512 egg viability in, effects of delayed filariasis, role of, in 2512 oviposition on 544 in Uganda 2512 fecundity in, effects of absence of malaria, role of, in 2512 oviposition sites on 544 taxonomy of, characters for 395, 2512 in Philippines 2516 Anopheles georgianus, in USA 60 in Singapore 2145 Anopheles hargreavesi, in Ghana 1180 in Taiwan 413 Anopheles hispaniola Plasmodium cynomolgi, transmission of, in Italy 1487 by 552 in Morocco 2503 salivary gland chromosomes in 1473 in Sinai Peninsula 1479 Anopheles maculatus maculatus, in Nepal Anopheles hyrcanus in Rumania 1328, 2258 Anopheles maculatus willmori control of, DDT tested for 959 in Nepal 959 in USSR 494 Anopheles hyrcanus nigerrimus, polytene chromosomes in 2309 malaria, role of, in, in Nepal 959 Anopheles hyrcanus sinensis Anopheles maculipennis in Guam 954 Calovo virus, isolated from, in Austria in Japan 225, 561, 762, 1449, 1463, 2136 in Okinawa 387, 390 chromosomal polymorphism in, in group in Taiwan 2298 1449 on pigs, in Japan control of overwintering in, in Japan 561 DDT for 159 preyed on by, Gambusia affinis, and diazinon tested for 557 DNA in, in group of 1079 biological control using, in Japan hosts of, in Czechoslovakia 992 seasonal abundance of, in Japan 225, 762 in Austria 221 Anopheles kochi, in Singapore 2145 in Czechoslovakia Anopheles koliensis in Germany 409 control of, DDT for 1776 in Rumania 557 in USSR 19, 159 in Australasia 1454 in Papua and New Guinea 1776 malaria taxonomy of 1454-1455 control of, and, in Near East 231 Anopheles labranchiae potential vector of, in USSR DNA in, related to taxonomy 1079 population biology of 2072

| Anopheles maculipennis maculipennis | Anopheles pharoensis |
|---|--|
| in Italy 1487 | activity in, effects of DDT on 702 |
| in USSR 332 | control of, iodofenphos tested for 972 |
| malaria, potential vector of, in Ukraine | DDT resistance in, in Egypt 318 |
| 332 | dieldrin resistance in, in Egypt 318 |
| Anopheles maculipennis messeae | fecundity in 2095 |
| control of, insecticides tested for 2260 | effects of blood-meal on 509 |
| in France 1794 | generation time in 366 |
| in USSR 332 | in Egypt 318, 972, 1470 |
| malaria, potential vector of, in Ukraine | in Ethiopia 980, 2139 |
| 332 | life-span in 2095 |
| orientation in 1759 | oviposition in 366 |
| resting behaviour in 1794 | population dynamics of 1470 |
| Anopheles maculipennis sacharovi (see A. | Anopheles plumbeus |
| sacharovi) Anopheles marteri, in Italy 1487 | chromosomes in 2303 |
| Anopheles melas | in Italy 2303 |
| in Gambia 2507 | Anopheles pseudopunctipennis |
| mating behaviour in 1480 | control of, water management for 1437 |
| Nosema algerae in, infectivity of 562 | in El Salvador 1437 |
| Wuchereria bancrofti in, infectivity of | in USA 1792 |
| 2507 | Plasmodium vivax, transmitted by, in |
| Anopheles merus | Texas 1792 |
| mating behaviour in 1480 | Anopheles pseudopunctipennis franciscanus |
| taxonomy of, spermathecal size as | (see A. franciscanus) |
| character for 395 | taxonomy of, raised to specific rank |
| Anopheles messeae messeae (see A. | 1231 |
| maculipennis messeae) | Anopheles pulcherrimus |
| Anopheles minimus | biology of, in Turkmenia 325 |
| in Bangladesh 394 | in USSR 325 |
| on man, in Bangladesh 394 | malaria, control of, and, in Near East |
| Anopheles minimus flavirostris, in | 231 |
| Philippines 2107 Anopheles multicolor | salivary gland chromosomes in 1473 Anopheles punctimacula |
| in Egypt 1236 | in Colombia 1433 |
| in Sinai Peninsula 1479 | malaria, role of, in, in central America |
| Anopheles neivai | 1433 |
| in Brazil 1223 | Anopheles punctipennis |
| simian malaria, role of, in, in Brazil | breeding places of 2137 |
| 1223 | |
| Anopheles nigerrimus (see A. hyrcanus | cross-mating in, with, Anopheles perplexens 2337 |
| nigerrimus) | Dirofilaria immitis, transmitted by 962 |
| Anopheles nili | enzyme polymorphism in 407, |
| in Ethiopia 980, 2139 | 1749–1750 |
| in Sierra Leone 1189 | habitats of, aquatic vegetation associated |
| in Upper Volta 784, 1227 | with 978 |
| in dwellings, in Upper Volta 784 | in USA 540, 796, 962, 978, 1745, 2137, |
| malaria, role of, in, in Ethiopia 2139 traps for 784 | 2480 |
| Anopheles nuneztovari | parasitised by, <i>Arrenurus</i> spp., in Ohio 540 |
| in Brazil 1223 | seasonal abundance of, in California |
| in Colombia 1433 | 2480 |
| malaria, role of, in, in central America | Anopheles punctulatus |
| 1433 | biology of 960 |
| Anopheles occidentalis | control of, DDT for 1776 |
| in USA 2480 | in Australasia 1454 |
| seasonal abundance of, in California | in Papua and New Guinea 758, 960, |
| 2480 | 1776 |
| Anopheles oswaldoi, in Brazil 1223 | taxonomy of 1454-1455 |
| Anopheles perplexens, cross-mating in, with, | complex of |
| Anopheles punctipennis 2337 | in Australasia 1454 |
| Anopheles petragnanii, distribution of 990 | taxonomy of 1454-1455 |

| Anopheles quadrimaculatus | Anopheles stephensi contd. |
|--|---|
| breeding in, effects of vegetation on 1438 | control of contd. |
| control of | malathion for 768-769 |
| insecticides tested for 1601, 1739 | propoxur for 768 |
| pyrethroids tested for 1046-1047 | sulfonamides tested for 506, 1116 |
| water management for 1438 | water management for 1437 |
| | |
| development in, effects of temperature on | cross-mating in, with, Anopheles |
| 2120 | superpictus 2312 |
| flight activity in, effects of larval crowding | cytoplasmic polyhedrosis virus in, also |
| on 1475 | infecting Plasmodium 212 |
| habitats of, aquatic vegetation associated | DDT resistance in, in Iraq 231, 768–769 |
| with 978 | dieldrin resistance in, in Iraq 231 |
| host preferences of 2125 | DNA in, related to taxonomy 1079 |
| in USA 372, 540, 796, 978, 1438, 1745, | emergence in 56 |
| 2125, 2542 | enzyme polymorphism in 2310 |
| Nosema spp. in | Friend leukaemia virus, development of, |
| localisation of 2299 | in 551 |
| descriptions of 1978 | in Egypt 1236 |
| pathogenicity of 1979 | in India 1437 |
| parasitised by, Arrenurus spp., in Ohio | in Iran 571 |
| 540 | in Iraq 231, 768–769 |
| Plasmodium cynomolgi, transmission of, | in Pakistan 1437 |
| by 552 | light-traps for 367 |
| Reesimermis nielseni in, and biological | malaria, control of, and, in Near East |
| control using, in Louisiana 372 | 231 |
| Anopheles rhodesiensis, in Sierra Leone | Nosema spp. in, descriptions of 1978 |
| 1189 | N. algerae in, infectivity of 562 |
| Anopheles rufipes | Oswaldofilaria bacillaris, development of, |
| Coelomomyces africanus, in, in Upper | in 1485 |
| Volta 229 | pairing in, effects of human breath on |
| in Upper Volta 229 | 388 |
| Anopheles sacharovi | phototaxis in 367 |
| DDT resistance in | Plasmodium berghei |
| in Azerbaijan 313 | development of, in 2513 |
| in Iraq 231 | infected by mosquito virus in 212 |
| in Syria 231 | P. cynomolgi, transmission of, by 552 P. gallinaceum, infectivity of, for 564 |
| in Iraq 231 in Israel 1747 | P. subpraecox, susceptibility to, in 2305 |
| in Syria 231 | P. vivax, transmission of, by 573 |
| in USSR 313 | Plistophora culicis in, infectivity of 965 |
| malaria, control of, and, in Near East | salivary gland chromosomes in 1473 |
| 231 | taxonomy of, relation of A. superpictus |
| Anopheles sergentii | and 565 |
| in Egypt 1236 | Anopheles stephensi mysorensis, cell cultures |
| in Israel 1747 | from 1762 |
| in Morocco 2503 | Anopheles subpictus |
| in Sinai Peninsula 1479 | in Nepal 959 |
| malaria, control of, and, in Near East | salivary gland chromosomes in 1473 |
| 231 | Anopheles superpictus |
| Anopheles sinensis (see A. hyrcanus | chromosomes in 565 |
| sinensis) | control of, DDT for 1188 |
| Anopheles splendidus, in Nepal 959 | cross-mating in, with, Anopheles stephensi |
| Anopheles squamosus, in Yemen 16 | 2312 |
| Anopheles stephensi | in Afghanistan 1188 |
| cell cultures from 235 | in Israel 1747 |
| chromosomes in 565 | in Italy 1487 |
| control of | in Sinai Peninsula 1479 |
| DDT for 768-769 | malaria |
| diazinon for 769 | control of, and, in Near East 231 |
| dichlorvos for 769 | role of, in, in Afghanistan 1188 |
| juvenile hormone analogues tested for | taxonomy of, relation of A. stephensi and |
| 1447 | 565 |
| | |

| Anopheles tessellatus | Ants contd. |
|--|---|
| in Guam 954 | on man |
| salivary gland chromosomes in 1473 | allergic reaction to 2415 |
| Anopheles triannulatus | symptoms of sting by 1071. |
| control of, fenthion tested for 974 | Anystina, taxonomy of 1356 |
| in Brazil 1223 | Aotus trivirgatus, Plasmodium simium, |
| in Panama Canal Zone 974 | effects of splenectomy on, in 1496 |
| Anopheles turkhudi, in Sinai Peninsula | Aphaereta, in Japan 1875 |
| 1479 | Aphaereta pallipes |
| Anopheles typicus (see A. maculipennis | in Canada 2177 |
| maculipennis) | in USA 1284 |
| Anopheles vagus | parasitising |
| in Bangladesh 394 | Musca autumnalis |
| in Guam 954 | in Ontario 2177 |
| in Nepal 959 | in South Dakota 1284 |
| Plasmodium falciparum, development of, | Aphaniptera (see Siphonaptera) |
| in 1500 | Aphelomyia (see Sarcodexiopsis) |
| Anopheles walkeri | Aphodius, infesting man 108 |
| in USA 540 | Apholate |
| parasitised by, Arrenurus spp., in Ohio | determination of 2326 |
| 540 | in Culex pipiens, effects of 1229 |
| Anopheles wellcomei, in Ethiopia 2139 | repellency of, to Musca domestica 218 |
| Anopheles ziemannia, in Ethiopia 2139 | resistance to, in |
| Anophelinae | Aedes aegypti, genetics of 789 |
| in Africa 1661 | Musca domestica, not found 2545 |
| in Malagasy Republic 1687 | sterilant for |
| surveillance of, methods for 512 | Anopheles albimanus 2326 |
| anophelis, Culicoides | Culex pipiens 402, 542, 793, 1229, |
| Anoplura | 2317 |
| in Micronesia 947 | Lasius spp. 1566 |
| in USSR 356 | Musca domestica 2317 |
| on cattle, in Germany 937 on man, symptoms of feeding by 1071 | apicalis, Culex |
| | Anic mollifora (con also Rees honey) |
| paratyphoid, role of, in 2442 ansarii, Phlebotomus | Apis mellifera (see also Bees, honey) in USA 2197 |
| Anser, Rhinonyssus rhinolethrum infesting, | on man |
| in USSR 7 | allergic reaction to 2388, 2392 |
| Anser anser, Rhinonyssus rhinolethrum | in Virginia 2197 |
| infesting, in Rumania 6 | symptoms of sting by 2197, 2202 |
| Anseriformes, Rhinonyssidae infesting, in | optical analyser in 912 |
| USSR 7 | venom of 174 |
| Antelope (see Neotragus) | Apodemus speciosus, Trombiculidae |
| antennatus, Culex | infesting, in Japan 1585 |
| anthomyiarum, Figites | Apodemus sylvaticus, Bacillus anthracis, |
| Anthomyiidae, parasitised by, Cynipoidea | isolated from, in USSR 1579 |
| 1171 | Apoi virus, in Japan 1350 |
| anthracinus, Chironomus | aporus, Stivalius |
| Anthramycin, sterilant for, Musca | Apparatus |
| domestica, and possible mode of action | aspirator for collecting mosquitos 2255 |
| 166 | for cleaning mosquito rearing pans 186 |
| Anthraquinone, 4-amino-1,5- | for embedding in epoxide resins 107 |
| bis(methylamino)-, effects of, on, Aedes | for feeding ticks on rabbits 927 |
| aegypti 1477 | for measuring respiratory movements in |
| Anthraquinone, 1,8-diamino-4,5- | aquatic insects 923 |
| bis(dibutylamino)-, effects of, on, Aedes aegypti 1477 | for oral bioassay of insecticides 189 for separating benthic insects from |
| anthropophaga, Cordylobia | detritus 345 |
| antiqua, Hylemya | insect chilling table 105 |
| Ants | sanitary mixing rig for field formulation |
| Dicrocoelium lanceatum | of insecticides 188 |
| intermediate hosts of 1056 | sonic sifter for separating mosquito eggs |
| role of, in epidemiology of 1056 | from soil 344 |
| | |

appendiculatus, Rhipicephalus Argas persicus contd. Apple, mosquitos feeding on spoiled fruit of nymphal development in, weight and 1420 on fowls, symptoms of infestation with apronophorus, Ixodes aquasalis, Anopheles 2403-2404 Arachnida, on man, symptoms of bite by photoreceptors in 1575 Salmonella typhimurium, transmission of, arbieeni. Culex by 1947 Argas radiatus, cytogenetics of 1946 arboreus, Argas arcotus, Nosopsyllus Argas reflexus hermanni arctica, Corynoneura in Afghanistan 844 arcticum, Simulium in Iran 1372 arcuata, Sarcopromusca (see Musca pruna) Quaranfil virus, isolated from, in arcuatus, Chortoglyphus Afghanistan 844 Arcyophora zanderi Royal Farm virus, isolated from, in in Zaïre 2196 Afghanistan 844 on Syncerus caffer, in Zaïre 2196 Uukuniemi viruses, isolated from, in Ardea herodias, Culex nigripalpus feeding Afghanistan 844 on, defensive activity against 377 Argas robertsi, photoreceptors in Argas Argas sanchezi, cytogenetics of 1946 Aegyptianella pullorum, isolated from, in Argasidae in Georgia (USA) 655 South Africa 1918 Borrelia anserina, isolated from, in South keys to 288 Africa 1918 nitrogen in 134 in Czechoslovakia 665 nitrogenous excretion in in Iran 1372 phosphorus in 134 in Japan 13 proteins in, taxonomic differences in in Korea 13 Argentina in Ryukyu Islands 13 Boophilus microplus in, on cattle 2216 in Saudi Arabia 136 Chagas' disease in 2093 in southern Africa 654 Simulium chaquensis in 1818 on fowls, in South Africa S. rubiginosum in taxonomy of 654 Triatoma infestans in 2093 Argas arboreus argentipes, Phlebotomus amino acids in argus, Simulium in coxal fluid 279 argyrostoma, Sarcophaga in gut contents 279 (Parasarcophaga) in haemolymph 279 ariasi, Phlebotomus claw sensilla in 2571 Arkansas gonotrophic cycle in, body fluids during Euchlaena pectinaria in, on horses 450 911 Loxosceles reclusa in 862 Haller's organ in 456 Psorophora confinnis in nitrogenous excretion in 452, 1359 Armadillos, Panstrongylus geniculatus nymphal development in, weight and feeding on, in Brazil 199 463 Armeen DM16D, against, Aedes aegypti salivary glands in 289 1423 tarsal setae in 456 Armeen L-15 Argas japonicus, chloride balance in 454 against Argas persicus Culex peus 756 Aegyptianella pullorum, transmitted by, in C. tarsalis 756 USSR 1933 Culiseta inornata 756 control of in ponds, non-target effects of 640 acaricides for 2203 Armigeres subalbatus sterile females for 2395 activity in, effects of light intensity on 71 gonotrophic cycle in, body fluids during control of, organic phosphates tested for 911 in Iran 1372 Dirofilaria immitis, susceptibility to, in in USSR 1062, 1933 mating competitiveness in, effects of yin Japan 2136 irradiation on 2560 in Taiwan 982 Mycobacterium avium, isolated from, in Aroclor 1248, synergist for, insecticides USSR 1062 1890

in Japan 2360

arpadi, Hybomitra Atylotus incisuralis arpaklensis, Sergentomyia in Canada 1024 Arprocarb (see Propoxur) physiological age of, in Alberta 1024 Arrenurus Aujeszky's disease, virus of, Dermacentor parasitising marginatus, transmission of, by 1061 Anopheles spp., in Ohio 540 aurati. Demodex Coquillettidia perturbans, in Ohio 540 aurea, Solenopsis aureum, Simulium Arsenic resistance to, in (Eusimulium) Boophilus decoloratus auris, Raillietia in Rhodesia 651 austeni. Glossina in southern Africa 650 australasiae, Periplaneta Arsenious acid (HAsO2), sodium salt, Australia (see also individual States) against, Ixodidae 2203 Boophilus microplus in, on cattle 286, Arthropods distribution maps for 169 Campanulotes compar in, on Columba on man, allergic reactions to 1071 livia 722 pathogens of, relation of, and 878 Colpocephalum turbinatum in, on plant pathogens, relation of, and 878 Columba livia 722 vertebrate pathogens, relation of, and Columbicola columbae in, on Columba livia 722 arthuri, Lutzomyia, (Psychodopygus) Culicidae in 2504 arthurneivai, Triatoma Culicoides marmoratus in 2342 arubae, Culicoides Hohorstiella lata in, on Columba livia Arvicola terrestris, Ixodes apronophorus infesting, in USSR 100 insect common names in 2435 Ascaridae, synanthropic flies, contaminated Ixodes holocyclus in 847 with 184 on dogs 453 lice in, on cattle 1710 Ascaridia galli Oedaleus abruptus, development of, in Musca vetustissima in 1537, 1557 Australia Au(1) antigen, Culex pipiens, transmission of, by 218 Spathosternum parasiniferum, development of, in 841 australis, Aedes Ascaris, Scarabaeidae, role of, in australis, Androctonus epidemiology of, in Iran 839 Asia, South-East Aedes caspius in, viruses in 221 Aedes spp. in 1222 A. dorsalis in, viruses in 221 A. scutellaris group in 1221 Anopheles maculipennis in, viruses in Culex spp. in 1220 asiaticum, Hyalomma Haemaphysalis concinna in 1582 asini, Haematopinus mosquitos in, viruses transmitted by astia, Xenopsylla Muscina stabulans in, on man 1894 Astragalus sinicus Simulium spp. in 1081 Aedes togoi feeding on 1465 Austrosimulium Culex spp. feeding on, survival of 371 in New Zealand keys to 2352 C. pipiens feeding on 1465 Asuntol (see Coumaphos) autumnalis, Musca ater, Dermestes autumnalis, Neotrombicula avium, Dermanyssus (see D. gallinae) Azaform (see Formamidine, N-methyl-N'atlanticus, Aedes atlanticus, Chrysops atlanticus, Deinocerites 2,4-xylyl-N-(N-2,4-xylylformimidoyl)- or 1,5-Di(2,4-dimethylphenyl)-3-methylatropalpus, Aedes 1,3,5-triazapenta-1,4-diene) atroparvus, Anopheles labranchiae 1 H-azepine, 1-benzoylhexahydroatropos, Anopheles attenuatus, Chironomus formulations of 302 Attractants, for, Diptera 1286 in cattle, toxicity of 2141 Atylotus agrestis, in Ethiopia 1406 repellent for Atylotus fulvus, in USSR 495 Aedes spp. 302 Atylotus horvathi A. communis 2141 feeding behaviour in 2360 A. punctor 2141

Simulium spp. 302

1 H-azepine, 1,1'-carbonylbis[hexahydrobabu, Sergentomyia Bacdip (see Phosphonothioic acid, phenyl-, formulations of 302 repellent for Oethyl O-8-quinolyl ester; or O-Ethyl Aedes spp. 161, 302 O-quinol-8-yl phenylphosphonothioate) Bacillus, mosquitos, pathogenicity of, in Ceratophyllus tesquorum 161 Hyalomma asiaticum 1577 1436 H. detritum 1577 Bacillus anthracis H. dromedarii 1577 Apodemus sylvaticus, isolated from, in USSR 1579 Ixodes persulcatus 301 Musca domestica 161 Citellus maximus, isolated from, in USSR Ornithodoros tholozani 301 1579 Rhipicephalus turanicus 1577 C. pygmaeus, isolated from, in USSR Simulium spp. 302 azerbaidjanica, Microtrombicula Ixodes spp., isolated from, in USSR Azinphos-methyl, in Musca domestica, metabolism of 633 Meriones libycus, isolated from, in USSR 1-Aziridinecarboxamide, N.N'-1579 Rhombomys opimus, isolated from, in hexamethylenebis-USSR 1579 sterilant for Bacillus cereus, against, Culicidae 2035 Lucilia cuprina 830 L. sericata 830 Bacillus thuringiensis Aedes aegypti, pathogenicity of, in 1977 1-Aziridinecarboxamide, N,N'tetramethylenebis-A. nigromaculis, pathogenicity of, in sterilant for Cochliomyia hominivorax 1279, 1872, A. triseriatus, pathogenicity of, in 1977 2185 against Aedes nigromaculis 1977 Culex pipiens 542 Babesia argentina, Boophilus microplus, Culicidae 2035 transmitting, in Argentina 2216 mosquitos 2324 Babesia berbera, Boophilus annulatus, Culex tarsalis, in, in California 1977 transmission of, by 282 Babesia bigemina equipment for 743 Boophilus annulatus, transmission of, by in sprays 743 Bacillus thuringiensis var. thuringiensis B. spp., effects of, on parasitaemia caused against by 2207 Aedes aegypti 755 cattle, in, in Turkey 852 A. nigromaculis 755 A. triseriatus 755 Haemaphysalis punctata, transmitting, in Culex spp. 755 Czechoslovakia 63 Culex tarsalis, isolated from 755 Rhipicephalus appendiculatus, transmission of, by 283 Bacterium tularense Babesia canis, Rhipicephalus sanguineus, Ornithodoros lahorensis, persistence of, in transmitting, in Queensland 464 Babesia capreoli, Ixodes ricinus, ticks, isolated from, in Oregon 515 transmission of, by 2214 Baetidae Babesia major, Ixodes ricinus, transmission aliphatic amines in, toxicity of 640 of, by 1929 larvicidal oils in, toxicity of 640 Babesia microti petroleum oils in, toxicity of 757 Ixodes trianguliceps, transmission of, by Bahamiola, in Cuba bailyi, Sergentomyia Rhipicephalus appendiculatus, not balabacensis, Anopheles balassogloi, Wohlfartia transmitting 1067 balcanicus, Phlebotomus chinensis Babesia ovis Rhipicephalus bursa bambusa, Tripteroides development of, in Bandicota bengalensis, Xenopsylla astia morphology of, in 1311 infesting, in India transmission of, by 1930, 1948 Bandicota indica, Gahrliepia ligula infesting, in India 291 development of, in 1931-1932 Bangladesh in, in Turkey 852 Anopheles aconitus in 394 ticks, persistence of, in 1662 A. leucosphyrus in 394 Babesiella berbera (see Babesia) A. minimus in 394

| Subject Index | 7: |
|---|--|
| Bangladesh contd. | Beauveria tenella contd. |
| Anopheles contd. | Aedes contd. |
| A. vagus in 394 | A. dorsalis, infectivity of, for 2472 |
| malaria in 394 | A. sierrensis, in, in California 2472 |
| barberi, Pselliopus | Culex pipiens, infectivity of, for 2472 |
| barbirostris, Anopheles | Culiseta spp., infectivity of, for 2472 |
| Barthrin | Bees |
| | |
| against 1361 | on man |
| Aedes aegypti 1361 | allergic reaction to 2415 |
| Musca domestica 1361 | symptoms of sting by 1071 |
| basilaris, Termonectus | Bees, honey (see also Apis mellifera) |
| Basilia hispida | Dursban in, toxicity of 1076 |
| biology of 2045 | behningi, Aedes |
| in Malaysia 2045 | beklemishevi, Aedes |
| Basudin (see Diazinon) | Belgium |
| Basudine (see Diazinon) Bats | Charitopes similis in, on man 840 |
| Cavernicola pilosa feeding on, in Brazil | Fannia scalaris in, on man 1040 |
| 199 | belkini, Culicoides |
| eastern equine encephalitis, virus of, | Bellieria gorodkovi |
| isolated from, in New Jersey 1410 | in USSR 92 |
| Myotrombicula rhinolophi infesting, in | parasitised by, Aleochara bipustulata, in |
| USSR 4 | USSR 92 |
| Neotrombicula microchiropteri infesting, | Bellieria rohdendorfi |
| in USSR 4 | in USSR 92 |
| Panstrongylus megistus feeding on, in | parasitised by, Aleochara bipustulata, in |
| Brazil 199 | USSR 92 |
| Rhodnius neglectus feeding on, in Brazil | Belostoma |
| 199 | Dursban in, toxicity of 1075 |
| R. pictipes feeding on, in Brazil 199 | in rice-fields, in California 2488 |
| Triatoma sordida feeding on, in Brazil | Benathrin (see Chrysanthemic acid, p |
| 199 Power 0010 (see Premovur) | allylbenzyl ester; or 4-Allylbenzyl |
| Bayer 9010 (see Propoxur) | chrysanthemate) |
| Bayer 9037 (see Phosphonothioic acid, | Bendiocarb (see Carbamic acid, methyl-, |
| phenyl-, O-ethyl O-8-quinolyl ester or O- Ethyl O-8-quinolyl | 2,3-(isopropylidenedioxy)phenyl ester o. 2,2-Dimethyl-1,3-benzodioxol-4-yl |
| phenylphosphonothioate) | methylcarbamate) |
| Bayer 37344 (see Methiocarb) | Benzaldehyde, <i>m</i> -nitro-, repellent for, |
| Bayer 38799 (see Carbamic acid, methyl-, o- | Xenopsylla cheopis 203 |
| cyclopentylphenyl ester or o- | Benzamide, m-chloro-N,N-diethyl-, repeller |
| Cyclopentylphenyl methylcarbamate) | for, Xenopsylla cheopis 203 |
| Bayer 39007 (see Propoxur) | Benzamide, N,N-diethyl- |
| Bayer 64995 (see Phosphorothioic acid, | persistence of 304 |
| O,O'-(dithiodi-p-phenylene) O,O,O',O'- | repellent for |
| tetramethyl ester; or 4,4-Bis(O,O | mosquitos 304 |
| dimethylthiophosphoryloxy)diphenyl | Musca domestica 304 |
| disulphide) | Simuliidae 304 |
| Bayer 77488 (see Phoxim) | Tabanidae 304 |
| Bayer 88991 (see Glyoxylonitrile, o-tolyl-, | Benzamide, hexamethylene- (see 1 H- |
| oxime, diethyl phosphate or o- | Azepine, 1-benzoylhexahydro-) |
| Tolylglyoxylonitrile oxime diethyl | Benzamide, N,N,o-triethyl-, repellent for, |
| phosphate) | Ornithodoros tholozani 1911 |
| Bayer 91273 (see Salicylic acid, isopropyl | Benzene, p-dichloro- |
| ester, Oester with Oethyl | against |
| phosphoramidothioate; or Isopropyl | Hypoderma bovis 1119 |
| salicylate O-ester with O-ethyl | H. lineatum 1119 |
| phosphoramidothioate) | Benzene, 1-(ethylthio)-4,5-(methylenedioxy) |
| Baygon (see Propoxur) | 2-nitro-, synergist for, carbaryl 2585 |
| Baytex (see Fenthion) | Benzene, 1,2-(methylenedioxy)-4-nitro-5- |
| Bdellina, taxonomy of 1356 | phenoxy-, synergist for, carbaryl 2585 |
| Beauveria tenella | Benzene, 1,2-(methylenedioxy)-4-{2- |
| Aedes aegypti, infectivity of, for 2472 | (octylsulfinyl)propyl]- (see Sulfoxide) |

| Benzene, 1,2,4-trichloro-, against, | (5-Benzyl-3-furyl)methyl (+)-trans- |
|---|--|
| Tyrophagus putrescentiae 293 | ethanochrysanthemate |
| Benzenesulfonamide | against |
| against | Aedes aegypti 1361 |
| Aedes aegypti 506 | Musca domestica 1361 |
| Anopheles stephensi 506 | Bercaea haemorrhoidalis (see Sarcophaga) |
| Benzilic acid, 4,4'-dibromo- | Bercotox (see Dioxathion) |
| isopropyl ester | bergeroti, Phlebotomus papatasi |
| against, Musca domestica 1283 | bergrothi, Culiseta |
| in Musca domestica, metabolism of | berneri, Simulium |
| 1283 | bezziana, Chrysomya |
| Benzilic acid, 4,4'-dichloro-, isopropyl ester | bezzii, Leptoconops |
| (see Chloropropylate) | bezzii, Simulium, (Tetisimulium) |
| Benzimin (see 1H-Azepine, 1- | Bhanja virus |
| benzoylhexahydro-) | Amblyomma variegatum, isolated from, in |
| Benzimine (see 1 H-Azepine, 1- | Nigeria 843 |
| benzoylhexahydro- or | Boophilus decoloratus, isolated from, in |
| Hexamethylenebenzamide) | Nigeria 843 |
| Benzodioxolyl carbamates | Haemaphysalis punctata, transmitting, in |
| acaricidal activity of 1100 | Czechoslovakia 63 |
| insecticidal activity of 1100 | Hyalomma truncatum, isolated from, in |
| Benzoic acid, p-[[bis(1- | Nigeria 843 |
| aziridinyl)phosphinyl]amino]- | BHC |
| ethyl ester | against |
| sterilant for | Anopheles labranchiae 557, 1329 |
| Calliphora vicina 317 | Culex pipiens 300, 312, 331, 1462 |
| Musca domestica 317 | Hippobosca equina 824 |
| Protophormia terraenovae 317 | Ixodes persulcatus 158 |
| Benzoic acid, p-[bis(3,7-dimethyl-2,6- | Leptoconops spinosifrons 585 |
| octadienyl)amino]- | mosquitos 2111 |
| methyl ester | Phlebotomidae 155 |
| against 1955 | Triatoma infestans 1154 |
| Phodring proling 1855 | Wohlfahrtia magnifica 1036 |
| Rhodnius prolixus 1855 Triatoma infestans 1855 | resistance to, in Aedes aegypti, in Ghana 2291 |
| Benzoic acid, p-[(3,7-dimethyl-2,6- | Boophilus decoloratus, in southern |
| octadienyl)amino]- | Africa 650 |
| methyl ester | B. microplus, in Malagasy Republic |
| against | 284 |
| Panstrongylus megistus 1855 | Musca domestica, in Rumania 1329 |
| Rhodnius prolixus 1855 | Pediculus humanus, in Burundi 1388 |
| Triatoma înfestans 1855 | Rhipicephalus appendiculatus, in |
| Benzoic acid, o-ethoxy-, 2,4-hexadienyl | southern Africa 650 |
| ester, repellent for, Ornithodoros | R. evertsi, in southern Africa 650 |
| tholozani 1911 | specifications for 695, 1986 |
| Benzoic acid, 3,4-(methylenedioxy)- (see | BHC (γ-isomer) |
| Piperonylic acid) | against |
| Benzonitrile, 4-hydroxy-3-iodo-5-nitro-, | Acarus siro 2220 |
| against, Hypoderma spp. 1862 | Aedes rossicus 2098 |
| Benzophosphate (see Phosalone) | Alphitobius diaperinus 1313 |
| 1,2,3-Benzothiadiazoles | Blattella germanica 1329, 1377, 1985, |
| synergists for carbamates 320 | 2262 Cular miniona 1463 |
| organic phosphates 320 | Culex pipiens 1462 |
| pyrethrum 320 | Dermatophagoides farinae 475 D. pteronyssinus 2220 |
| Benzo[b]thien-4-yl methylcarbamate | Dermestes ater 1314 |
| against | Glossina morsitans 2156–2157 |
| insects in aircraft 1600–1602 | Glossina tachinoides 2156–2157 |
| Simuliidae 244 | Glycyphagus destructor 2220 |
| | Haematobia irritans 1868 |
| | mosquitos 2110 |

| Dadjeet Miden | 13. |
|--|--|
| BHC (γ-isomer) contd. | Biological control contd. |
| against contd. | of arthropods contd. |
| Musca domestica 257, 618, 1535, | population ecology and 868-869 |
| 1886, 1985 | of molluscs, Lymnaea auricularia 531 |
| Pediculus humanus 948 | of nematodes in cattle dung 2199, 2386 |
| Periplaneta fuliginosa 1985 | Bioresmethrin |
| Psoroptes ovis 859, 2221 | against |
| scorpions 2234 | Aedes spp. 392 |
| Tabanus iyoensis 439 | Aedes aegypti 322, 1361 |
| Vespula germanica 643 | Anopheles spp. 392 |
| V. vulgaris 643 | Blattella germanica 322 |
| Wohlfahrtia magnifica 258 | Culex spp. 392 |
| biochemistry of 1103 | Musca autumnalis 322 |
| in Musca domestica, effects of 1044 | Musca domestica 322, 1361 |
| in <i>Poecilia reticulata</i> , toxicity of 1453 | Periplaneta americana 322 |
| in sheep, effects of 1603 | in fogging machines, losses of 697 |
| resistance to, in Aedes albopictus, in Vietnam 2132 | repellent for |
| Blattella germanica 1383 | Blattella germanica 322 |
| Musca domestica, in Thailand 257, | Culex pipiens 322 |
| 1886 | Periplaneta americana 322 |
| Pediculus humanus | Supella longipalpa 322 |
| in Egypt 948 | bipectinatus, Syringophilus |
| in UK 1152 | 2,2'-Biphenyldiol, 5,5'-dichloro-3,3'-dinitro-, |
| specifications for 1986 | against, <i>Hypoderma</i> spp. 1862 |
| BHC (δ-isomer), against, Musca domestica | bipustulata, Aleochara |
| 437 | bipustulatum, Sphaeridium |
| bicoloratum, Simulium | Birds |
| bidentatus, Campanulotes | Culex pipiens feeding on, in Uzbekistan |
| bigoti, Haematopota | 1365 |
| Biguanide, 1-(p-chlorophenyl)-5-isopropyl-, | Dermanyssidae infesting, in USSR 138 |
| hydrochloride, effects of, on, Aedes | Ixodes ricinus infesting, in Poland 133 |
| aegypti 1477 bimaculata, Aleochara | mosquitos feeding on, in Czechoslovakia 992 |
| bimaculata, Epitheca | Panstrongylus megistus feeding on, in |
| bimaculata, Hybomitra | Brazil 199 |
| binotatus, Rhantus . | Psammolestes coreodes feeding on, in |
| Bioallethrin (see Allethrin, trans-(+)-) | Brazil 199 |
| Bioethanomethrin (see | Rhodnius neglectus feeding on, in Brazil |
| Cyclopropanecarboxylic acid, 3- | 199 |
| (cyclopentylidenemethyl)-2,2-dimethyl-, | R. pictipes feeding on, in Brazil 199 |
| (5-benzyl-3-furyl)methyl ester, trans-(+)-) | tick-borne rickettsiae, role of, in |
| D. 1 . 1 | distribution of 1348 |
| Biological control | Triatoma sordida feeding on, in Brazil |
| of arthropods Aedes sollicitans 373 | 199 <i>P,P</i> -bis(1-aziridinyl)- <i>N</i> -(4- |
| A. taeniorhynchus 373 | ethoxycarbonylphenyl)phosphinic amide, |
| Anopheles crucians 372 | sterilant for, synanthropic flies 317 |
| A. freeborni 966 | N,N'-bis(2-(1-aziridinyl)ethyl)adipamide, |
| A. quadrimaculatus 372 | sterilant for, synanthropic flies 1536 |
| Ceratopogonidae 308 | N,N-bis(2-(1-aziridinyl)ethyl)malonamide, |
| Culex pipiens 214, 373, 397 | sterilant for, synanthropic flies 1536 |
| C. tarsalis 966 | Bis(1-aziridinyl)ethylphosphine sulphide, |
| Culicidae 308 | sterilant for, synanthropic flies 1536 |
| Diptera 62 | P,P-bis(1-aziridinyl)-N-ethylphosphinothioic |
| dung-breeding flies 2532 | amide, sterilant for, Anopheles albimanu |
| mosquitos 1424, 1436, 2324, 2460 | 2106 |
| Simuliidae 308, 1326 | P,P-bis(1-aziridinyl)-N-(3- |
| Stomoxys calcitrans 2186 | methoxypropyl)phosphinothioic amide, |
| S. nigra 2186 synanthropic flies 2539 | sterilant for, Musca domestica 1538 Bis(1-aziridinyl)methylphosphine sulphide, |
| microbial pathogens for 1598 | sterilant for, synanthropic flies 1536 |
| more puriosons for 1070 | C. D. L. C. |

760 P,P-bis(1-aziridinyl)-N-methylphosphinic amide, sterilant for, Musca domestica 2169 P.P-bis(1-aziridinyl)- Nmethylphosphinothioic amide sterilant for Anopheles albimanus 2106 Musca domestica 2169 P.P-bis(1-aziridinyl)-N-(6-morpholino-4pyrimidinyl)phosphinic amide, sterilant for, synanthropic flies 1536 P,P-bis(1-aziridinyl)phosphinothioic amide, sterilant for, synanthropic flies 317, 1536 P,P-bis(1-aziridinyl)-N-(6-piperidino-4pyrimidinyl)phosphinic amide, sterilant for, synanthropic flies 1536 P.P-bis(1-aziridinyl)-Npropylphosphinothioic amide, sterilant for, Musca domestica 2170 P.P-bis(1-aziridinyl)-N-2pyrimidinylphosphinic amide, sterilant for, synanthropic flies 1536 3,5-Bis(dimethylamino)-1,2,4-dithiazolium hydrogen thiosulphate, sterilant for, Musca domestica 1287 4,4-Bis(O,O-dimethylthiophosphoryloxy)diphenyl disulphide against Boophilus annulatus 850 B. microplus 850 bishoppi, Hippelates bispinosa, Haemaphysalis bitaeniorhynchus, Culex Biuret, 2,4-dithio-, derivatives of, sterilant activity of 2372 Biuret, 1,1,5,5-tetramethyl-2,4-dithiodecomposition products of 1287 sterilant for, Musca domestica 1287 Blaberus craniifer, haemocytes in 1358 Blaberus discoidalis, DDT in, effects of 1360 Black-body virus, Anopheles gambiae, in, in Kenya 2321 Blastocrithidia, Triatoma infestans, in, in Brazil 528 Blatta orientalis Blattabacterium cuenoti, symbiotic with coldhardiness in 1705 control of 1379-1380 glandular tissue in, on cerci and tergites habitats of 1705 Hammerschmidtiella diesingi neuroendocrine relationship of, and 518 in Germany 516

in UK 1380, 1705

optical analyser in 912

in USA 1379

Blattabacterium cuenoti, Blatta orientalis, symbiotic with 348 Blattaria, flagella in, sensilla on 520 Blattella germanica antennae in 1146 biology of 1376 bulge-eye mutant of 944 control of 1379-1380 baits for 352, 1381 γ BHC tested for 1329, 1377 bioresmethrin tested as repellent for bioresmethrin tested for 322 boric acid tested for 883 bromophos-ethyl tested for bromophos tested for 1329 cyanophos tested for 1985 DDT tested for 1377 Dursban tested for 1148 in USA 687 insecticides tested for 192, 1147, 1602, 1984, 2083, 2262 malathion tested for 321-322 pyrethrins tested for 321–322, 2436 pyrethroids tested for 1362 repellency of deodorants used in 349 repellency of surfactants used in repellency of synergists used in 349 resmethrin tested for 322 sex pheromone traps for tetramethrin tested for 1321 (+)-trans-tetramethrin tested as repellent for 321 (+)-trans-tetramethrin tested for 321 trichlorphon tested for 1329, 1377 cubitus interruptus mutant of 2081 DDT in, effects of 942 development in, effects of temperature on 1382 diazinon resistance in 192 and cross-resistance 1383 in Connecticut 2083 dieldrin in enzyme induction by 1364 protein synthesis and 1364 flagella in, sensilla on 520 Hymenolepis nana, development of, in in Finland 716 in Germany 516 in New Zealand 1140 in UK 1380 in USA 687, 1379, 2083, 2436 in dwellings assessing infestations with in California 2436 in Connecticut 2083 in Finland 716 insecticide resistance in 2248 malathion resistance in 192 male rudimentary ovaries in 1706 notch-pronotum mutant of 2081

| | , 0, |
|---|--|
| Blattella germanica contd. | Boophilus annulatus contd. |
| nymphal development in, effects of | in Iran 1372 |
| antennectomy on 1146 | in Iraq 2212 |
| pale-body mutant of 944 | in Nigeria 843 |
| population dynamics of, effects of food | in Turkey 852 |
| availability on 1381 | on cattle, effects of host nutrition on |
| pronotal-wing trait in 945 | 2559 |
| pyrethrins resistance in, inheritance of | on sheep, in Iraq 2212 |
| 2082 | Boophilus calcaratus |
| rearing of, techniques for, aseptic 195 | control of |
| shriveled-wing mutant of 2081 | acaricides tested for 2215 |
| Blood-meals, identification of 1617 Blue-tongue disease, virus of, Culicoides | carbamates tested for 668 in Italy 2103 |
| variipennis, storage of, in 1501 | in USSR 85 |
| Boar, wild (see Sus verrucosus) | seasonal abundance of, in Turkmenia 85 |
| Body louse (see Pediculus humanus) | Boophilus decoloratus |
| Boettcherisca peregrina (see Sarcophaga) | arsenic resistance in, in Rhodesia 651 |
| Boettcherisca sericata (see Sarcophaga) | Babesia bigemina, effects of, on |
| Bolfo (see Propoxur) | parasitaemia caused by 2207 |
| Bolivia | Bhanja virus, isolated from, in Nigeria |
| yellow fever in 772, 1793 | 843 Congo virus included from in Nicoria |
| Bombycilla cedrorum, eastern equine | Congo virus, isolated from, in Nigeria |
| encephalitis, virus of, isolated from, in | control of, acaricides tested for 1099 |
| New York 2517 | distribution of, related to vegetation 460 |
| bonasus, Onthophagus | Dugbe virus, isolated from, in Nigeria |
| bonneae, Chagasia | 843 |
| bonneae, Mansonia | in Jammu and Kashmir 2406 |
| Bonomiella columbae | in Nigeria 843 |
| in Germany 1150 on Columba livia, in Germany 1150 | in Rhodesia 650–651 |
| Bonomoia congoensis | in South Africa 460, 650 on cattle, in Kashmir 2406 |
| sp. n., description of 2232 | pesticide resistant in, in southern Africa |
| in Zaïre 2232 | 650 |
| on Glossina fuscipes, in Zaïre 2232 | Thogoto virus, isolated from, in Nigeria |
| Boophilus | 843 |
| in Japan 13 | toxaphene resistance in, in Rhodesia 650 |
| in Korea 13 | Boophilus microplus |
| in Ryukyu Islands 13 in Saudi Arabia 136 | Anaplasma marginale, transmission of, by 286, 1065 |
| on cattle, symptoms of infestation with | Babesia argentina, transmitted by, in |
| 1694 | Argentina 2216 |
| Boophilus annulatus | B. bigemina, effects of, on parasitaemia |
| Anaplasma centrale, transmission of, by | caused by 2207 |
| 282 | BHC resistance in, in Malagasy Republic |
| Babesia berbera, transmission of, by 282 | 284 |
| B. bigemina, effects of, on parasitaemia | carbaryl in, metabolism of 455 |
| caused by 2207 | carbaryl resistance in, mechanism of 455 |
| Bebesia bigemina, transmission of, by 282 | chloride balance in 454 chromosomes in, in hybrids with <i>B</i> . |
| chromosomes in, in hybrids with B. | annulatus 287 |
| microplus 287 | control of |
| control of | acaricides tested for 1099, 1301, 1611, |
| coumaphos tested for 1943 | 1927–1928, 2206, 2394 |
| dioxathion tested for 1943 | Galecron for 285 |
| insecticides tested for 2206 | Galecron tested for 1610, 1935 |
| pesticides tested for 850 | organic phosphates tested for 284 |
| cross-mating in, with, Boophilus microplus 1299 | pasture spelling for 519 pesticides tested for 850 |
| gonads in, in hybrids with <i>B. microplus</i> | cross-mating in, with, Boophilus annulatus |
| 287 | 1299 |
| in Egypt 1943 | Galecron in metabolism of 2171 |

Brassica napus, Culex spp. feeding on, Boophilus microplus contd. gonads in, in hybrids with B. annulatus survival of 371 Brazil in Argentina 2216 Aedes aegypti in 734, 780 in Australia 286, 519, 1072, 1301 Anopheles spp. in 1223 Cavernicola pilosa in 199 in British Honduras 1576 in Malagasy Republic 284 Ceratopogonidae in 538 in USA 667 Chagas' disease in 1394-1395 Ctenocephalides felis in, on dogs 363 on cattle Culex pipiens in 2100 in Argentina 2216 in Australia 286, 1301 cutaneous leishmaniasis in 588, 2150 in British Honduras 1576 Dermatobia hominis in, on man 1879 Hippelates currani in, on man 1277 in Oueensland 519 H. tibialis in, on man 1277 on horses Lutzomyia evangelistai in 1249 in Queensland 1072 Lutzomyia flaviscutellata in 801-802 symptoms of infestation with 1072 L. intermedia in 2151 on Odocoileus virginianus, in USA 667 L. pessoai in 2151 pesticide resistance in, acetylcholinesterase . L. sherlocki in 1250 and 845-846 Lutzomvia wellcomei in 588, 1812 saliva of, system for collecting 2405 Panstrongylus geniculatus in 199 Boophthora erythrocephalum (see Simulium) Panstrongylus megistus in 199, 1827 Boophthora sericatum (see Simulium) in dwellings 1164 Bora Bora, Culicoides belkini in Phlebotomidae in 2149-2150 borealis, Ceratophyllus Psammolestes coreodes in 199 Boric acid, against, Blattella germanica Psychodidae in 538 883, 2083, 2436 Rhodnius neglectus in 199, 1154-1155 Borrelia anserina, Argas spp., isolated from, R. pictipes in 199 in South Africa 1918 simian malaria in Borrelia caucasica, Ornithodoros verrucosus Simuliidae in 538 Triatoma spp. in 1157 T. arthurneivai in 1713 Borrelia duttoni, Ornithodoros moubata, development of, in 1595 Triatoma infestans in 528, 1154, 1163 in dwellings 198, 1164, 1394-1395 Borrelia persica Ornithodoros tholozani, effects of, on, as T. rubrofasciata in 724 host 1633 Triatoma sordida in 199, 1154-1155 Pediculus humanus, virulence not reduced Triatominae in 1721 772, 1793 by passages through 478 vellow fever in Borrelia sogdiana (see B. persica) brethesi, Rhodnius Botswana brevipalpis, Glossina brevipalpis, Toxorhynchites Glossina morsitans in 251, 1820 sleeping sickness in 251 brevis, Cryptotermes Bovicola bovis (see Damalinia) brevis, Halyomorpha (see H. picus) brevis, Hybomitra Bovicola caprae (see Damalinia) Bovicola crassipes (see Damalinia) British Columbia Bovicola limbata (see Damalinia) Dermacentor andersoni in Bovicola ovis (see Damalinia) on Marmota monax 2209 Bovine ephemeral fever, review of 1502 on Odocoileus hemionus 2209 bovis, Chorioptes Hypoderma spp. in, on cattle 1864 bovis, Damalinia live-stock insect control in (Bovicola) Simulium spp. in 2521 bovis, Demodex British Honduras bovis, Hypoderma Ixodidae in 1576 bovis, Psoroptes (see P. ovis) mosquitos in 1638 boylei, Pyemotes Bromocyclen, against, Ctenocephalides felis Brachymeria fonscolombei, in Japan 1875 Brachypelma smithi, on man, allergic O-(4-bromo-2,5-dichlorophenyl) O-methyl reaction to 1307 phenylphosphonothioate, against, Culex bradleyi, Anopheles spp. 2492 brakeleyi, Corethrella Bromophos brasiliensis, Triatoma against brasiliensis, Xenopsylla Aedes aegypti 1601, 1766

| Subject Index | 763 |
|---|---|
| Bromophos contd. | Brugia pahangi contd. |
| against contd. | Aedes aegypti contd. |
| Aedes contd. | susceptibility to, in 1310 |
| A. rossicus 2098 | A. togoi, effects of, on 1769 |
| Anopheles albimanus 1601 | Meriones unguiculatus, oral infection |
| A. quadrimaculatus 1601 | with, in 1481 |
| Blattella germanica 1329, 1602 | microfilariae of 555 |
| Boophilus microplus 1301 | Brugia patei |
| Cimex lectularius 1602 | Aedes aegypti, development of, in 1727 |
| Coquillettidia richiardii 785 | Aedes togoi |
| Culex pipiens 2306 | development of, in 555, 1727 |
| Glossina austeni 248 | infectivity of, for 2034 |
| Hypoderma bovis 1119 | Anopheles gambiae |
| H. lineatum 1119 | development of, in 1727 |
| insects in aircraft 1600 | infectivity of, for 2034 |
| Ixodes persulcatus 487 | A. labranchiae, development of, in 1727 |
| Musca domestica 618, 1601 | Mansonia uniformis, development of, in |
| Periplaneta americana 1602 | 1727 |
| Rhôdnius prolixus 1601 | microfilariae of 555 |
| Triatoma înfestans 1601 | Brunehaldia schmuteri (see Euschoengastia) |
| Xenopsylla cheopis 1601–1602 | Brunei |
| in cattle, effects of 1301 | Aedes spp. in 210 |
| Bromophos-ethyl | A. aegypti in 210 |
| against | Bubulcus ibis, Culex nigripalpus feeding on, |
| Aedes annulipes 1446 | defensive activity against 206, 377 |
| A. cantans 1446 | Bucarpolate (see Piperonylic acid, 2-(2- |
| Blattella germanica 1377 | butoxyethoxy)ethyl ester; or 2-(2- |
| Boophilus annulatus 850 | Butoxyethoxy)ethyl 3,4- |
| Boophilus microplus 850, 1301, 2394 | methylenedioxybenzoate) |
| Culex pipiens 2306 | Buenoa scimitra |
| Ixodes persulcatus 487 | in Mexico 277 |
| lice 353 | in USA 277 |
| mosquitos 1646 | preying on, mosquitos, and potential |
| 6-Bromopiperonyl chrysanthemate | biological control agent 277 |
| against Aedes aegypti 1361 | rearing of, techniques for 277 Buffalo |
| Musca domestica 1361 | Glossina pallidipes feeding on, in Kenya |
| Bromopropylate (see Benzilic acid, 4,4'- | 1525 |
| dibromo-, isopropyl ester; or Isopropyl | Haemaphysalis bispinosa infesting, in |
| 4,4'-dibromobenzilate) | Gujarat 1924 |
| Brucella, Oedemagena tarandi, isolated | H. celebensis infesting, in Indonesia 2570 |
| from, in USSR 1865 | Hyalomma anatolicum infesting, in |
| Brucella abortus bovis, Ornithodoros | Gujarat 1924 |
| lahorensis, toxicity of gut and | H. marginatum infesting |
| haemolymph extracts to 315 | in Gujarat 1924 |
| Brucella melitensis, Haemaphysalis | in Uttar Pradesh 1936 |
| punctata, transmitting, in Czechoslovakia | Ixodes ovatus infesting, in Nepal 2218 |
| 63 | Musca autumnalis feeding on, in Uttar |
| Brugia malayi | Pradesh 1271 |
| Aedes aegypti, susceptibility to, in 2143 | Sarcoptes scabiei infesting, in India 860 |
| A. togoi, superinfection of, with 2144 | ticks infesting, in Turkey 852 |
| in Indonesia 893, 1787 | Buffalo, African (see Syncerus caffer) |
| in Timor 892 | Bufo melanostictus |
| man, in, in Philippines 1788, 2107 | Chrysomya megacephala infesting 2550 |
| Mansonia uniformis, isolated from, in | Hemipyrellia ligurriens infesting 2550 |
| Philippines 1788 | Bulgaria |
| techniques for investigating epidemiology of filariasis caused by 119 | Dermacentor marginatus in, viruses in 663 |
| transportation of 2256 | |
| Brugia pahangi | Haemaphysalis punctata in, viruses in 663 |
| Aedes aegypti | Melophagus ovinus in, on sheep 1902 |
| development of, in males 1497 | bullata, Sarcophaga |

764 Bunyamwera virus Aedes canadensis, multiplication of, in A. vexans, multiplication of, in 2102 Burma Culex pipiens in 214, 369, 383, 575, 707, 875, 964, 2062 Ixodes ovatus in 2218 Wuchereria bancrofti in 964 bursa, Rhipicephalus Burundi, Pediculus humanus in 1388 Bushbuck (see Tragelaphus scriptus) Butethrin (see Chrysanthemic acid, 3chloro-4-phenyl-2-butenyl ester, (Z)- or 3-Chloro-4-phenyl-trans-2-buten-1-yl chrysanthemate) Buthus tamulus in India 673 on dogs, symptoms of sting by 673 on man, symptoms of sting by Butonate in cattle, residues of 163 in milk determination of 1605 residues of 1605 in pigs, residues of 163 Butopyronoxyl (see 2H-Pyran-6-carboxylic acid, 3,4-dihydro-2,2-dimethyl-4-oxo-, butyl ester) Butorides virescens, Culex nigripalpus feeding on, defensive activity against 2-(2-Butoxyethoxy)ethyl 3,4methylenedioxybenzoate, synergist for, pyrethroids 1321 β -butoxy- β' -thiocyanodiethyl ether synergist for, carbaryl 1563 against, mosquitos 2110 Buttonwillow virus, in Culicoides variipennis, in California 411 Butyl adipate, repellent for, Aedes spp. 2141 Butyl 1-cyclohexen-1-yl diethylphosphoramidate repellent for Aedes spp. 161 Ceratophyllus tesquorum 161 Musca domestica 161 Butyl 2,4-dichlorophenoxyacetate, in Cochliomyia hominovorax, toxicity of Butyl 3,4-dihydro-2,2-dimethyl-4-oxo-2Hpyran-6-carboxylate, repellent for, Aedes aegypti 788 Butyl glutarate, repellent for, Aedes spp. **Butyl 3-methylcinchoninate** repellent for Aedes aegypti 2316 Stomoxys calcitrans 2316 1

Butyl succinate, repellent for, Aedes spp.

2141

Butyl 2.4,5-trichlorophenoxyacetate, in Cochliomyia hominovorax, toxicity of 1863 N-butylacetanilide repellent for Ixodes persulcatus 301 Ornithodoros tholozani ticks 1577 5-s-butyl-2-chlorophenyl methylcarbamate against Chrysomya megacephala 1280 Lucilia cuprina 1280 3-s-butylphenyl methylcarbamate against Chrysomya megacephala Lucilia cuprina 1280 m-s-butylphenyl methyl(phenylthio)carbamate against Aedes nigromaculis 382 Culex spp. 2492 Simulium pictipes 599 resistance to, in, Aedes nigromaculis, in California 744 Butyric acid ester with dimethyl (2,2,2-trichloro-1hydroxyethyl)phosphonate (see Butonate) heptyl ester, attractant for, Vespula pensylvanica 642 2,4-hexadienyl ester, attractant for, Diptera 1286 octyl ester, attractant for, Vespula pensylvanica 642 Butyric acid, 2-bromo-, attractant for, Aedes aegypti 2276 Butyric acid, 2-hydroxyattractant for, Aedes aegypti 2276 monosodium salt, attractant for, Aedes aegypti 2276 Butyric acid, 3-hydroxy-, attractant for, Aedes aegypti 2276 Butyric acid, 2-oxo-, attractant for, Aedes aegypti 2276 Bwamba virus, Anopheles funestus, isolated from, in Nigeria 393 Byrsotria fumigata, haemocytes in 1358 C-9491 (see Iodofenphos) Cacodylic acid, in Cochliomyia hominivorax, toxicity of 1863 caesar, Lucilia caesarion, Orthellia cajennense, Amblyomma calcaratus, Boophilus calcitrans, Stomoxys Calcium cyanamide, against, Hypoderma bovis 612 calens, Tabanus California

Aedes dorsalis in 749

natural enemies of 2485

| oudjoor inden | 70 |
|---|--|
| California contd. Aedes contd. Aedes melanimon in 744, 751–752, 2476, 2482 viruses in 2455 Aedes nigromaculis in 208, 736–738, 744, 746, 754, 1804, 2456, 2462–2463, 2482, 2492 viruses in 2455 Aedes sierrensis in 2471, 2473–2474 natural enemies of 2472 Aedes vexans in 752, 2450, 2476 Anopheles franciscanus in 2480 viruses in 2455 Anopheles freeborni in 744, 966, 1182–1184, 2450, 2476, 2480, 2488 A. occidentalis in 2480 | California contd. Q fever in 662 Simulium spp. in 602 Stomoxys calcitrans in 2532 Sturnus vulgaris in, parasites of 297 Symphoromyia pachyceras in 443 S. sackeni in 443 Venezuelan equine encephalitis in 2454 Vespula pensylvanica in 639, 1904 Vespula vulgaris in 639, 1904–1905 California encephalitis viruses Aedes nigromaculis, isolated from, in California 2455 Culex tarsalis, isolated from, in California 2455 mosquitos, isolated from, in Germany 1798 |
| A. punctipennis in 2480 Blattella germanica in, in dwellings 2436 Chironomidae in 1870 | California myxoma virus, Aedes aegypti, transmission of, by 778 California viruses |
| Chironomus attenuatus in 1275 C. californicus in 615 Culex spp. in 2492 | Aedes dorsalis, isolated from, in Utah 381 literature on 864 |
| Culex peus in 742, 744, 756–757, 2458 viruses in 2455 Culex pipiens in 744, 2138, 2458 Culex tarsalis in 738, 742, 744, 746, 751, | californicus, Chironomus, (Dicrotendipes) callidum, Simulium Calliphora control of 1407 |
| 756-757, 966, 1182-1184, 1799, 2450, 2456, 2462, 2475-2476, 2488-2489 natural enemies of 1977 viruses in 2455 <i>Culicoides variipennis</i> in, viruses in 411 | in dwellings, in UK 1407 Calliphora erythrocephala (see C. vicina) Calliphora grahami (see Aldrichina) Calliphora laemica, in New Zealand 1145 Calliphora lata |
| Culiseta inornata in 756–757 Dermacentor occidentalis in 662 Dipetalonema reconditum in 962 | in Japan 86, 1875 in cattle bones, in Japan 1875 Calliphora vicina |
| Diptera in, in dog faeces 620 Dirofilaria immitis in 962 Fannia canicularis in 2180, 2532 Fannia femoralis in 2180, 2532 | brain in, adrenergic neurones in 33 control of, aziridine derivatives tested as sterilants for 317, 1536 ecdysone in 2361 |
| Gambusia affinis in 750 Haematobia irritans in, on cattle 1868 Hippelates spp. in 1276 Hypoderma bovis in, on cattle 2356 | embryonic development in glycogen metabolism during 1086 morphology of 24 enzymes in 1089, 1560 |
| H. lineatum in, on cattle 2356 Lucilia spp. in 2532 Lutzomyia vexatrix in, natural enemies of 2344 | eyes in illumination potentials of 37 lateral inhibition in 36 transfer characteristics of visual cells in |
| malaria in 2479 midge control in 1274 mosquito control in 740, 747, 749, 2459, 2470 | visual field of single cells in 1357 flight in 2193 helminths, eggs of, in faeces and |
| in rice-fields: 1182–1184 mosquitos in 962, 2491 retrieval system for information on 920 | regurgitations of 184 in Hungary 2544 in Japan 86 in markets, in Hungary 2544 |
| mosquitos on islands off 2135 Musca domestica in 2180, 2532 Muscina stabulans in 2180, 2532 Ophyra leucostoma in 2180, 2532 | midgut in brush border development in 23 lysosomes in 1092 nephrocytes in 2375 |
| Ornithodoros coriaceus in 662 Phenacaspis pinifoliae in, on Pinus 2468 Psorophora confinnis in 2450 | optical analyser in 912 pericardial cells in 2375 post-metamorphic growth in 310 |

| Tallinhama minima contd | Canada contd. |
|--|--|
| Calliphora vicina contd. | |
| salivary glands in 2194 | Trichomyia nuda in 594 |
| effects of cyclic AMP on 2541 | canadense, Simulium |
| effects of serotonin on 2540–2541 | canadensis, Aedes |
| Salmonella, transmission of, by 2369 | canestrinii, Ornithodoros |
| stigmata in 9 | canicularis, Fannia |
| tyrosine in, metabolism of 1532 | caninum, Pneumonyssus |
| Calliphora vomitoria | canis, Ctenocephalides |
| | |
| helminths, eggs of, in faeces and | (Ctenocephalus) |
| regurgitations of 184 | canis, Demodex |
| larval development in | Canis latrans, Dermacentor andersoni |
| effects of ecdysterone on 448 | infesting, symptoms resulting from |
| effects of starvation on 448 | 2209 |
| locomotion in larvae of 510 | cantans, Aedes |
| optical analyser in 912 | cantator, Aedes |
| Calliphoridae, control of, biological 2539 | Canthon pilularius |
| Callitroga hominivorax (see Cochliomyia) | in USA 2199 |
| Caloglyphus rodionovi, on man, literature on | in cattle dung, effects on nematodes of |
| 150 | 2199 |
| Calovo virus, Anopheles maculipennis, | Cape Verde Islands |
| isolated from, in Austria 221 | Ctenocephalides felis felis in 112 |
| Calpe eustrigata | Echidnophaga gallinacea in 112 |
| | malaria in 892 |
| evolution of 837 | |
| feeding behaviour in 837 | |
| Calpe thalictri | Tunga penetrans in 112 |
| evolution of 837 | capensis, Rhipicephalus |
| feeding behaviour in 837 | capillatus, Solenopotes |
| Cambodia, fleas in 1166 | capitis, Pediculus humanus |
| Camels | caprae, Damalinia, (Bovicola) |
| Hyalomma spp. infesting, in Egypt 2561 | Capreolus capreolus |
| H. asiaticum infesting, in USSR 1127 | Haemaphysalis inermis infesting, in USSR |
| cameroni, Spalangia | 2214 |
| Cameroon | Ixodes ricinus infesting, in USSR 2214 |
| Aedes aegypti in 786, 2284 | mosquitos feeding on, in Czechoslovakia |
| Aedes africanus in 786, 2284 | 992, 1758 |
| Aedes simpsoni in 786, 2284 | Capric acid (see Decanoic acid) |
| Chrysops spp. in 1175, 1728 | Capsella bursa-pastoris |
| C. dimidiatus in 446 | Aedes togoi feeding on 1465 |
| Haemaphysalis aciculifer in 462 | Culex pipiens feeding on 1465 |
| Haematopota spp. in 445 | mucilaginous seeds of, tested as mosquito |
| Loa loa in 1175 | larvicides 759 |
| Simuliidae in 1681 | Carbamates |
| Simulium spp. in 2524 | modes of action of 1280 |
| S. damnosum in 1257 | synergists for, 1,2,3-benzothiadiazoles as |
| Tabanidae in 446 | 320 |
| | |
| yellow fever in 772, 2281 | Carbamic acid, dimethyl- |
| Campanulotes bidentatus compar (see C. | ester with 3-hydroxy-N,N,5- |
| compar) | trimethylpyrazole-1-carboxamide (see |
| Campanulotes compar | Dimetilan) |
| in Australia 722 | 1-isopropyl-3-methylpyrazol-5-yl ester (se |
| on Columba livia | Isolan) |
| distribution pattern of 722 | Carbamic acid, (mercaptoacetyl)methyl-, |
| in Australia 722 | methyl ester, S-ester with O-methyl |
| Canada (see also individual Provinces) | methylphosphonodithioate, against, |
| Aedes impiger in 2493 | Aedes taeniorhynchus 379 |
| A. nigripes in 2493 | Carbamic acid, methyl- |
| Cheyletiella yasguri in, on dogs 2225 | benzo[b]thien-4-yl ester |
| Chironomidae in 130, 1037 | against |
| Maruina lanceolata in 594 | Aedes aegypti 1601 |
| mosquito intersexes in 1648 | Amblyomma americanum 2050 |
| Musca autumnalis in 256 | Anopheles albimanus 1601 |
| pesticide use in 1108, 1123 | A. quadrimaculatus 1601 |
| | |

| Carbamic acid, methyl- contd. | Carbamic acid, methyl- contd. |
|---|--|
| benzo[b]thien-4-yl ester contd. | m-tolyl ester contd. |
| against contd. | against contd. |
| | |
| Blattella germanica 1602 | Hyalomma anatolicum 668 |
| Cimex lectularius 1602 | H. marginatum 668 |
| insects in aircraft 1600 | Ixodes ricinus 668 |
| Musca domestica 1601 | Menaçanthus stramineus 680 |
| Periplaneta americana 1602 | formulations of 2069 |
| Rhodnius prolixus 1601 | in cattle, effects of 668 |
| Simulium damnosum 244 | p-tolyl ester |
| S. hargreavesi 244 | against |
| Triatoma infestans 1601 | Boophilus calcaratus 668 |
| | |
| Xenopsylla cheopis 1601–1602 | Dermanyssus gallinae 680, 2224 |
| 5-sec-butyl-2-chlorophenyl ester | Goniocotes gallinae 680 |
| against 1380 | Haemaphysalis punctata 668 |
| Chrysomya megacephala 1280 | Hyalomma anatolicum 668 |
| Lucilia cuprina 1280 | H. marginatum 668 |
| <i>m-sec</i> -butylphenyl ester | Ixodes ricinus 668 |
| against | Menacanthus stramineus 680 |
| Chrysomya megacephala 1280 | in cattle, effects of 668 |
| Lucilia cuprina 1280 | 2,3,5-trimethylphenyl ester |
| <i>m</i> -cumenyl ester | against |
| against | Chrysomya megacephala 1280 |
| Chrysomya megacephala 1280 | Lucilia cuprina 1280 |
| Lucilia cuprina 1280 | 3,4,5-trimethylphenyl ester |
| Musca domestica 1563-1564 | against |
| Pediculus humanus 948 | Chrysomya megacephala 1280 |
| synergists for | Lucilia cuprina 1280 |
| hydrazines as 1564 | Carbamic acid, methyl(phenylthio)- |
| Thanite as 1563 | <i>m-sec</i> -butylphenyl ester |
| o-cyclopentylphenyl ester, against, | against |
| Anopheles quadrimaculatus 1739 | Aedes nigromaculis 382 |
| 4-(dimethylamino)-m-tolyl ester (see | Culex spp. 2492 |
| Aminocarb) | Simulium pictipes 599 |
| 4-(dimethylamino)-3,5-xylyl ester (see | resistance to, in, Aedes nigromaculis, in |
| Zectran) | California 744 |
| ester with N'-(4-hydroxy-o-tolyl)-N,N- | Carbamide (see Urea) |
| dimethylformamidine | Carbamide, dihexamethylene- (see 1 H- |
| in Musca domestica, mode of action of | Azepine, 1,1'-carbonylbis[hexahydro-) |
| 177 | Carbaryl |
| in rats, toxicity of 177 | against |
| m-(1-ethylpropyl)phenyl ester | Amblyomma americanum 2050 |
| against | Argas persicus 2203 |
| Chrysomya megacephala 1280 | Boophilus calcaratus 2215 |
| Lucilia cuprina 1280 | Chironomus spp. 1870 |
| o-isopropoxyphenyl ester (see Propoxur) | Crematogaster subdentata 685 |
| | Cricotopus spp. 1870 |
| 2,3-(isopropylidenedioxy)phenyl ester | |
| acaricidal activity of 1100, 1611 insecticidal activity of 1100, 1611 | Dermanyssus gallinae 2224 Ixodes ricinus 1294 |
| | Ixodidae 2203 |
| m-(1-methylbutyl)phenyl ester | |
| against 1280 | Lucilia sericata 1892 |
| Chrysomya megacephala 1280 | Musca domestica 1535, 1563, 2585 |
| Lucilia cuprina 1280 | Opisocrostis hirsutus 362 |
| 4-(methylthio)-3,5-xylyl ester (see | Pediculus humanus 948 |
| Methiocarb) | Periplaneta americana 193 |
| 1-naphthyl ester (see Carbaryl) | Tanypus spp. 1870 |
| m-tolyl ester | Wohlfahrtia magnifica 1036 |
| against | Xenopsylla cheopis, stimulating |
| Boophilus calcaratus 668 | reproduction at sublethal doses |
| Dermanyssus gallinae 680, 2224 | 1096 |
| Goniocotes gallinae 680 | formulations of 2069 |
| Haemanhycalic nunctata 668 | in cattle effects of 1073 |

DDT in, persistence of 645

Demodex spp. infesting

in Ghana 1970

in Ireland 1972

in Sudan 2223

Carbaryl contd. Cattle contd. in Poecilia reticulata, toxicity of 1453 Amblyomma americanum infesting, symptoms resulting from 1694 resistance to, in Anopheles albimanus, in El Salvador A. variegatum infesting, in Madagascar 233, 2511 Boophilus microplus, mechanism of Anaplasma spp., in, in Turkey 852 Anoplura infesting, in Germany 937 455 selective toxicity of 1120 Babesia bigemina, in, in Turkey 852 synergists for 1563, 2585 Boophilus spp. infesting, symptoms polychlorinated biphenyls as 507 resulting from 1694 Carbofuran, against, Simulium pictipes 599 B. annulatus infesting, effects of host nutrition on 2559 Carbonamidic acid (see Carbamic acid) Carbonic diamide (see Urea) B. decoloratus infesting, in Kashmir Carbophenothion, in soil, mobility of 696 2406 Carbophos (see Malathion) B. microplus infesting Carboxide (see 1 H-Azepine, 1.1'in Argentina 2216 carbonylbis[hexahydro-; or in Australia 286, 1301 Dihexamethylenecarbamide) in British Honduras 1576 in Queensland 519 Caribou, barren ground (see Rangifer bromophos in, effects of 1301 tarandus granti) carnifex. Phanaeus butonate in, residues of 163 carolinus, Dichotomius carbaryl in, effects of 1073 Carpoglyphus alienus, on man, literature on Chorioptes spp. infesting, symptoms resulting from 1694 Carpoglyphus lactis, on man, literature on C. bovis infesting, in Germany 937 Chrysomya megacephala infesting, in Hawaii 2187 Carvacrol, against, Aedes aegypti 1237 C. rufifacies infesting, in Hawaii 2187 casalis, Androlaelaps casei, Piophila Cochliomyia hominivorax infesting, casei, Tyrophagus symptoms resulting from 1694 Caseous lymphadenitis, ticks, role of, in coumaphos in, effects of 1301 1923 crotoxyphos in, effects of 1073 caspica, Helenicula lanius crufomate in caspius, Aedes effects of 1301 Castanea crenata residues of 692 toxicity of 424 Aedes togoi feeding on 1465 Culex pipiens feeding on 1465 Culex pipiens feeding on, in Uzbekistan castellani, Tyrophagus cataphylla, Aedes C. pseudovishnui feeding on, in Japan Catatropis verrucosa, Odonata, isolated from, in Byelorussia 2555 Culex tritaeniorhynchus feeding on, in Catharsius pithecius Japan 226, 2275 in India 1055 Culicoides pallidipennis feeding on, in South Africa 1808 Spirocerca lupi, infectivity of, for 1055 C. schultzei feeding on, in South Africa Ctenocephalides felis infesting in Cambodia 1166 Culiseta inornata feeding on, in Florida in Philippines 536 Culiseta melanura feeding on, in C. melanura feeding on, in Maryland Maryland 1767 1767 demodicosis in 294 Damalinia bovis infesting Haemaphysalis moreli infesting, in Senegal in Germany 937 in New South Wales 353 Otodectes cynotis infesting, in Philippines in New Zealand 1137, 1712 in Tasmania 355 ticks infesting, in Turkey 852 symptoms resulting from 1694

Aedes communis feeding on, in Komi

A. punctor feeding on, in Komi Republic

Republic 2141

2141

| attle conta. | Cattle conta. |
|--|---|
| Demodex contd. | Hypoderma bovis infesting contd. |
| D. bovis infesting | in Dagestan 2164 |
| in East Africa 471 | in France 1119 |
| in Ireland 1972 | in Ireland 1118 |
| lesions caused by 471 | in Italy 1528 |
| transmission of 1952 | in Mongolia 1666 |
| D. ghanensis infesting, in Ireland 1972 | in Yakutia 1663 |
| demodicosis in 294 | symptoms resulting from 1694 |
| | |
| Dermacentor daghestanicus infesting, in | H. lineatum infesting |
| USSR 85 | in Byelorussia 1021 |
| diazinon in, effects of 1073 | in California 2356 |
| dichlorvos in effects of 1073 | in Dagestan 2164 |
| residues of 163 | in Florida 817 |
| toxicity of 2240 | in France 1119 |
| dimethoate in, residues of 163 | in Ireland 1118 |
| dioxathion in, effects of 1301 | in Mongolia 1666 |
| Dursban in | in Yakutia 1663 |
| effects of 1301 | symptoms resulting from 1694 |
| residues of 1317 | Hypodermatidae infesting, distribution of |
| toxicity of 676 | 1644 |
| fenchlorphos in, determination of 2426 | Ixodes ovatus infesting, in Nepal 2218 |
| fenthion in, toxicity of 1291 | I. ricinus infesting, in Ukraine 1938 |
| Gasterophilus intestinalis infesting, in | I. scapularis infesting, symptoms resulting |
| New York 1529 | from 1694 |
| Haemaphysalis bispinosa infesting, in | Ixodidae infesting, in USSR 94 |
| Gujarat 1924 | Lepiselaga crassipes feeding on, in |
| H. celebensis infesting, in Indonesia 2570 | Colombia 1045 |
| Haemaphysalis longicornis infesting, in | Linognathus vituli infesting |
| New Zealand 659, 1139 | in New South Wales 353 |
| H. mageshimaensis infesting, in Japan | in New Zealand 1137, 1712 |
| 2568 | in Tasmania 355 |
| H. otophila infesting, in USSR 85 | symptoms resulting from 1694 |
| H. punctata infesting, in UK 1922 | Lipoptena cervi infesting, in Byelorussia |
| H. sulcata infesting, in USSR 85 | 1034 |
| Haematobia irritans feeding on | Mallophaga infesting, in Germany 937 |
| in Florida 817 | methoxy-DDT in, effects of 1073 |
| symptoms resulting from 1694 | mosquito repellents in, toxicity of 2141 |
| Haematopinus eurysternus infesting | mosquitos feeding on, in Czechoslovakia |
| in Germany 937 | 992, 1758 |
| in New South Wales 353 | Musca autumnalis feeding on |
| in New Zealand 1137, 1712 | in new Jersey 1043 |
| in Tasmania 355 | symptoms resulting from 1544, 1694 |
| symptoms resulting from 1694 | organic phosphates in |
| H. quadripertusus infesting, symptoms | effects of 284 |
| resulting from 1694 | metabolism of 2238 |
| Hyalomma anatolicum infesting, in | residues of 2173 |
| Gujarat 1924 | toxicity of 691 |
| H. asiaticum infesting, in USSR 1127 | Otobius megnini infesting, symptoms |
| H. detritum infesting | resulting from 1694 |
| in Sicily 653 | pest control on, systemic pesticides for |
| in USSR 85 | 1604 |
| Hybomitra brevis feeding on, in USSR | phosmet in, toxicity of 306 |
| 432 | Psoroptes spp. infesting, symptoms |
| Hypoderma spp. infesting | resulting from 1694 |
| in British Columbia 1864 | Raillietia auris infesting, in Australia |
| in Ukraine 2165 | 1068 |
| in Uzbekistan 2165 | Rhipicephalus bursa infesting, in USSR |
| H. bovis infesting | 85 |
| in Byelorussia 1021 | Sarcoptes spp. infesting, symptoms |
| in California 2356 | resulting from 1694 |

| attle contd. | Central African Republic conta. |
|--|---|
| Simulium erythrocephalum feeding on, in | Aedes contd. |
| Germany 418 | Aedes africanus in 2283, 2285 |
| S. neireti feeding on, in Malagasy | A. simpsoni in 2283 |
| Republic 243 | Eretmapodites spp. in 2285 |
| Solenopotes capillatus infesting | Glossina fusca in 811 |
| in Germany 937 | yellow fever in 546, 2283, 2286 |
| in New Zealand 1137 | centralis, Glossina morsitans |
| in Tasmania 355 | Centruroides gracilis |
| symptoms resulting from 1694 | in USA 2234 |
| | |
| Stomoxys calcitrans feeding on | |
| in Queensland 623 | Centruroides hentzi in USA 2234 |
| symptoms resulting from 623, 1694 | |
| Tabanidae feeding on, in USSR 1035 | on man, symptoms of sting by 2234 Centruroides infamatus |
| Tabanus claripennis feeding on, in | in Mexico 2234 |
| Colombia 1045 | |
| T. nebulosus feeding on, in Colombia 1045 | |
| | Centruroides limpidus |
| T. pungens feeding on, in Colombia | in Mexico 2234 |
| 1045 | on man, symptoms of sting by 2234 |
| Theileria annulata, in, in Turkey 852 | Centruroides noxius |
| ticks infesting, in Turkey 852 | in Mexico 2234 |
| trichlorphon in | on man, symptoms of sting by 2234 |
| effects of 2164–2165 | Centruroides sculpturatus |
| when used against <i>Hypoderma</i> spp. | in USA 2234 |
| 255 | on man, symptoms of sting by 2234 |
| hydrolysing on hair 178 | venom gland in 2413 |
| residues of 163 | Centruroides suffusus |
| toxicity of 424 | in Mexico 2234 |
| Trypanosoma brucei, in, in Ethiopia | on man, symptoms of sting by 2234 |
| 2161 T | Centruroides vittatus |
| T. congolense, in, in Ethiopia 2161 | in USA 2234 |
| T. vivax, in, in Ethiopia 2161 | on man, symptoms of sting by 2234 |
| Cattle dung, nematodes in, effects of dung | centurionis, Chrysops |
| beetle activity on 2199, 2386 | Ceratophyllus borealis, male genitalia in |
| Cattle sheds, Phlebotomidae in, in USSR | 171 |
| 1368 | Ceratophyllus columbae, male genitalia in |
| Cattle-yak hybrids, Ixodes ovatus infesting, | 171 Constantially consimilia (con Nosanaully) |
| in Nepal 2218 | Ceratophyllus consimilis (see Nosopsyllus) |
| aucasica, Helenicula kohlsi | Ceratophyllus diffinis, male genitalia in |
| caucasicus, Phlebotomus | |
| Candospora brevicauda, Simuliidae, in, in | Ceratophyllus frigoris, male genitalia in |
| Canada 1014 | |
| Caudospora simulii, Prosimulium spp., in, in | Ceratophyllus gallinae |
| Canada 1014 Cavernicola pilosa | control of, propoxur tested for 1955 |
| | in Germany 1955 |
| habitats of 199 | in USA 297 |
| in Brazil 199 | life history of 204 |
| in Panama 2270 | on Sturnus vulgaris, in California 297 |
| on bats, in Brazil 199 | Ceratophyllus garei, male genitalia in 17 |
| Trypanosoma cruzi | Ceratophyllus igii |
| isolated from, in Brazil 199 | sp. n., described from USSR 171 |
| transmitted by, in Panama 2270 | male genitalia in 171 |
| caviae, Chirodiscoides | Ceratophyllus laeviceps, host blood in, |
| Cayratia japonica, Culex spp. feeding on, | digestion of 2446 |
| survival of 371 | Ceratophyllus niger |
| relebensis, Haemaphysalis | in USA 297 |
| Cular spp. 1607 | on Sturnus vulgaris, in California 297 |
| Culex spp. 1697 | Ceratophyllus sciurorum, male genitalia in |
| Glossina spp. 1697 | 171 |
| entral African Republic | Ceratophyllus spinosus, male genitalia in |
| Aedes aegypti in 2283, 2286 | 1/1 |

| Ceratophyllus tesquorum | chelidonis, Dermatophagoides |
|--|--|
| control of, repellents tested for 161 | cheopis, Xenopsylla |
| in USSR 703 on Citellus pygmaeus, in Dagestan 703 | cherifiana, Sergentomyia africana (see S. a. asiatica) |
| Ceratopogon romanicus, sp. n., described | Cheumatopsyche, preying on, Simuliidae, in |
| from Rumania 2 Ceratopogonidae | Ghana 596 Cheyletiella, on Sturnus vulgaris, in |
| control of | California 297 |
| biological 308 | Cheyletiella parasitivorax |
| organic phosphates for 308 | in Cuba 2434 |
| Paris Green for 308 | on rabbits, in Cuba 2434 |
| in Brazil 538 | Cheyletiella yasguri |
| in Siberia 2048 | in Canada 2225 |
| in Turkmenia 537 in USSR 87 | on dogs, in Canada 2225 |
| in Uzbekistan 931 | Cheyletus eruditus |
| viruses, isolation of, from 1809 | in house dust, competing with other mite |
| cervi, Demodex | on man, literature on 150 |
| cervi, Lipoptena | Chikungunya virus |
| Cervus elaphus, Demodex cervi infesting | Aedes aegypti, isolated from, in India |
| 1950 | 115 |
| Cervus nippon, Haemaphysalis mageshimaensis infesting, in Japan 2568 | A. apicoargenteus, transmission of, by 1771 |
| Cervus timorensis, Haemaphysalis celebensis | Chile, Triatoma infestans in 725, 950 |
| infesting, in Indonesia 2570 | Chilo suppressalis iridescent virus, |
| Cestoda, Diptera, role of, in epidemiology of | mosquitos, infectivity of, for 2301 |
| 2006 | Chimarra, preying on, Simuliidae, in Ghana |
| Chad Gasterophilus intestinalis in, on donkey | 596 China |
| 816 | Aedes japonicus in 1491 |
| G. nasalis in, on donkey 816 | A. koreicus in 1491 |
| Glossina tachinoides in 2526 | Ixodes ovatus in 2218 |
| Phthirus pubis in, on man 111 | Chinchilla, parasites of 719 |
| yellow fever not known in 2286 | chinensis, Pachylister |
| chaetophthalmus, Culicoides Chaetoravinia, in Cuba 832 | chinensis, Phlebotomus Chirodiscidae, in Africa 669 |
| Chagas' disease | Chirodiscoides caviae |
| in Argentina 2093 | in Cuba 2434 |
| in Brazil 1394-1395 | on guineapig, in Cuba 2434 |
| in Panama 2270 | Chironomidae |
| in Venezuela 1324, 1714 | breeding places of, in California 1274 |
| Triatoma infestans, role of, in, in Brazil 1394–1395 | control of, in California 1274 |
| xenodiagnosis of 525, 529 | emergence in effects of physical factors on 130 |
| Chagasia bonneae, in Brazil 1223 | in Arctic Canada 130 |
| Chalcidoidea, fatty acids in, effects of host | in New Zealand 616 |
| on 513 | larvae of, dispersal of 1993 |
| Chaoboridae, in Ontario 771 | Chironomus |
| Chaoborus americanus, diapause in, effects | control of, insecticides tested for 1870 |
| of photoperiod on 433 chaquensis, Simulium | in Canada 1037 sex ratio in 1037 |
| Chara | Chironomus anthracinus |
| control of 2477 | in USSR 96 |
| mosquito control using 2477 | production in 96 |
| Charitopes similis | Chironomus attenuatus |
| in Belgium 840 | control of, insecticides tested for 1275 |
| on man in Belgium 840 | in USA 1275 |
| symptoms of infestation with 840 | insecticide resistance in, in California 1275 |
| Chatia major, in USSR 173 | sodium chloride in, physiological effects of |
| Cheilasnirura hamulasa (see Acuaria) | 566 |

Aedes aegypti 1361

of 1477

Chironomus californicus 3-(p-chlorophenyl)-1-propanol, repellent for, emergence in 615 Xenopsylla cheopis 203 Chlorophos (see Trichlorphon) in USA 615 pupal development in 615 Chloropicrin, against, Phlebotomidae 155 Chironomus plumosus Chloropropylate flight tone in 2379-2380 against, Musca domestica 1283 larval development in in Musca domestica, metabolism of 1283 effects of temperature on 2368 Chlorphenamidine (see Galecron) radioisotope absorption during 2368 Chlorphoxim, against, Anopheles swarming behaviour in 2379-2380 quadrimaculatus 1739 Chironomus riparius Chlorpyrifos (see Dursban) Chlorpyrifos-methyl (see Phosphorothioic insemination in 2178 acid, O,O-dimethyl O(3,5,6-trichloro-2swarming in 1366 pyridyl) ester) Chironomus staegeri, inversion Choanotaenia infundibulum, Dermestes ater, polymorphism in 1052 intermediate host of 1314 Chlordane Choloepus hoffmanni against Leishmania braziliensis Achaearanea tepidariorum 1984 detection of, in 416 Blattella germanica 1147 reservoir of, in Panama 416 Culex pipiens 2306 Lutzomyia gomezi feeding on 416 Dermacentor variabilis 1984 Chorioptes Loxosceles reclusa 476 control of Rhipicephalus sanguineus 1984 coumaphos tested for 2226 scorpions 2234 propoxur tested for 2226 biochemistry of 1103 dermatophilosis, role of, in 1570 in eggs, residues of 2425 on cattle, symptoms of infestation with resistance to, in, Blattella germanica 1383 Chorioptes bovis in Australia 1072 Chlordimeform (see Galecron) Chlorfenvinphos in Germany 937 in New Zealand 472 Boophilus annulatus 850 in UK 469 Boophilus microplus 850, 1301, 2394 on cattle, in Germany 937 on horses Culex pipiens 216 Damalinia ovis 2060 in Queensland 1072 Glossina austeni 248 symptoms of infestation with 1072 Ixodes ricinus 2060 on sheep Melophagus ovinus 2060 in New Zealand 472 Psoroptes ovis 2060 in UK 469 Rhipicephalus appendiculatus 650 Chorioptes equi (see C. bovis) Chortoglyphus arcuatus ticks 1066, 1580 in soil, mobility of 696 in Spain 858, 1971 Chlorguanide (see Biguanide, 1-(pin dwellings, in Spain 1971 chlorophenyl)-5-isopropyl-; or 1-(pin house dust, in Spain 858 Chlorophenyl)-5-isopropylbiguanide) on man, literature on 150 Chlormethylfos (see Phosphorothioic acid, christophersi, Sergentomyia O,O-dimethyl O-(3,5,6-trichloro-2-(Phlebotomus) pyridyl) ester) Chromium, radioactive (51Cr), Glossina m-chloro-N,N-diethylbenzamide, repellent austeni labelled with 810 for, Xenopsylla cheopis 203 Chrysanthemic acid Chlorodimeform (see Galecron) p-allylbenzyl ester Chlorofos (see Trichlorphon) against N-(2-(p-chlorophenoxy)ethyl)cyclohexylami-Aedes aegypti 1361 ne, repellent for, Xenopsylla cheopis 203 Musca domestica 1361 (5-benzyl-3-furyl)methyl ester (see 3-Chloro-4-phenyl-trans-2-buten-1-yl Resmethrin) chrysanthemate, against, Dipterous (5-benzyl-3-furyl)methyl ester, trans-(+)larvae 1053 (see Bioresmethrin) -(p-chlorophenyl)-5-isopropylbiguanide, 6-bromopiperonyl ester hydrochloride, in Aedes aegypti, effects against

| Chrysanthemic acid contd. | Chrysomya marginalis |
|---|--|
| 6-bromopiperonyl ester contd. | control of, insecticides tested for 1883 |
| against contd. | in Gambia 1883 |
| Musca domestica 1361 | in hides, in Gambia 1883 |
| 3-chloro-4-phenyl-2-butenyl ester, (Z)- | Chrysomya megacephala |
| against 1052 | control of |
| Aedes aegypti 1053 | carbamates tested for 1280 |
| Culex pipiens 1053 | organic phosphates tested for 2174 |
| Lucilia cuprina 1053 Musca domestica 1053 | in Hawaii 2187 on cattle, in Hawaii 2187 |
| Sarcophaga peregrina 1053 | parasitising, living vertebrates 2550 |
| Telmatoscopus albipunctatus 1053 | preyed on by, <i>Chrysomya rufifacies</i> 2187 |
| 6-chloropiperonyl ester (see Barthrin) | Chrysomya pinguis |
| 2,4-dimethylbenzyl ester (see Dimethrin) | in Japan 1875 |
| 3,4-dimethylbenzyl ester | in cattle bones, in Japan 1875 |
| against | Chrysomya putoria |
| Aedes aegypti 1361 | control of, insecticides tested for 1883 |
| Musca domestica 1361 | in Gambia 1883 in hides, in Gambia 1883 |
| ester with 2-allyl-4-hydroxy-3-methyl-2- cyclopenten-1-one (see Allethrin) | in hides, in Gambia 1883 Chrysomya rufifacies |
| ester with 2-furfuryl-4-hydroxy-3-methyl- | enzymes in, developmental changes in |
| 2-cyclopenten-1-one (see Furethrin) | 1559 |
| ester with N-(hydroxymethyl)-1- | in Hawaii 2187 |
| cyclohexene-1,2-dicarboximide (see | in New Zealand 1145 |
| Tetramethrin) | on cattle, in Hawaii 2187 |
| ester with 4-hydroxy-3-methyl-2-(2,4- | preying on, Chrysomya megacephala |
| pentadienyl)-2-cyclopenten-1-one (see Pyrethrin I) | Chrysons |
| o-methylbenzyl ester | Chrysops biology of 1728 |
| against | control of |
| Aedes aegypti 1361 | (+)-trans-allethrin tested for 1737 |
| Musca domestica 1361 | resmethrin tested for 1737 |
| [2-methyl-5-(2-propynyl)-3-furyl]methyl | in Cameroon 1728 |
| ester | in USSR 495 |
| against Aedes aegypti 1053, 1361 | Loa loa, transmitted by, in Cameroon 1728 |
| Culex pipiens 1053 | Chrysops atlanticus |
| Lucilia cuprina 1053 | descriptions of 822 |
| Musca domestica 1053, 1361 | feeding behaviour in 2167 |
| Sarcophaga peregrina 1053 | in USA 822 2167 |
| Telmatoscopus albipunctatus 1053 | |
| 5-(2-propynyl)furfuryl ester | on man, in Connecticut 2167 |
| Aedes aegypti 1053, 1361–1362 | Chrysops centurionis in Cameroon 1175 |
| Blattella germanica 1362 | Loa spp., transmitted by, in Cameroon |
| Culex pipiens 1053, 2099 | 1175 |
| Gryllus pennsylvanicus 1362 | Chrysops dimidiatus |
| Lucilia cuprina 1053 | in Cameroon 446, 1175 |
| Musca autumnalis 1362 | Loa loa, transmitted by, in Cameroon |
| Musca domestica 1053, 1361–1362, | 1175 |
| 2099 Parinlanata amaricana 1362 | Chrysops divisus |
| Periplaneta americana 1362 Sarcophaga peregrina 1053 | descriptions of 822 in USA 822 |
| Telmatoscopus albipunctatus 1053 | Chrysops flavidus, in USA 924 |
| Chrysanthemic acid, ethano- (see | Chrysops flavidus reicherti |
| Cyclopropanecarboxylic acid, 3- | descriptions of 822 |
| (cyclopentylidenemethyl)-2,2-dimethyl-) | in USA 822 |
| Chrysomya albiceps, helminths, eggs of, in | Chrysops fuliginosus |
| faeces and regurgitations of 184 | feeding behaviour in 272, 2167 |
| Chrysomya bezziana in Papua and New Guinea 1696 | in USA 272, 2167 mating in 272 |
| on pigs, in Papua and New Guinea 1696 | on man, in Connecticut 2167 |
| on project and a report with a rest of the control of 1070 | |

| Chrysops langi | Cinchoninic acid, 3-ethyl- contd. |
|---|--|
| in Cameroon 1175 | ethyl ester contd. |
| Loa spp., transmitted by, in Cameroon | repellent for contd. |
| 1175 | Stomoxys calcitrans 2316 |
| Chrysops nigripes, in USSR 495 | Cinchoninic acid, 3-methyl- |
| Chrysops relictus, in USSR 495 | butyl ester |
| Chrysops sepulchralis, in France 2537 | repellent for |
| Chrysops silaceus | Aedes aegypti 2316 |
| in Cameroon 1175 | Stomoxys calcitrans 2316 |
| Loa loa, transmitted by, in Cameroon | ethyl ester |
| 1175 | repellent for |
| Chrysops vanderwulpi | Aedes aegypti 2316 |
| in USSR 2367 | Stomoxys calcitrans 2316 |
| larvae of 2367 | propyl ester |
| pupae of 2367 | repellent for |
| Chrysostomyia (see Paraphrissopoda) chrysurus, Tabanus | Aedes aegypti 2316 |
| Cicadellidae, on man, in Madagascar 863 | Stomoxys calcitrans 2316 |
| Cichorium pumilum, extracts of, against, | cinerea, Nauphoeta |
| Culex pipiens 1467 | cinereus, Aedes |
| Cidial (see Phenthoate) | cinereus, Culex |
| ciliata, Psorophora | Ciodrin (see Crotoxyphos) |
| cilipes, Psorophora | Ciovap (see Crotoxyphos and Dichlorvos) |
| Cimex, control of, in USA 687 | circumluteolus, Aedes |
| Cimex hemipterus | circumscriptus, Culicoides |
| in Sri Lanka 361 | Cismethrin (see Resmethrin, cis-(+)-) |
| Wuchereria bancrofti | Citellus maximus, Bacillus anthracis, |
| isolated from, in Sri Lanka 361 | isolated from, in USSR 1579 |
| susceptibility to, in 361 | Citellus pygmaeus |
| Cimex lectularius | Bacillus anthracis, isolated from, in USSR |
| brain in 1723 contact responses in 1399 | Ceratophyllus tesquorum infesting, in |
| control of | USSR 703 |
| fenthion tested for 530 | fleas infesting 1645 |
| insecticides tested for 1602 | Frontopsylla semura infesting, in USSR |
| propoxur tested for 530 | 703 |
| DDT resistance in | Neopsylla setosa infesting, in USSR 703 |
| in Libya 729 | Citral (see 2,6-Octadienal, 3,7-dimethyl-) |
| in Rumania 530 | against, Aedes aegypti 1237 |
| dieldrin resistance in 1329 | Citronellal (see 6-Octenal, 3,7-dimethyl-) |
| in Rumania 530 | against, Aedes aegypti 1237 |
| enzymes in 717 | Civet (see Civettictis civetta) |
| in Finland 716 | Civettictis civetta, Haemaphysalis |
| in Libya 729 in New Zealand 1143 | punctaleachi infesting, in West Africa 2569 |
| in Papua and New Guinea 1776 | Cladophora |
| in Rumania 530, 2263 | control of 2477 |
| in USSR 1693 | mosquito control using 2477 |
| in dwellings, in Finland 716 | clara, Formica |
| insecticide resistance in 2244 | claripennis, Tabanus |
| in USSR 1693 | Clarius batrachus |
| insecticide susceptibility in | Chrysomya megacephala infesting 2550 |
| in Libya 729 | Hemipyrellia ligurriens infesting 2550 |
| in Rumania 2263 | claviger, Anopheles |
| olfactory responses in 1398 | Clerodendron inerme, extracts of, against, |
| optic lobes in 1723 | Culex pipiens 1467 |
| spermatogenesis in 1722 | clethrionomydis, Laelaps |
| visual responses in 1397 | Clethrionomys glareolus |
| Cinchoninic acid, 3-ethyl- | Coxiella burneti |
| ethyl ester repellent for | antibodies to, in 52 in Czechoslovakia 135 |
| Aedes aegypti 2316 | Gamasoidea in nests of 677 |
| 110000 408/101 2510 | Gamasoldea III IIests Of O// |

| subject macx | 112 |
|--|---|
| Clethrionomys glareolus contd. | Coelomomyces contd. |
| tick-borne encephalitis, virus of, antibodies | Anopheles gambiae contd. |
| to, in 52 | in, in Upper Volta 229 |
| Clethrionomys rutilus | Culex tarsalis, in, in Utah 766 |
| Coxiella burneti, antibodies to, in 52 | Culiseta incidens, in, in Utah 766 |
| tick-borne encephalitis, virus of, antibodies | mosquitos |
| to, in 52 | biological control of, using 2324 |
| Clostridium, Monomorium pharaonis, | pathogenicity of, in 1436 |
| isolated from, in UK 838 | sporangia in 2292 |
| clydei, Sergentomyia, (Phlebotomus) | Coelomomyces africanus, Anopheles rufipes, |
| Cnephia dacotensis, phylogeny of, DNA- | in, in Upper Volta 229 |
| RNA hybridisation related to 122 | Coelomomyces ascariformis, Anopheles |
| Cnephia invenusta | gambiae, in, in Upper Volta 229 |
| in USA 604 | Coelomomyces indicus, Anopheles gambiae, |
| on birds, in Michigan 604 | in, in Upper Volta 229 |
| rearing of, techniques for, feeding adults | Coelomomyces psorophorae, Aedes caspius, |
| of 604 | in, in USSR 141 |
| Cnephia mutata in Canada 1014 | Coelomycidium Culex modestus, in, in USSR 141 |
| Microsporidia in, in Labrador 1014 | C. pipiens, in, in USSR 141 |
| Cnephia muzquicensis | Coenagrionidae |
| sp. n., description of 1512 | aliphatic amines in, toxicity of 640 |
| in Mexico 1512 | larvicidal oils in, toxicity of 640 |
| Cnephia ornithophilia | petroleum oils in, toxicity of 757 |
| in USA 604 | cohaerens, Amblyomma |
| Leucocytozoon simondi, transmission of, | Coleoptera |
| by 604 | infesting man 108 |
| rearing of, techniques for, feeding adults | Nematoda, intermediate hosts of 2010 |
| of 604 | on man |
| Co-Ral (see Coumaphos) | allergic reaction to 1071 2415 |
| coarctatum, Simulium, (Tetisimulium) | |
| Cobalt, radioactive (59°Co), Glossina austeni labelled with 810 | preying on, <i>Anopheles gambiae</i> , in Kenya |
| Cochliomyia hominivorax | Colinus virginianus, malathion in, effects of |
| control of 2433 | 1074 |
| aziridine derivatives tested as sterilants | colombaschense, Simulium |
| for 1279, 1872 | Colombia |
| insecticides tested for 1609 | Aedes aegypti in 734, 1793 |
| herbicides in, toxicity of 1863 | Anopheles darlingi in 1433 |
| identification of 1694 | A. nuneztovari in 1433 |
| larval development in 1028–1029 | A. punctimacula in 1433 |
| mating competitiveness in, effects of larval | Lutzomyia yuilli in, on man 1507 |
| weight on 1029 | Mansonia titillans in, on cattle 1045 |
| olfactory responses in 2168 | mosquitos in 2094 |
| on cattle, symptoms of infestation with 1694 | Simulium spp. in 2094 |
| on pigs 2433 | S. callidum in 417 S. exiguum in 417 |
| oviposition in, selection of sites for 2359 | S. metallicum in 417 |
| rearing of, apparatus for, providing | S. mexicanum in 417 |
| continuous oviposition stimulus 342 | S. paynei in 417 |
| testes in, effects of chemosterilants on | Tabanidae in, on cattle 1045 |
| 2185 | Venezuelan equine encephalitis in 2094 |
| Cochliomyia macellaria, control of, | yellow fever in 772, 1793 |
| insecticides tested for 1609 | Colorado, Opisocrostis hirsutus in, on |
| Cockroaches, endocrine functions in 1697 | Cynomys ludovicianus 362 |
| Coelomomyces | Colorado tick fever, virus of, Dermacentor |
| Aedes atropalpus, in, in Utah 766 | occidentalis, isolated from, in Oregon |
| A. dorsalis, effects of, in 2115 | 515 |
| A. simpsoni, in, in Uganda 1233 A. togoi, in, in USSR 142 | Colpocephalum turbinatum in Australia 722 |
| Anopheles gambiae | on Columba livia |
| in, in Kenya 706, 2321 | distribution pattern of 722 |
| , 12011/10 /00, 2021 | Cabilloution pattorn of 722 |

Colpocephalum turbinatum contd.

on Columba livia contd.

Columba livia

Bonomiella columbae infesting, in

Germany 1150

Campanulotes compar infesting, in Australia 722

Chrysomya megacephala infesting 2550 Colpocephalum turbinatum infesting, in Australia 722

Columbicola columbae infesting 1708 in Australia 722

Hemipyrellia ligurriens infesting 2550 Hohorstiella lata infesting, in Australia

columbaczense, Simulium (see S. colombaschense)

columbae, Bonomiella

columbae, Ceratophyllus

columbae, Columbicola

Columbicola columbae

in Australia 722

on Columba livia

distribution pattern of 722 in Australia 722

Columbicola columbae columbae

biology of 1708 control of 1708

on Columba livia 1708

rearing of, techniques for 1708

Colymbetes fuscus

in Denmark 1471 preying on, Aedes communis, in Denmark 1471

Colymbetes sculptilis in Canada 770

preying on, mosquitos, in Ontario 770

communis, Aedes compar, Campanulotes

Compound 4072 (see Chlorfenvinphos)

concinna, Haemaphysalis

Conferences (1965), 10th Peripatetic conference of German entomologists 1333

Conferences (1968), XIIIth International Congress of Entomology 1620, 1987, 2000

Conferences (1969), Biological control of blood-sucking arthropods. Pathology of vectors. 867

Conferences (1970)

Advanced Study Institute on Toxicity of Pesticides used on Livestock 1102

International colloquium on the control of the major endemies. 890

Ionizing radiation in entomology 1156 IVth International Colloquium on Insect Pathology 1974

Lectures in memory of N.A. Kholodovskii
835

Conferences (1970) contd.

New Jersey Mosquito Extermination Association 597, 1409

Second International Congress of Parasitology 1336

Conferences (1971)

California Mosquito Control Association 638, 735, 1273

Dr. I. Cantacuzino Institute 1327

Inter-American Malaria Research Symposium 1427

International information symposium on recent data related to quarantine diseases 545

IUPAC Congress of Pesticide Chemistry 1989, 2241, 2243

Japanese Society of Sanitary Zoology 698

New Jersey Mosquito Extermination Association 708, 779, 825, 886, 1731

Pesticide Chemistry 1331

Utah Mosquito Abatement Association 693-694, 764, 800, 820

Vector control and the recrudescence of vector-borne diseases 2417

WHO Expert Committee on Insecticides 695 WHO Expert Committee on Yellow Fever

391 WHO Scientific Group on Vector Ecology

512
Vellow fever in tropical Africa 2280

Yellow fever in tropical Africa 2280 Conferences (1972)

Behavioural aspects of parasite transmission 1172

California Mosquito Control Association 1903, 2449, 2530

Implementing practical pest management strategies 1803

Institute ¹Dr. I. Cantacuzino' 2257 Symposium on problems of mosquito control 1194

Thirteenth Seminar on Trypanosomiasis 1823

1823 Utah Mosquito Abatement Association 2370, 2587

14 International Congress of Entomology 498, 1988

confinnis, Psorophora confusum, Tribolium confusus, Anopheles

congareenarum, Simulium

congeneroides, Ctenophthalmus Congo

Phlebotomus gigas in 414 Sergentomyia mirabilis in 414 Congo virus

Boophilus decoloratus, isolated from, in Nigeria 843

Hyalomma rufipes, isolated from, in Nigeria 843

| outlycet index | 1 / |
|---|--|
| Congo virus contd. | Coquillettidia richiardii contd. |
| Hyalomma contd. H. truncatum, isolated from, in Nigeria | in USSR 19, 494 Cordylobia anthropophaga |
| 843 | in South Africa 1881 |
| congoensis, Bonomoia | on Cynictis penicillata, in South Africa |
| congolensis, Glossina fusca | 1881 |
| Congovidia glossinae | coreodes, Psammolestes |
| gen. et sp. n., description of 2231 | Corethrella brakeleyi |
| descriptions of 2232 | Corethrellonema grandispiculosum in, in |
| in Zaïre 2231–2232 | Louisiana 2542 |
| on Glossina fuscipes, in Zaïre 2231 | in USA 2542 |
| Congovidia lomamiensis sp. n., description of 2232 | iridescent virus in, in Louisiana 2542 Corethrellonema grandispiculosum, |
| in Zaïre 2232 | Corethrella brakeleyi, in, in Louisiana |
| on Glossina fuscipes, in Zaïre 2232 | 2542 |
| Congovidia servalina | coriaceus, Ornithodoros |
| sp. n., description of 2232 | Corinebacterium diphtheriae, Ornithodoros |
| in Zaïre 2232 | lahorensis, toxicity of gut and |
| on Glossina palpalis, in Zaïre 2232 Congovidiella hieroglypha | haemolymph extracts to 316 Corisella, Dursban in, toxicity of 1075 |
| gen. et sp. n., description of 2231 | Corisella, Dursban in, toxicity of 1075 cormonsi, Simulium |
| descriptions of 2232 | coronator, Culex |
| in Zaîre 2231–2232 | Corsica |
| on Glossina fuscipes, in Zaïre 2231 | Culicoides spp. in 1244 |
| Conioscinella, in Florida 1286 | Phlebotomus sergenti in 241 |
| Connecticut | Phletobomus perniciosus in 1810 |
| Blattella germanica in, in dwellings 2083 Chrysops atlanticus in, on man 2167 | Sergentomyia minuta in 1810 corsicus, Culicoides |
| C. fuliginosus in, on man 2167 | Corvis (see Oil, petroleum) |
| Consan, against, Culex pipiens 745 | Corynoneura arctica |
| consimilis, Nosopsyllus, (Ceratophyllus) | in Canada 1037 |
| cookei, Ixodes | sex ratio in 1037 |
| Cooperia pectinata, in cattle dung, effects of | Costa Rica |
| dung beetle activity on 2386 Copris minutus | Aedes aegypti in 772, 1793 Lutzomyia spp. in 2346 |
| in USA 2199 | mosquitos in 1206 |
| in cattle dung, effects on nematodes of | mosquitos in 1206 Simuliidae in 600 |
| 2199 | spiders in, biting man 295 |
| Coptopsylla, in Iran 202 | Venezuelan equine encephalitis in 1206 |
| Coptopsylla neronovi | costatum, Simulium, (Eusimulium) |
| sp. n., description of 1169 in Iran 1169 | Cotugnia digonopora Monomorium destructor, intermediate |
| on Meriones crassus, in Iran 1169 | host of, in Kerala 1906 |
| on Meriones persicus, in Iran 1169 | M. gracillimum, intermediate host of, in |
| Coquillettidia fasciolata | Kerala 1906 |
| in Mexico 1468 | Coumaphos |
| on man, in Mexico 1468 | Amblyomma americanum 1302 |
| Coquillettidia fuscopennata hepatitis B virus, antibodies to, in, in | A. maculatum 1302 |
| Uganda 1461 | A. variegatum 284 |
| in Uganda 1461 | Anocentor nitens 1291 |
| Coquillettidia ochracea, in Okinawa 387 | Boophilus annulatus 1943 |
| Coquillettidia perturbans | B. calcaratus 2215 B. microplus 2394 |
| host preferences of 2125 | |
| in USA 540, 711, 796, 970, 1741, 1745, 2125 | Chorioptes spp. 2226 Cuterebra spp. 425 |
| parasitised by, Arrenurus spp., in Ohio | Dermacentor variabilis 1302 |
| 540 | Haematobia irritans 817, 1554, 1868 |
| sampling of, sweep netting for 711 | Hippobosca equina 824 |
| Coquillettidia richiardii | Hyalomma spp. 1943 |
| control of, insecticides tested for 785 in France 785 | Hypoderma spp. 425, 2162 H. lineatum 817 |
| III I I I I I I I I I I I I I I I I I | 11. IIIICALUIII 01/ |

| Coumaphos contd. | Cricetus auratus |
|---|---|
| against contd. | Demodex spp. infesting, in Tennessee |
| lice 353 | 2228 |
| Rhipicephalus sanguineus 1943 | D. aurati infesting, in UK 1953 |
| formulations of 2069 | D. criceti infesting, in UK 1953 |
| in cattle, effects of 1301 | Cricotopus, control of, insecticides tested fo |
| in mice, systemic activity of 425 | 1870 |
| | crinita, Eltonella |
| in milk, residues of 1554 | |
| resistance to, in, Musca domestica 175, | Crithidia |
| 314 | Lepiselaga crassipes, isolated from, in |
| Coumarin, 3-chloro-7-hydroxy-4-methyl- | Colombia 1045 |
| Oester with O,O-diethyl phosphorothioate | Mansonia titillans, isolated from, in |
| (see Coumaphos) | Colombia 1045 |
| diethyl phosphate, against, Boophilus | Tabanus claripennis, isolated from, in |
| microplus 2394 | Colombia 1045 |
| coustani, Anopheles | Crithidia fasciculata, Anopheles gambiae, |
| Cowdria ruminantium, Amblyomma | morphology of, in 1452 |
| variegatum, transmission of, by 278 | Crotalus adamanteus, venom of, effects of, |
| Coxiella burneti | on microsomal oxygen uptake 1090 |
| | Crotalus terrificus, venom of 174 |
| Clethrionomys glareolus | Crotonic acid, 3-hydroxy-, α -methylbenzyl |
| antibodies to, in 52 | ester, dimethyl phosphate, (E)- (see |
| in Czechoslovakia 135 | Crotoxyphos) |
| C. rutilus, antibodies to, in 52 | Crotoxyphos |
| Dermacentor marginatus, isolated from, in | against |
| Czechoslovakia 135 | Boophilus annulatus 850 |
| D. occidentalis, isolated from, in | Boophilus microplus 850, 1301 |
| California 662 | Haematobia irritans 1868 |
| Haemaphysalis punctata | Ixodidae 1949 |
| isolated from, in Czechoslovakia 135 | lice 353 |
| transmitting, in Czechoslovakia 63 | Musca autumnalis 1043 |
| Hyalomma asiaticum, localisation of, in | Psoroptes cuniculi 2574 |
| 2400 | Psoroptes ovis 474, 859 |
| H. dromedarii, localisation of, in 1913 | Simulium pictipes 599 |
| Ornithodoros coriaceus, isolated from, in | Wohlfahrtia magnifica 1036 |
| California 662 | in cattle, effects of 1073 |
| O. tartakovskyi, isolated from, in USSR | in milk, residues of 1606 |
| 153 | crucians, Anopheles |
| reservoirs of, in California 662 | cruciata, Lutzomyia |
| ticks, relation of, and 1654 | Cruciferae, mucilaginous seeds of, tested as |
| Coxsackie A6 virus | mosquito larvicides 759 |
| Aedes australis, transmission of, by 222 | cruentatus, Philonthus |
| A. polynesiensis | Crufomate |
| isolated from, in Fiji 222 | against |
| transmission of, by 222 | Amblyomma americanum 1302 |
| Culiseta tonnoiri, transmission of, by 222 | A. maculatum 1302 |
| Coxsackie virus, Musca domestica, isolated | Anocentor nitens 1291 |
| from, in Philippines 1885 | Boophilus microplus 1301 |
| crabro, Vespa | Cuterebra spp. 425 |
| cranifer, Blaberus | Dermacentor variabilis 1302 |
| crassifilum, Simulium, (Odagmia) | Hypoderma spp. 425, 1864 |
| crassipalpis, Sarcophaga | Hypoderma bovis 1118, 2356 |
| crassipes, Damalinia, (Bovicola) | Hypoderma lineatum 1118, 2356 |
| crassipes, Lepiselaga | Oestridae 2064 |
| Crematogaster subdentata | in cattle |
| control of, carbaryl tested for 685 | effects of 1301 |
| in USSR 685 | residues of 692 |
| crepuscularis, Culicoides | toxicity of 424 |
| m-cresol, against, Tyrophagus putrescentiae | in mice, systemic activity of 425 |
| 293 | in milk, residues of 692 |
| cretica, Haemaphysalis (see H. sulcata) | in rabbits, residues of 692 |
| criceti, Demodex | cruzii, Anopheles |
| | or many ranophrones |

| cryophilum, Simulium | Ctenophthalmus dolichus |
|---|---|
| Cryptotermes brevis, parasitised by, | development in |
| Pyemotes boylei 2410 | effects of humidity on 1401 |
| Crysomyia rufiferacis (see Chrysomya | effects of temperature on 1401 |
| rufifacies) | in USSR 1401 |
| Ctenocephalides, control of, in USA 687 | C'tenophthalmus teres |
| Ctenocephalides canis | in USSR 2025 |
| control of 2433 | on Microtus teres, in USSR 2025 |
| in India 533 | Ctenophthalmus wladimiri |
| in Ireland 1724 | feeding behaviour in 93 |
| in New Zealand 1136 | in USSR 93 |
| on dogs, in Ireland 1724 | plague, role of, in 93 |
| on pigs 2433 | Cuba |
| on Rattus rattus, in India 533 | Dermestes ater in 2201 |
| Ctenocephalides felis | eastern equine encephalitis in 2296 |
| control of, bromocyclen tested for 534 | laboratory animals in, ectoparasites of |
| in Brazil 363 | 2434 |
| | synanthropic flies in 832 |
| in Egypt 1170 | Cuclotogaster occidentalis |
| in India 532–533 in Ireland 1724 | in Nigeria 1709 |
| | on fowls, in Nigeria 1709 |
| in New Zealand 1136 | Culex |
| life history of 363 | behaviour in 2506 |
| on dogs | breeding places of 496 |
| in Brazil 363 | cell cultures from 1697 |
| in Ireland 1724 | control of 496 |
| on Rattus norvegicus, in Egypt 1170 | (+)-trans-allethrin tested for 392 |
| on Rattus rattus | Bacillus thuringiensis tested for 755 |
| in Egypt 1170 | bioresmethrin tested for 392 in aircraft 392 |
| in India 533 on <i>Tatera indica</i> , in India 532 | in USA 687 |
| survival in, away from host 363 | insecticides tested for 2492 |
| Ctenocephalides felis felis | resmethrin tested for 392 |
| Dipylidium caninum | feeding behaviour in, on fruit 1420 |
| in, in Philippines 536 | in Mississippi 924 |
| intermediate host of 536 | in New York 1745 |
| in Cambodia 1166 | in South-East Asia 1220 |
| in Cape Verde Islands 112 | insecticide resistance in |
| in Papua and New Guinea 1134, 1696 | biochemistry of 1647 |
| in Philippines 536 | genetics of 1647 |
| on cats | Plistophora culicis in, infectivity of 96 |
| in Cambodia 1166 | surface sterilisation of larvae of 341 |
| in Philippines 536 | Venezuelan equine encephalitis |
| on dogs | role of, in, in Venezuela 2110 |
| in Cambodia 1166 | virus of, isolated from, in Guatemala |
| in Papua and New Guinea 1696 | Culex aikenii |
| in Philippines 536 on goats, in Papua and New Guinea | |
| 1134 | biology of 1751 in Panama 1751 |
| on pigs, in Papua and New Guinea 1696 | Culex albirostris Macquart, 1850, |
| on Rattus norvegicus, in Cambodia 1166 | suppressed for Law of Priority 1791 |
| Ctenocephalides felis orientis | Culex anduzei, descriptions of 2116 |
| in Cambodia 1166 | Culex annulirostris, in Fiji 1755 |
| on dogs, in Cambodia 1166 | Culex annulus (see C. vishnui) |
| on man, in Cambodia 1166 | Culex antennatus |
| on Rattus norvegicus, in Cambodia 1166 | filariae, transmission of, by 118 |
| Ctenocephalus canis (see Ctenocephalides) | Wuchereria bancrofti, persistence of, in |
| Ctenophthalmus, in France 1168 | 773 |
| Ctenophthalmus agyrtes, in France 1168 | Culex apicalis, in USA 2135 |
| Ctenophthalmus congeneroides, tick-borne | Culex arbieeni, in Sinai Peninsula 1479 |
| encephalitis, virus of, transmission of, by | Culex bitaeniorhynchus |
| 1402 | in Japan 2136 |

Culex bitaeniorhynchus contd. Culex nigripalpus contd. in Okinawa 387 in Costa Rica 1206 Culex cinereus in Guatemala in USA 374 host preferences of 799 in Gambia 799 Lagenidium culicidum in, pathogenicity of in Upper Volta 957 population dynamics of 957 on Ardea herodias, defensive activity Culex coronator against 377 in Mexico 1468 on Bubulcus ibis, defensive activity against on man, in Mexico 1468 Culex decens on Butorides virescens, defensive activity host preferences of 799 against 206 in Gambia 799 on Eudocimus albus, defensive activity Culex declarator, in Trinidad 925 against 206, 377 Culex dolosus, Hepatozoon caimani, on Florida caerulea, defensive activity development of, in 1772 against 377 Culex erraticus on Hydranassa tricolor, defensive activity against 377 habitats of, aquatic vegetation associated with 978 on Leucophovx thula, defensive activity host preferences of 2125 against 377 in USA 978, 2125 on Nycticorax nycticorax, defensive Culex erythrothorax, in USA 2135 activity against 206, 377 Culex fatigans (see C. pipiens fatigans) Venezuelan equine encephalitis, virus of, Culex fuscocephalus isolated from, in Guatemala 777 in Guam 954 Culex nigropunctatus, in Philippines 1788 in Thailand 1181 Culex orientalis Japanese encephalitis, virus of, in Japan 225, 561 transmission of, by 1181 overwintering in, in Japan 561 on fowls 1181 Culex peus Culex gelidus control of in Thailand 1775 aliphatic amines tested for 756 Japanese encephalitis, virus of, isolated Dursban for 767 1775 Dursban tested for 742 from, in Thailand fenthion for 742 Flit MLO for 767 Culex hayashii in Japan 225, 561 Flit MLO tested for 757, 2461 overwintering in, in Japan 561 Culex invidiosus larvicidal oils tested for 756 host preferences of 799 organic phosphates for 767 in Gambia 799 Toxisol FLC tested for 757 Culex mimeticus, in Sinai Peninsula 1479 fenthion resistance in Culex modestus in California 744 in Utah 767 in USA 742, 744, 756-757, 767, 2135, Coelomycidium in, in Uzbekistan in Czechoslovakia 999 2455, 2458, 2461 in USSR 19, 141, 494 Yaba 1 virus, isolated from, in insecticide susceptibility in, in California Czechoslovakia 999 Culex neavei malathion resistance in, in California 744 morphology of 2333 Turlock virus, isolated from, in California Rift Valley fever, virus of, transmission of, 2455 by 2323 Culex pilosus Culex nebulosus host preferences of 2125 host preferences of 799 in USA 2125 in Gambia 799 Culex pipiens Culex nigripalpus abundance of, oviposition sites for control of determining 986 fenthion tested for 374 activity in, effects of light intensity on 71 malathion tested for 374 Beauveria tenella in, infectivity of 2472 naled tested for 374 breeding places of 80, 300 organic phosphates tested for control of resmethrin tested for 376 apholate tested as sterilant for 542 flight activity in, effects of larval crowding aziridine derivatives tested as sterilants on 1475 for 542

| ulex pipiens contd. | Culex pipiens contd. |
|---|--|
| control of contd. | population dynamics of 1470 |
| BHC for 312 | preyed on by |
| BHC tested for 300 | Achaearanea tepidariorum 1746 |
| chlorinated hydrocarbons tested for | Gambusia affinis, and biological contro |
| 753 | using, in Virginia 373 |
| DDT for 312 | radar cross-section of 1412 |
| | |
| DDT tested for 753 | Saint Louis encephalitis, virus of, isolated |
| diazinon tested for 557, 1422 | from, in Illinois 220, 1494 |
| dichlorvos tested for 1422 | spermatogenesis in 996 |
| fenchlorphos tested for 489 | Thelohania in, in USSR 143 |
| fenthion tested for 753 | Weiseria spinosa in, in USSR 143 |
| genetic 2424 | Wuchereria bancrofti, persistence of, in |
| mutagens tested for 2104 | 773 |
| genetical, with semi-lethal translocation | Culex pipiens fatigans |
| 154 | apholate in, effects of 1229 |
| hempa tested as sterilant for 542 | Australia Au(1) antigen, transmission of, |
| insecticides tested for 2117, 2306, 2457 | by 218 |
| iodofenphos tested for 972 | biology of 1764 |
| juvenile hormone analogues tested for | control of |
| 2138 | chlorfenvinphos tested for 216 |
| malathion tested for 1737 | Dursban for 767 |
| | fenthion for 369 |
| mucilaginous seeds tested for 759 naled tested for 1744 | |
| oil emulsions tested for 2315 | fenthion tested for 383, 575, 964 |
| | Flit MLO for 767 |
| pyrethrins tested for 2466 | Flit MLO tested for 2461 |
| resmethrin tested for 1737 | genetic 2062 |
| tepa tested as sterilant for 542 | incompatibility for 875 |
| thiotepa tested as sterilant for 542 | in East Africa 216 |
| cytoplasmic incompatibility in 1079 | juvenile hormone analogues tested for |
| Dirofilaria immitis, transmitted by 962 | 400, 958, 1447, 2464 |
| DNA in, related to taxonomy 1079 | malathion tested for 380 |
| enlarged tergum mutant of 1234 | methods for testing insecticides for |
| enzyme polymorphism in 2311 | 1225 |
| fenthion resistance in | naled tested for 380 |
| in California 744 | organic phosphates for 767 |
| in Oregon 515 | organic phosphates tested for 982, |
| fertilisation in 996 | 1740 |
| filariae, transmission of, by 118 | petroleum hydrocarbons tested for |
| hosts of, in Czechoslovakia 992, 1758 | 2097 |
| in Canada 986 | petroleum oils tested for 757, 2463 |
| in Czechoslovakia 992, 1758 | phenothiazine tested for 746 |
| in Egypt 1236, 1470 | pyrethrins tested as repellent for 1210 |
| in France 154 | quaternary ammonium compounds |
| in Italy 2103, 2306 | tested for 745 |
| in Rumania 557 | sterilants tested for 793 |
| in UK 989 | sterile-insect release for 1435 |
| in USA 220, 373, 515, 744, 962, 1494, | tepa tested as sterilant for 1435 |
| 2138 | thiotepa tested as sterilant for 1435 |
| in USSR 19, 143, 312, 494 | cytoplasmic incompatibility in 2003 |
| larval development in, effects of dietary | DDT resistance in, genetics of 988 |
| RNA on 1476 | development in, effects of temperature on |
| malathion resistance in, in California 744 | 2120 |
| Metarhizium anisopliae in, pathogenicity | dieldrin in, effects of 2293 |
| of 581 | |
| | dieldrin resistance in, in India 117 |
| Neoaplectana carpocapsae in, infectivity of | digestion in, effects of honey on 2277 |
| Nosema alastas in infactivity of 563 | egg viability in, effects of delayed |
| Nosema algerae in, infectivity of 562 | oviposition on 544 |
| on man 1365 | Entomophthora coronata in, pathogenicity |
| Plasmodium paddae, sporogonic cycle of, | of 981 |
| in 2307 | enzymes in 717 |
| P. subpraecox, susceptibility to, in 2305 | fecundity in 2134 |

```
Culex pipiens fatigans contd.
                                                  Culex pipiens fatigans contd.
  fecundity in contd.
                                                    population dynamics of
    effects of absence of oviposition sites on
                                                      in isolated populations 1419
                                                      in Upper Volta 957
 fenthion resistance in, in Utah 767
                                                    population structure of, effects of
 flight activity in, effects of larval crowding
                                                        larviciding on 369
     on 1475
                                                    preyed on by
                                                       Poecilia reticulata
  green coloration in 2100
  hempa in, effects of 1229
                                                         and biological control using
                                                           in Burma 214
  host preferences of 2125
                                                           in Taiwan 214
  in Brazil 2100
                                                           in Thailand 214
  in Burma 214, 369, 383, 575, 707, 875,
     964, 2062
                                                    pupae of, method for separating sexes of
  in Guam 954
  in India 117, 553, 1373, 2415
in Indonesia 554
                                                    rearing of, techniques for 1789
                                                    reproductive success of, calculation of
  in Ivory Coast 1765
in Japan 1240, 2136
                                                    resting behaviour in 956
  in Kenya 396
                                                    Saint Louis encephalitis
  in Liberia 1765
                                                       virus of
  in Malaysia 2293
                                                         transmission of, by 1472
                                                         transmitted by, in Texas 961
  in Mali 1765
  in Nauru 397
                                                    serum hepatitis, transmitting antigen
                                                                   218
  in Niger Republic
                                                        related to
  in Nigeria 219
in Okinawa 387, 390
                                                    sterilisation of
                                                       chemosterilants tested for 2317
  in Philippines 1788
                                                       y-irradiation tested for 1773
  in Senegal 1765
                                                    surveillance of
                   1189
  in Sierra Leone
                                                       for viruses, in Nigeria 219
  in Singapore 2108
                                                       methods for 783
  in South Africa 1207
in Taiwan 214, 982, 2298
                                                    survival in 2134
                                                    taxonomy of
  in Tanzania 396, 1210
in Thailand 214
                                                       characters distinguishing C. p. molestus
                                                          and 1240
  in Togo 1765
                                                       characters distinguishing C. p. pallens
  in Upper Volta 787, 956-957, 1764-1765
                                                          and 1240
                                                    testes in, effects of chemosterilants on
  in USA 707, 767, 961, 1740, 2125, 2135,
     2458, 2461
  incompatibility in 1765
                                                    thiotepa in, persistence of 1489
  insecticide susceptibility in
                                                     tibial combs in 1458
                                                     traps for 2130
     in California 2458
    in West Africa 2003
                                                     Wuchereria bancrofti
  Lagenidium culicidum in, pathogenicity of
                                                       ingestion of, by 1768
                                                       isolated from, in Philippines 1788
  lipids in, during development 1228
                                                       susceptibility to, in 396, 554
  mating competitiveness in, effects of \gamma-
                                                       transmission of, by 2498
     irradiation on 1773
                                                       transmitted by
  migration in 2134
                                                         in Singapore 2108
  Nosema spp. in, localisation of 2299
                                                         in South America
                                                                             2118
  N. algerae in, infectivity of 562
                                                   Culex pipiens molestus
  N. stegomyiae in, pathogenicity of 2510
                                                     adult life-span in, effects of feeding on
  on man, allergic reaction to
                               2415, 2514
                                                        flowers and mice on 371
  ovaries in, effects of chemosterilants on
                                                     antennae in, olfactory sensilla on 985
                                                     breeding places of 1482
  overwintering in 1207
                                                     control of
  oviposition in 787
                                                       BHC for 331 '
                                                       kerosene for 331
  parous rate in, effects of control measures
      on 575
                                                       sterilants tested for 67
                                                       trichlorphon for 331
   Plasmodium juxtanucleare, transmission
      of, by 1774
                                                     densonucleosis virus in 484
  Plistophora culicis in, and biological
                                                     development in, effects of temperature on
      control using, in Nauru 397
                                                        1466
```

| Culex pipiens molestus contd. | Culex pipiens pipiens contd. |
|---|--|
| Dirofilaria immitis, susceptibility to, in | control of contd. |
| 2501 | plant extracts tested for 1467 |
| dominant lethals in, induced by y- | pyrethrins tested as repellent for 322 |
| irradiation 791 | pyrethroids tested for 1046–1047 |
| in Israel 1482, 1748, 2502 | Entomophaga destruens in, in |
| in Japan 1240 | Czechoslovakia 2278 |
| in UK 989 | fecundity in, effects of blood source on |
| in USSR 331, 1466 | 983 |
| | |
| mortality in, effects of γ -irradiation on | hosts of, in Uzbekistan 1365 |
| 791 | in Czechoslovakia 2278 |
| on flowers, survival of 1465 | in Italy 1484 |
| post-metamorphic growth in 310 | in South Africa 1207 |
| seasonal abundance of, in Israel 1748 | in USSR 141, 1365, 2031 |
| taxonomy of | on birds, in Uzbekistan 1365 |
| characters distinguishing C. p. fatigans | on cattle, in Uzbekistan 1365 |
| and 1240 | overwintering in 1207, 2031 |
| characters distinguishing C. p. pallens | Culex pipiens quinquefasciatus auct. (see C. |
| and 1240 | p. fatigans) |
| Vagoiavirus spp. in 484 | Culex portesi, in Trinidad 925 |
| Wuchereria bancrofti | Culex pseudovishnui |
| development of, in 88 | host preferences of 2275 |
| susceptibility to, in 337 | in India 404 |
| Culex pipiens pallens | in Japan 2109, 2275 |
| adult life-span in, effects of feeding on | in Malaysia 2109 |
| flowers and mice on 371 | in Taiwan 2109 |
| control of | seasonal abundance of, in Japan 2275 |
| diazinon tested for 1053 | Vellore virus, isolated from, in India 404 |
| genetic 2508 | Culex pusillus, in Sinai Peninsula 1479 |
| insecticides for 1462 | Culex quinquefasciatus auct, (see C. pipiens |
| pyrethroids tested for 1053, 2099 | fatigans) |
| diazinon resistance in, esterase activity | Culex restuans |
| and 223 | abundance of, oviposition sites for |
| Dirofilaria immitis, susceptibility to, in | determining 986 |
| 1781 | control of |
| follicular development in 1784 | fenthion tested for 374 |
| in Japan 225, 561, 1214, 1239–1240, | malathion tested for 374 |
| 1462–1463 | naled tested for 374 |
| male accessory gland in 1464 | organic phosphates tested for 374 |
| ovarian activity in | development in, effects of temperature on |
| effects of photoperiod on 1493 | 2120 |
| effects of temperature on 1493 | diapause in 209 |
| overwintering in, in Japan 561 | eastern equine encephalitis, virus of, |
| population dynamics of 1239 | isolated from, in New York 2517 |
| preyed on by, Gambusia affinis, and | in Canada 986 |
| biological control using, in Japan | in USA 209, 374, 1745, 2517 |
| 1463 | Lagenidium culicidum in, pathogenicity of |
| seasonal abundance of, in Japan 225 | 2128 |
| taxonomy of | overwintering in 209 |
| characters distinguishing C. p. fatigans | Culex rubithoracis, in Japan 2136 |
| and 1240 | Culex salinarius |
| characters distinguishing C. p. molestus | control of |
| and 1240 | fenthion tested for 374 |
| wing-length in, in Japan 561 | malathion tested for 374, 380 |
| Wuchereria bancrofti, transmitted by, in | naled tested for 374, 380 |
| Japan 1214 | organic phosphates tested for 374, 1740 |
| Culex pipiens pipiens Coolomysidium in in Uzbakistan 141 | |
| Coelomycidium in, in Uzbekistan 141 | development in, effects of temperature on |
| control of | 2120 |
| bioresmethrin tested as repellent for 322 | diapause in 209 |
| insecticides tested for 1421 | host preferences of 2125 hosts of, in Maryland 1796 |
| 1110001101100 100100 101 1721 | ANDOOD DAY ARE EVERAL PACKETES A 1 / V |

| Culex salinarius contd. | Culex tarsalis contd. |
|--|---|
| in Mexico 1468 | neurosecretory cells in, axon pathways of |
| in USA 209, 220, 374, 796, 970, 1494, | 1616 |
| 1740–1741, 1745, 1795–1796, 2125 | overwintering in 1799 |
| Nosema spp. in, localisation of 2299 | energy sources for 48 |
| overwintering in 209 | oviposition pheromone in 1801 |
| Saint Louis encephalitis, virus of, isolated | parous rate in, in California 2476 |
| from, in Illinois 220, 1494 | preyed on by |
| Venezuelan equine encephalitis, virus of, | Gambusia affinis, in California 2489 |
| isolated from, in Mexico 1468 | Notonecta undulata 1457 |
| Culex secundus, descriptions of 2116 | Reesimermis nielseni in, and biological |
| Culex sinaiticus, in Sinai Peninsula 1479 | control using, in California 966 |
| Culex sinensis, in Guam 954 | Saint Louis encephalitis |
| Culex sitiens | virus of |
| hepatitis B virus, antibodies to, in, in | isolated from, in California 2455 |
| Kenya 1461 | transmitted by, in Texas 961 |
| in Ethiopia 2140 | seasonal abundance of, in Utah 1418 |
| in Kenya 1461 | traps for 2130 |
| Culex taeniopus, in Trinidad 925 | Turlock virus, isolated from, in California |
| Culex tarsalis | 2455 |
| | western equine encephalitis |
| autogeny in 2460, 2475 | virus of |
| Bacillus thuringiensis in, in California | isolated from |
| 755, 1977 | in California 2455 |
| California encephalitis viruses, isolated | in Texas 2453 |
| from, in California 2455 | seasonal incidence of, in, in Texas |
| carbohydrates in, obtained from plant | 1770 |
| material 48 | transmitted by, in Texas 961 Culex territans |
| Coelomomyces spp. in, in Utah 766 control of | Dirofilaria immitis, transmitted by 962 |
| aliphatic amines tested for 756 | eastern equine encephalitis, virus of, |
| Dursban for 767, 1182–1184 | isolated from, in New York 2517 |
| Dursban tested for 742 | in USA 962, 1745, 2517, 2542 |
| fenthion for 742 | rearing of, techniques for 1415 |
| Flit MLO for 767 | Trypanosoma rotatorium, development of, |
| Flit MLO tested for 757, 2461 | in 1807 |
| in California 738 | Culex thalassius |
| insecticides tested for 2457 | host preferences of 799 |
| juvenile hormone analogues tested for | in Gambia 799 |
| 400 | Culex theileri |
| larvicidal oils tested for 756 | breeding places of 1482 |
| organic phosphates for 767 | in Israel 1482, 1748 |
| petroleum oils tested for 2462 | in South Africa 1207 |
| phenothiazine tested for 746 | overwintering in 1207 |
| Pluronic L-121 tested for 757 | Rift Valley fever, virus of, transmission of, |
| propoxur tested for 751 | by 2323 |
| Toxisol FLC tested for 757 | seasonal abundance of, in Israel 1748 |
| Dirofilaria immitis, transmitted by 962 feeding behaviour in, in California 2476 | Sindbis virus, transmission of, by 401 |
| feeding behaviour in, in California 2476 fenthion resistance in, in Utah 767 | West Nile virus, transmission of, by 401 Culex thriambus, in USA 2135 |
| flight activity in 2460 | Culex tigripes |
| in USA 738, 742, 744, 746, 751, | host preferences of 799 |
| 756–757, 765–767, 961–962, 966, | in Gambia 799 |
| 1182–1184, 1418, 1770, 1799, 1977, | Culex torrentium, in Denmark 1450 |
| 2135, 2450, 2453, 2455–2456, | Culex tritaeniorhynchus |
| 2461–2462, 2475–2476, 2488–2489 | activity in, effects of light intensity on 71 |
| in rice-fields, insects associated with | chromosomes in |
| 2488 | inversions on 994 |
| insecticide resistance in, in California | translocations on 995 |
| 744, 2456 | control of, genetic 55 |
| Lagenidium culicidum in, pathogenicity of | delta mutant of 1483 |
| 2128 | enzyme polymorphism in 2131 |

| Culex tritaeniorhynchus contd. hepatitis B virus, antibodies to, in, in Kenya 1461 host preferences of 799 in Gambia 799 in Guam 954 in Japan 559, 1463, 2136 in Kenya 1461 in Okinawa 387, 390 in Philippines 2107 in Thailand 1775, 1786 | Culex vishnui contd. in Japan 225, 2136 in Okinawa 387 in Taiwan 2298 Japanese encephalitis, virus of, isolated from, in Taiwan 2298 Vellore virus, isolated from, in India 404 Culex vomerifer, in Trinidad 925 Culex vorax in Japan 561, 2136 in Okinawa 387 |
|--|--|
| Japanese encephalitis virus of isolated from, in Thailand 1775 transmission of, by 1181 | overwintering in, in Japan 561 Culex weschei host preferences of 799 in Gambia 799 |
| on fowls 1181 preyed on by, <i>Gambusia affinis</i> , and biological control using, in Japan 1463 | Culex zombaensis, Rift Valley fever, virus of, transmission of, by 2323 Culicidae control of |
| seasonal abundance of, in Japan 559 sterility in, from chromosome translocations 998 Culex tritaeniorhynchus summorosus | Bacillus cereus for 2035 B. thuringiensis for 2035 biological 308 organic phosphates for 308 |
| adult life-span in, effects of feeding on flowers and mice on 371 control of, malathion tested for 2495 development in, effects of temperature on 1492 | Paris Green for 308 repellents for 2009 gustation in 1176 in Australia 2504 in Ethiopia 2114 |
| diazinon resistance in, esterase activity and 223 Dirofilaria immitis, susceptibility to, in 1781 | in Ontario 771 in Soviet Far East 2046 in USSR 87, 1631 in Uzbekistan 933 |
| flight activity in, in Japan 227 follicular development in 1783 host preferences of 2275 in Japan 116, 225–227, 762, 1449, 1490, 2275 | olfaction in 1176 soil structures favouring larvae of 73 traps for 924 culicifacies, Anopheles culiciformis, Procladius |
| in Taiwan 2298 in rice-fields, estimating populations of 1490 | Culicinae, in Siberia 2027 Culicoides antennal sensilla in 1651 |
| Japanese encephalitis, virus of, seasonal incidence of, in, in Japan 762 larval distribution pattern of 116 | cibarial armature in 1505 in Africa 1651 in Corsica 1244 |
| on cattle effects of density on feeding by 226 in Japan 226 on pigs, in Japan 1449 | in Czechoslovakia 1241–1242 in Kazakhstan 410 in Morocco 582, 1245 in Polynesia 2147 |
| seasonal abundance of, in Japan 225, 762, 2275 | in Taiwan 413 in USA 237 |
| Culex univittatus breeding places of 1482 host preferences of 799 in Gambia 799 | in Virginia 237 keys to 413 on horses in Queensland 1072 |
| in Israel 1482, 1748, 2502 in South Africa 1207 morphology of 2333 | symptoms of feeding by 1072 on man, in Madagascar 863 traps for 1003 |
| overwintering in 1207 seasonal abundance of, in Israel 1748 Culex vigilax Skuse, 1889, placed on | Culicoides anophelis Anopheles balabacensis, attachment of, to, in Taiwan 413 |
| Official List 1791 Culex vishnui in India 404 | A. maculatus, attachment of, to, in Taiwan 413 |

in South Africa 1808

in USSR 2341

Culicoides arubae Culicoides machardyi in USSR 2339 in USA 1002 on horses, in Texas 1002 Mermithoidea in, in Buryatia 2339 Culicoides belkini Culicoides marmoratus biology of 2342 sp. n., description of 2147 in Australia 2342 in Polynesia 2147 in Society Islands 2147 Culicoides melleus Culicoides chaetophthalmus, in in USA 1005 mating behaviour in 1005 Czechoslovakia 1241 Culicoides circumscriptus, in Morocco 582 Culicoides milnei Culicoides corsicus in South Africa 1808 sp. n., description of 1244 on horses, in South Africa 1808 Culicoides nebeculosus in Corsica 1244 in USSR 2341 Culicoides crepuscularis, maxillary palps in, taxonomy of pits on 584 Culicoides obsoletus Culicoides denningi in USSR 410 geographic variation in 5 maxillary palps in, pits on 584 in USA 5 Culicoides odibilis Culicoides diabolicus, in Trinidad 412 in USSR 2339 Culicoides distinctipennis Mermithoidea in, in Buryatia 2339 in South Africa 1808 Culicoides okumensis, in USSR 410 on birds, in South Africa 1808 Culicoides pallidicornis, in USSR 84 Culicoides fascipennis Culicoides pallidipennis in USSR 84, 333, 2339 in South Africa 1808 Mermithoidea in, in Buryatia 2339 on cattle, in South Africa 1808 seasonal abundance of, in USSR 333 on horses, in South Africa 1808 Culicoides foxi, in Trinidad 412 on sheep, in South Africa 1808 Culicoides furens Culicoides polynesiae sp. n., description of 2147 in Samoa 2147 control of, insecticides tested for 2148 in Trinidad 412 in USA 2148 Culicoides pulicaris Culicoides grisescens in USSR 84, 87, 2339 in USSR 333, 410, 2339 Mermithoidea in, in Buryatia 2339 Mermithoidea in, in Buryatia 2339 Culicoides pulicaris punctatus (see C. seasonal abundance of, in USSR 333 punctatus) Culicoides guttipennis Culicoides punctatus feeding activity in 1503 in USSR 333 in USA 1503 seasonal abundance of, in USSR 333 maxillary palps in, pits on 584 Culicoides puncticollis Culicoides haematopotus, maxillary palps in, in Morocco 582 pits on 584 in USSR 2341 Culicoides halophilus, in Morocco 582 taxonomy of 2341 Culicoides helveticus Culicoides pusillus, in Trinidad 412 in USSR 410, 2339 Culicoides pycnostictus Mermithoidea in, in Buryatia 2339 in South Africa 1808 on birds, in South Africa 1808 Culicoides hieroglyphicus geographic variation in 5 Culicoides remmi, sp. n., described from in USA Rumania 2 Culicoides hollensis Culicoides riethi control of, insecticides tested for 2148 in USSR 2341 in USA 2148 life-cycle of 904 morphology of 904 Culicoides impunctatus in Germany 238 taxonomy of 2341 on man, in Germany 238 Culicoides samoensis Culicoides insulanus, in Polynesia 2147 sp. n., description of 2147 Culicoides jamesi in Samoa 2147 geographic variation in 5 Culicoides sanguisuga in USA 5 feeding activity in 1503 Culicoides longicollis in USA 1503 sp. n., description of 2341 Culicoides schultzei

| au | 0.11 |
|---|--|
| Culicoides schultzei contd. | Culiseta incidens contd. |
| on cattle, in South Africa 1808 | development in, unaffected by absence of |
| | |
| Culicoides setosus | light 389 |
| descriptions of 2 | in Alaska 1414 |
| in Germany 238 | in USA 765–766, 2135, 2461 |
| | |
| in Rumania 2 | larval development in, effects of salinity |
| on man, in Germany 238 | on 2133 |
| Culicoides sibiricus | rearing of, diets for 2127 |
| in USSR 2339 | Culiseta inornata |
| | |
| Mermithoidea in, in Buryatia 2339 | control of |
| Culicoides similis | aliphatic amines tested for 756 |
| group of | Flit MLO tested for 757 |
| | larvicidal oils tested for 756 |
| characters of 236 | |
| in Ethiopian region 236 | methods for testing insecticides for |
| Culicoides sordidellus, in Greenland 1080 | 1225 |
| Culicoides sphagnumensis | Pluronic L-121 tested for 757 |
| in USSR 2339 | Toxisol FLC tested for 757 |
| | |
| Mermithoidea in, in Buryatia 2339 | development in, effects of temperature on |
| Culicoides variipennis | 2120 |
| blue-tongue disease, virus of, storage of, in | hosts of, in Florida 760 |
| 1501 | in USA 756-757, 760, 765, 1418, 2135 |
| | |
| Buttonwillow virus, isolated from, in | seasonal abundance of, in Utah 1418 |
| California 411 | Culiseta litorea, DNA in, related to |
| in USA 411 | taxonomy 1079 |
| Lokern virus, isolated from, in California | Culiseta longiareolata |
| 411 | |
| | breeding places of 80, 1482 |
| Main Drain virus, isolated from, in | in Israel 1482 |
| California 411 | in Italy 965 |
| maxillary palps in, pits on 584 | in Sinai Peninsula 1479 |
| on horses, symptoms of feeding by 1735 | in USSR 494 |
| | |
| rearing of, apparatus for, feeding adults of | Plistophora culicis in, in Italy 965 |
| 1243 | Culiseta melanura |
| culinae, Dermatophagoides (see D. farinae) | biology of 1767 |
| Culiseta | eastern equine encephalitis |
| | virus of |
| Beauveria tenella in, infectivity of 2472 | |
| breeding places of 496 | isolated from |
| control of 496 | in Maryland 1795 |
| eggs of 2334 | in New Jersey 1410 |
| feeding behaviour in, on fruit 1420 | in Texas 2453 |
| hasta of in Casabaslavalia 1750 | |
| hosts of, in Czechoslovakia 1758 | transmitted by, in Maryland 1797 |
| in New York 1745 | hosts of |
| Plistophora culicis in, infectivity of 965 | in Florida 760 |
| Culiseta alaskaensis | in Maryland 1796 |
| biology of 1414 | in USA 760, 1410, 1741, 1745, 1767, |
| | 1705 1707 2452 |
| in Alaska 1414 | 1795–1797, 2453 |
| in USSR 19, 87 | western equine encephalitis |
| Culiseta annulata | virus of |
| in Czechoslovakia 580 | isolated from, in Maryland 1795 |
| in Israel 1748 | transmitted by, in Maryland 1797 |
| in laraci 1740 | |
| in Italy 2103 | Culiseta minnesotae (see C. silvestris |
| seasonal abundance of, in Israel 1748 | minnesotae) |
| Tahyňa virus | Culiseta morsitans dyari |
| seasonal incidence of, in, in | eastern equine encephalitis, virus of, |
| | isolated from, in New York 2517 |
| Czechoslovakia 580 | |
| transmission of, by 1204 | in Alaska 1414 |
| Culiseta bergrothi, in USSR 19 | in USA 711, 2517 |
| Culiseta impatiens | sampling of, sweep netting for 711 |
| biology of 1414 | Culiseta ochroptera, in USSR 19 |
| in Alaska 1414 | |
| | |
| Culiseta incidens | Culiseta silvestris minnesotae |
| Coelomomyces spp. in, in Utah 766 | in Canada 1217 |
| control of Elit MI O tested for 2461 | in LISA 708 |

Culiseta tonnoiri Cyclopropanecarboxylic acid, 3-Coxsackie A6 virus, transmission of, by (cyclopentylidenemethyl)-2,2-dimethyl-Whataroa virus, muliplication of, in (5-benzyl-3-furyl)methyl ester, trans-(+)-2142 contd. cuniculi, Psoroptes against contd. cuniculi, Spilopsyllus Aedes aegypti 1361 cuprina, Lucilia Cyclopropanecarboxylic acid, 2,2-dimethyl-3-(2-methylpropenyl)- (see (Phaenicia) currani, Hippelates Chrysanthemic acid) curviseta, Sinella Cygon (see Dimethoate) Cusol A (see Quinoline, 1-acetyl-1,2,3,4-Cynictis penicillata, Cordylobia tetrahydro-) anthropophaga infesting, in South Africa cuspidatus, Eratyrus Cuterebra, control of, insecticides tested for Cynock (see Cyanophos) Cynolebias bellottii 425 Cuterebra emasculator, life history of 1023 preying on cyanea, Aeshna midges 2483 cyanella, Dasyphora mosquitos 2483 cyanescens, Psorophora and biological control using 1436 Cyanophos Cynomys ludovicianus, Opisocrostis hirsutus infesting, in Colorado 362 against Blattella germanica 1985 cynotis, Otodectes Musca domestica 1985 Cyprinodon variegatus, preying on, mosquito Periplaneta fuliginosa 1985 larvae, and biological control using, in New Jersey 1424 Cyclethrin Cyprinus carpio against Aedes aegypti 1361 preying on Musca domestica 1361 midges 2483 Cyclohexane, 1,2,3,4,5,6-hexachloro- (see mosquitos 2483 BHC) cyprium, Amblyomma Cyclohexylamine, N-alkyl(C12-C14)-Czechoslovakia repellent for Aedes annulipes in 1446 Aedes cantans in 1203, 1446 Ornithodoros tholozani 203, 1911 A. rossicus in 2098 A. vexans in 1203 Xenopsylla cheopis 203 Cyclohexylamine, N-[2-(pchlorophenoxy)ethyl]-, repellent for, viruses in 580 Central European tick-borne encephalitis Xenopsylla cheopis 203 Cyclopentanecarboxylic acid, 3-isopropyl-1in 1058 Culex modestus in 999 methylrepellent for C. pipiens in, natural enemies of 2278 Culicoides spp. in 1241-1242 Blattella germanica 321-322 Periplaneta americana 321-322 Culiseta annulata in, viruses in 580 Supella longipalpa 322 Dermacentor marginatus in 135, 664 o-cyclopentylphenyl methylcarbamate, Dermatophagoides farinae in, in house against, Anopheles quadrimaculatus dust 1305 D. pteronyssinus in, in house dust 1305 Cyclopropane, 1,1-bis(p-chlorophenyl)-2,2-Haemaphysalis punctata in 63, 135 dichloro-Ixodes ricinus in 664, 1058 against mosquitos in 992 Aedes nigromaculis 753 hosts of 1758 A. vexans 753 Musca domestica in 2192 Anopheles freeborni 753 Pediculus humanus in, on man 2086 Culex pipiens 753 Pulex irritans in, on pigs 1167 Cyclopropaneacrylic acid, 3-carboxy-\alpha,2,2-O fever in 135 trimethyl-, 1-methyl ester (see Pyrethric Sarcoptes scabiei in, on man 2086, 2229 Simuliidae in 1509 Cyclopropanecarboxylic acid, 3-Simulium spp. in, on horses 2522 (cyclopentylidenemethyl)-2,2-dimethyl-Tahyňa virus in 1203 (5-benzyl-3-furyl)methyl ester, trans-(+)ticks in 665 against Tyrophagus putrescentiae in, in house

dust 1305

Musca domestica 1361

| · | |
|--|--|
| dacica, Forcipomyia | DDT |
| dacotensis, Cnephia | against |
| daghestanicus, Dermacentor | Acarus siro 2220 |
| Dahomey, sleeping sickness in 895 | Aedes communis 488 |
| dama, Onthophagus | A. hexodontus 488 |
| Damalinia bovis | A. melanimon 752 |
| control of | |
| | A. nigromaculis 753 |
| diazinon for 355 | A. pionips 488 |
| Dursban tested for 1712 | A. punctor 488 |
| insecticides for 353 | A. rossicus 2098 |
| juvenile hormone analogues tested for | Aedes vexans 752-753 |
| 2084 | Alphitobius diaperinus 1313 |
| malathion for 355 | Amblyomma americanum 2050 |
| development in, effects of juvenile | Anopheles spp. 231 |
| hormone analogues on 2268 identification of 1694 | A. farauti 1776 |
| in Australia 353, 355 | A. fluviatilis 959 A. freeborni 753 |
| | |
| in Germany 937 in New Zealand 1137, 1712 | A. koliensis 1776 |
| on cattle | Anopheles labranchiae 557, 1187, 1329 |
| | |
| in Germany 937 in New South Wales 353 | Anopheles maculatus 959, 2145 |
| in New Zealand . 1137, 1712 | A. maculipennis 159 A. punctulatus 1776 |
| in Tasmania 355 | Anopheles stephensi 768–769 |
| symptoms of infestation with 1694 | A. superpictus 1188 |
| rearing of, techniques for 357 | |
| Damalinia caprae | Blattella germanica 1377, 2262 Boophilus annulatus 2206 |
| control of, dichlorvos tested for 2085 | B. microplus 2206 |
| in USA 2085 | Coquillettidia richiardii 785 |
| on goats, in Texas 2085 | Culex pipiens 312, 753, 1462 |
| Damalinia crassipes | Dermatophagoides farinae 475 |
| control of, dichlorvos tested for 2085 | D. pteronyssinus 2220 |
| in USA 2085 | Dermestes ater 1314 |
| on goats, in Texas 2085 | Glossina morsitans 1019, 2156–2157 |
| Damalinia limbata | Glossina pallidipes 607, 1018 |
| control of, dichlorvos tested for 2085 | G. swynnertoni 607 |
| in USA 2085 | Glossina tachinoides 2156-2157 |
| on goats, in Texas 2085 | Glycyphagus destructor 2220 |
| Damalinia ovis | Haematobia irritans 1868 |
| biology of, reared off host 946 | Hypoderma bovis 1021 |
| control of | H. lineatum 1021 |
| chlorfenvinphos tested for 2060 | Ixodes persulcatus 156-158, 487 |
| insecticides tested for 1384 | Leptoconops kerteszi 800 |
| in New Zealand 1138 | L. spinosifrons 585 |
| in South Africa 358 | mosquitos 159, 2110-2111 |
| on sheep | Musca autumnalis 321-322 |
| in New Zealand 1138 | Musca domestica 257, 1535, 1886 |
| in South Africa 358 | Pediculus humanus 110, 354, 948 |
| damnosum, Simulium | Phthirus pubis 110 |
| darlingi, Anopheles | scorpions 2234 |
| Dasyhelea dufouri | Trichoptera 132 |
| biology of 1004 | Vespula germanica 643 |
| in UK 1004 | V. vulgaris 643 |
| Dasyphora cyanella | biochemistry of 1103 |
| control of 821 | in Anopheles pharoensis, effects of 702 |
| in dwellings 821 | in Blaberus discoidalis, effects of 1360 |
| Dasypus novemcinctus, Trypanosoma cruzi, | in Blattella germanica, effects of 942 |
| isolated from, in Panama 2270 | in cattle |
| Datura stramonium, extracts of, against, | effects of 1073 |
| Culex pipiens 1467 | persistence of 645 |
| DDD, against, Trichoptera 132 | in eggs, residues of 2425 |
| p.pDDE, residues of, in man, in Utah 694 | in food-chains 886 |

| DDT contd. | Decanoic acid |
|---|--|
| in fowls, residues of 164 | repellent for, Ornithodoros tholozani |
| in Glossina morsitans, effects of 1122 | 1911 |
| in Musca domestica, effects of 40, 442, | ethyl ester, against, Aedes aegypti 1178 |
| 1044, 2251 | methyl ester |
| in Periplaneta americana, effects of 1364 | against 1179 |
| in Poecilia reticulata, toxicity of 1453 | Aedes aegypti 1178 Musca domestica 1179 |
| in reservoirs non-target effects of 305 | 2-Decenoic acid |
| residues of 305 | (E)-, against, Aedes aegypti 1178 |
| in soil, residues of 1218 | methyl ester, (E) - |
| in water, residues of 2587 | against |
| resistance to, in | Aedes aegypti 1178 |
| Aedes albopictus, in Vietnam 2132 | Musca domestica 1179 |
| A. melanimon, in California 752 | decens, Culex |
| Anopheles albimanus, in El Salvador | declarator, Culex |
| 1441 | decoloratus, Boophilus decorum, Simulium |
| A. annularis, in India 1186 | Deer, Culiseta melanura feeding on, in |
| A. gambiae | Maryland 1767 |
| in Senegal 1488 | Deer, roe (see Capreolus capreolus) |
| in Sudan 1488 | Deer, sika (see Cervus nippon) |
| in Togo 1488 | Deer, Timor (see Cervus timorensis) |
| in Upper Volta 1488 inheritance of 1488 | Deet 202 |
| A. pharoensis, in Egypt 318 | formulations of 302 in mammals |
| A. sacharovi | metabolism of 688 |
| in Azerbaijan 313 | poisoning with 688 |
| in Iraq 231 | persistence of 304 |
| in Syria 231 | repellent for |
| Anopheles stephensi, in Iraq 231, | Aedes spp. 161, 302 |
| 768–769 | Aedes aegypti 788, 2316 |
| Anophelines, in Rumania 1329 | Ceratophyllus tesquorum 161 |
| Blattella germanica 1383 Boophilus decoloratus, in southern | Hyalomma asiaticum 1577 H. detritum 1577 |
| Africa 650 | H. dromedarii 1577 |
| Cimex lectularius | Ixodes persulcatus 301 |
| in Libya 729 | mosquitos 2112 |
| in Rumania 530 | Musca domestica 161 |
| Culex pipiens, genetics of 988 | Ornithodoros tholozani 301 |
| Musca domestica 426 | Rhipicephalus turanicus 1577 |
| exposed to sodium arsenate 162 in Rumania 1329 | Simulium spp. 302 Stomoxys calcitrans 2316 |
| in Thailand 257 | Xenopsylla cheopis 203 |
| Pediculus humanus | specifications for 1986 |
| in Burundi 1388 | Deinocerites atlanticus |
| in Egypt 948 | descriptions of 967 |
| Protophormia terraenovae 1668 | in Venezuela 967 |
| Pulex irritans, in Czechoslovakia 1167 | taxonomy of, misidentified as <i>D. spanius</i> , in Venezuela 967 |
| Xenopsylla cheopis, in Egypt 319 specifications for 695, 1986 | Deinocerites magnus |
| toxicology of 497 | descriptions of 967 |
| o,p'-DDT, resistance to, in, Culex pipiens, | in Venezuela 967 |
| genetics of 988 | Deinocerites melanophylum |
| p,p-DDT | descriptions of 967 |
| against, Ixodes ricinus 1294 | in Venezuela 967 |
| in man, residues of, in Utah 694 in Musca domestica, penetration of 1025 | taxonomy of, misidentified as <i>D. pseudes</i> , in Venezuela 967 |
| resistance to, in, Culex pipiens, genetics of | Deinocerites pseudes |
| 988 | distribution of 207 |
| DDVF (see Dichlorvos) | host preferences of 2499 |
| DDVP (see Dichlorvos) | in Costa Rica 1206 |

| Deinocerites pseudes contd. | Demodex folliculorum |
|---|--|
| in Costa Rica 1206 | control of, trichlorphon tested for 682 |
| in Nicaragua 2499 | on dogs, symptoms of infestation with |
| in Panama 967 | 681 |
| taxonomy of, Deinocerites melanophylum | Demodex ghanensis |
| misidentified as, in Venezuela 967 | in Ireland 1972 |
| Venezuelan equine encephalitis | on cattle, in Ireland 1972 |
| virus of | Demodex phylloides |
| isolated from, in Costa Rica 1206 | in Australia 857 |
| potential vector of, in Panama 207 | on pigs |
| transmission of, by 207 | in Western Australia 857 |
| Deinocerites spanius, taxonomy of, | symptoms of infestation with 678 |
| Deinocerites atlanticus misidentified as, | Demodex pseudaxis, taxonomy of, synonym |
| in Venezuela 967 | of <i>D. cervi</i> 1950 |
| Delaware | Demodicosis 204 |
| Chrysops fuliginosus in 272 | actiology of 294 |
| Trachelas tranquillus in, on man 2577 | pathogenesis of 294 DEMP (see Phosphine sulfide, bis(1- |
| Delia platura (see Hylemya) | aziridinyl)methyl-; or Bis(1- |
| deliense, Leptotrombidium | aziridinyl)methylphosphine sulphide) |
| Delnav (see Dioxathion) | Dengue Dengue |
| Delphacidae, on man, in Madagascar 863 | Aedes aegypti, control of, and, in |
| delponteianum, Simulium | Americas 780 |
| Demodex | in Indonesia 893 |
| control of 2433 | in Surinam 893 |
| dermatophilosis, role of, in 1570 | Dengue haemorrhagic fever, epidemiology o |
| life-cycle of 294 | 1308 |
| morphology of 294 | Dengue type 1 virus |
| on cattle | Aedes aegypti, transmission of, by 1238 |
| in Ghana 1970 | A. albopictus, development of, in 1000 |
| in Ireland 1972 in Sudan 2223 | Dengue type 2 virus Aedes albopictus, development of, in |
| on Cricetus auratus, in Tennessee 2228 | 1000 |
| on pigs 2433 | A. luteocephalus, isolated from, in Nigeri |
| on sheep, in Sudan 2223 | 393 |
| Demodex aurati | isolation of 1785 |
| in UK 1953 | Dengue type 4 virus |
| on Cricetus auratus, in UK 1953 | Aedes aegypti |
| Demodex bovis | isolated from, in India 115 |
| in Ethiopia 471 | transmission of, by 1238 |
| in Ireland 1972 | A. albopictus, development of, in 1000 |
| in Kenya 471 | Denmark |
| in Tanzania 471 in Uganda 471 | Aedes communis in 1450, 1471 A. punctor in 1450 |
| in Zaïre 471 | Culex torrentium in 1450 |
| on cattle | Musca domestica in, natural enemies of |
| in East Africa 471 | 1027 |
| in Ireland 1972 | denningi, Culicoides |
| lesions caused by 471 | dentata, Sergentomyia |
| transmission of 1952 | dentatus, Aedes |
| Demodex canis | dentipes, Hydrotaea |
| control of, trichlorphon tested for 470 | dentus, Procladius |
| in dogs, artificial infestation with 674 | Deodorants, repellency of, to cockroaches |
| on dogs, symptoms of infestation with | 349 |
| 675 | depressa, Libellula |
| Demodex cervi | Dermacentor in Czechoslovakia 665 |
| on Cervus elaphus 1950 taxonomy of, Demodex pseudaxis as | in Japan 13 |
| synonym of 1950 | in Korea 13 |
| Demodex criceti | in Ryukyu Islands 13 |
| in UK 1953 | in Turkey 852 |
| on Cricetus auratus, in UK 1953 | proteins in, taxonomic differences in 8 |
| | |

in Azerbaijan 1968

Dermacentor contd. Dermacentor occidentalis contd. seasonal abundance of, in Malaysia 1940 Coxiella burneti, isolated from, in California 662 Dermacentor albipictus control of, acaricides tested for 2206 in USA 515, 662 cytogenetics of 1063 Dermacentor pictus in USSR 17, 647, 2401 Dermacentor andersoni control of 1926 Mycobacterium bovis, persistence of, in disease transmission by 1926 haemolymph in, sugars in 2219 Rickettsia sibirica in Canada 2209 detection of, in 97 in North America 1926 effects of immune bodies on, in 2024 in USA 515 tick-borne encephalitis, virus of, transmission of, by 2019, 2396 on Alces alces 2209 on Canis latrans, symptoms of infestation tularaemia with 2209 role of, in on Erethizon dorsatum 2209 in Siberia 2401 on Marmota monax, in British Columbia in USSR 17 Dermacentor reticulatus central European tick-borne encephalitis, on Mephitis mephitis, symptoms of infestation with 2209 role of, in 666 on Mustela putorius 2209 descriptions of 459 on Odocoileus hemionus, in British in UK 459 Columbia 2209 tick-borne encephalitis, virus of, transmission of, by 1939 Rickettsia prowazekii, infectivity of, for Dermacentor silvarum habitats of 172 in USSR 172 Dermacentor daghestanicus in Iran 1372 Dermacentor variabilis in USSR 85, 94 seasonal abundance of, in Turkmenia 85 control of tularaemia, agent of, isolated from, in acaricides tested for 1302, 1984 USSR 94 in USA 687 Dermacentor marginatus distribution of, on small mammals 2204 in USA 297, 346, 687, 1942, 2204 Aujeszky's disease, virus of, transmission on Peromyscus leucopus, in Virginia of, by 1061 central European tick-borne encephalitis 2204 on Sturnus vulgaris, in California 297 role of, in 666 on wild pigs, in USA 346 virus of, isolated from, in Bulgaria 663 Rocky Mountain spotted fever, role of, in, Coxiella burneti, isolated from, in in USA 1942 Czechoslovakia 135 Dermacentroxenus sibirica (see Rickettsia) in Bulgaria 663 in Czechoslovakia 135, 664 Dermanyssidae, on birds, in USSR 138 in Iran 1372 Dermanyssus avium (see D. gallinae) in Italy 2217 Dermanyssus gallinae in USSR 17, 148 biology of 1955 on goats, in Bulgaria 663 control of on sheep, in Bulgaria 663 acaricides for 2203 Rickettsia sibirica, isolated from, in acaricides tested for 2224 Siberia 148 carbamates tested for 680 dichlorvos for 292 phosmet tested for 680 rickettsiae detection of, in 1937 isolated from, in Czechoslovakia 664 propoxur tested for 1955 localisation of, in 1913 sulphadimethoxine tested for tick-borne encephalitis, virus of, trichlorphon tested for 680 transmission of, by 1939, 2019 fowl-pox, virus of, isolated from, in Azerbaijan 1968 tularaemia, role of, in, in USSR 17 in Germany 1955 Dermacentor nuttalli in USSR 138, 1968, 2224 in USSR 657 tick-borne rickettsiosis, role of, inn USSR in vitro feeding of 1957 on birds, in USSR 138 Dermacentor occidentalis on fowls effects of 292, 1955

Colorado tick fever, virus of, isolated from, in Oregon 515

| Subject Index | /93 |
|---|---|
| Dermanyssus gallinae contd. | Dermatophagoides pteronyssinus contd. |
| on fowls contd. | in Czechoslovakia 1305 |
| in USSR 2224 | in France 1587-1588 |
| on man 138 | in Netherlands 1586 |
| Dermanyssus grochovskae | in New Zealand 1141 |
| in USSR 138 | in Spain 858, 1971 |
| on birds, in USSR 138 | in dwellings, in Spain 1971 |
| Dermanyssus hirundinis | in house dust |
| in USSR 138 | competing with other mites 2220 |
| on birds, in USSR 138 | effects of fungi on 1951 |
| Dermanyssus passerinus | in Czechoslovakia 1305 |
| in USSR 138 | in France 1587–1588 |
| on birds, in USSR 138 | in Netherlands 1586 |
| Dermanyssus quintus | in New Zealand 1141 |
| in USSR 138 | in Spain 858 |
| on birds, in USSR 138 | on man, allergic reaction to 1589–1590, |
| Dermatobia hominis | 2573 |
| in Brazil 1879 | rearing of, techniques for 1587 |
| in Honduras 2358 | Dermatophilosis |
| Musca pruna carrying eggs of, in | Amblyomma variegatum, role of, in |
| Honduras 2358 | 1569 |
| on man, in Brazil 1879 | Chorioptes spp., role of, in 1570 |
| oviposition in 2358 | Demodex spp., role of, in 1570 |
| Dermatophagoides | epidemiology of 1569–1570 |
| on man | Tabanidae, role of, in 1570 |
| allergic reaction to 1958, 2222 | Dermatophytosis |
| diagnosis of 483 in Lithuania 483 | flies, role of, in 1695 |
| Dermatophagoides chelidonis, control of, by | lice, role of, in 1695 |
| exposure to low temperatures 1367 | mites, role of, in 1695 |
| Dermatophagoides culinae (see D. farinae) | Dermestes ater |
| Dermatophagoides farinae | Acuaria hamulosa, intermediate host of |
| control of, low temperatures for 475, | 2201 |
| 1367 | Choanotaenia infundibulum, intermediate |
| in Canada 475 | host of 1314 |
| in Czechoslovakia 1305 | control of |
| in Egypt 1959 | aldrin tested for 1314 |
| in France 1587–1588 in New Zealand 1141 | γ BHC tested for 1314 DDT tested for 1314 |
| in USA 2408 | malthion tested for 1314 |
| in house dust | trichlorphon tested for 1314 |
| effects of fungi on 1951 | in Cuba 2201 |
| in Czechoslovakia 1305 | Raillietina cesticillus, intermediate host of |
| in Egypt 1959 | 1314 |
| in France 1587-1588 | Tropisurus confusus, intermediate host of |
| in New Zealand 1141 | 2201 |
| in Quebec 475 | Descurainia sophia, mucilaginous seeds of, |
| on guineapig, allergic reaction to 1964 | tested as mosquito larvicides 759 |
| on man, allergic reaction to 1583, | desertorum, Simulium, (Tetisimulium) |
| 1589–1590, 1959–1960, 2408 peritrophic membrane in 473 | despectus, Paraphaenociadius |
| rearing of | destructor, Glycyphagus destructor, Monomorium |
| media for 2408 | DETA (see Deet) |
| techniques for 1587 | detritum, Hyalomma |
| taxonomy of 670 | detritus, Aedes |
| Dermatophagoides microceras, control of, by | Dextrose, against, Musca domestica 438 |
| exposure to low temperatures 1367 | Dhori virus, Hyalomma dromedarii, isolated |
| Dermatophagoides pteronyssinus | from, in Egypt 2561 |
| control of | diabolicus, Culicoides |
| y BHC tested for 2220 | N,N-diallyl-P-(1-aziridinyl)-P-(2-methyl-1- |
| by exposure to low temperatures 1367 | aziridinyl)phosphinothioic amide, |
| | |

Dibutyl butanephosphonate, repellent for, 1,8-Diamino-4,5-bis(dibutylamino)anthraqui-Ornithodoros tholozani 1911 none, in Aedes aegypti, effects of 1477 2,6-Di-t-butyl-4- $(\alpha,\alpha$ -dimethylbenzyl)phenol diana, Hypoderma diaperinus, Alphitobius against Aedes aegypti 1447, 1498 Diazinon Aedes nigromaculis 400, 2465 against Achaearanea tepidariorum 1984 Anopheles albimanus 1447 Aedes aegypti 1053 A. stephensi 1447 Culex pipiens 400, 1447 A. vexans 1421 C. tarsalis 400 Amblyomma americanum 2050 Anopheles labranchiae 557, 2260 Psorophora confinnis 378 in rice-fields, non-target effects of 378 Anopheles maculipennis 557, 2260 A. stephensi 769 N, N-dibutylpentanamide (RC-28) repellent for Blattella germanica 192, 1147-1148, Ixodes persulcatus 301 1984–1985, 2083 Boophilus annulatus 850 Ornithodoros tholozani 301 Boophilus microplus 850, 2394 Dichlofenthion, in soil, mobility of 696 Cimex lectularius 729 p-dichlorobenzene Culex pipiens 557, 1053, 1421-1422, against Hypoderma bovis 1119 1462 H. lineatum 1119 Culicoides furens 2148 3,3'-Dichloro-5,5'-dinitro-o,o'-biphenol, C. hollensis 2148 Damalinia bovis 355 against, Hypoderma spp. 1862 Haematopinus eurysternus 355 1,1-Di(p-chlorophenyl)-2,2lice 353 dichlorocyclopropane, against, mosquitos Linognathus vituli 355 753 Loxosceles reclusa 476 **Dichlorvos** Lucilia cuprina 1053 against Musca domestica 257, 618, 630, 1053, Aedes communis 488 1984-1985 A. hexodontus 488 Periplaneta fuliginosa 1985 A. pionips 488 A. punctor 488 Psoroptes ovis 859 Sarcophaga peregrina 1053 Anopheles stephensi 769 Solenopotes capillatus 355 Argas persicus 2203 Tabanus iyoensis 439 Blattella germanica 192, 1984-1985, T. lineola 2148 T. nigrovittatus 2148 Culex pipiens 1422, 1462 Telmatoscopus albipunctatus 1053 Damalinia caprae 2085 Trichoptera 132 Vespula spp. 1984 D. crassipes 2085
D. limbata 2085 Dermanyssus gallinae 292, 2203 Wohlfahrtia magnifica 258 degradation products of, toxicity of 2239 fleas 687 in cattle, effects of 1073 Gasterophilus intestinalis 816, in Musca domestica, metabolism of 1124 1268-1270 in Poecilia reticulata, toxicity of 1453 Gasterophilus nasalis 816, 1269–1270 in salt-marshes, non-target effects of Glossina austeni 248 2148 Hippelates spp. 1276 Loxosceles reclusa 862 in turkeys, toxicity of 1315 in water, residues of 2587 Lucilia cuprina 1041 resistance to, in mosquitos 687 Musca autumnalis 1043 Blattella germanica 192, 1383 Musca domestica 257, 618, 1984-1985 in Connecticut 2083 Culex pipiens 223 nematodes 1269 C. tritaeniorhynchus 223 Pediculus humanus 524 Musca domestica 57, 175, 2179 mechanism of 440 Periplaneta fuliginosa 1985 Simulium pictipes 599 Tabanidae 1035 specifications for 1986 Diazoxon (see Phosphoric acid, diethyl 2-Tabanus iyoensis 439 isopropyl-6-methyl-4-pyrimidinyl ester or Vespula spp. 1984 Diethyl 2-isopropyl-4-methyl-6-V. germanica 643 V. vulgaris 643 pyrimidinyl phosphate) Dibrom (see Naled) Xenopsylla cheopis 2447

| oubject index | 19 |
|---|--|
| Dichlorvos contd. | Dieldrin contd. |
| in cattle | against contd. |
| effects of 1073 | Glossina contd. |
| residues of 163 | G. pallidipes 1018 |
| toxicity of 2240 | Glossina tachinoides 422, 2156–2157 |
| in dogs | Leptoconops kerteszi 800 |
| effects of 690, 884 | Loxosceles reclusa 476 |
| toxicity of 1322–1323 | Lucilia spp. 1883 |
| in guineapig, toxicity of 2240 | mosquitos 2110 |
| in mice, toxicity of 2240 | Musca domestica 257, 1883, 1985 |
| in milk | Periplaneta fuliginosa 1985 |
| determination of 1605 residues of 1605 | Rhodnius prolixus 54 scorpions 2234 |
| in pigs, residues of 163 | Tyrophagus putrescentiae 672 |
| in sheep, toxicity of 2240 | Wohlfahrtia magnifica 258 |
| resistance to, in, Anopheles albimanus, in | biochemistry of 1103 |
| El Salvador 233 | in Blattella germanica, effects of 1364 |
| specifications for 1986 | in cattle, effects of 1073 |
| toxicology of 491 | in Culex pipiens, effects of 2293 |
| use of | in eggs, residues of 2425 |
| health hazards from 1319–1320 | in man, residues of, in Utah 694 |
| in dwellings 1994 Dichotomius carolinus | in <i>Musca domestica</i> effects of 1044 |
| in USA 2199 | enzyme induction by 916 |
| in cattle dung, effects on nematodes of | in Periplaneta americana |
| 2199 | effects of 521, 914 |
| Dicresyl (see Carbamic acid, methyl-, m- | transport of 323 |
| tolyl ester and p-tolyl ester or m-Tolyl | in water, residues of 2587 |
| methylcarbamate and p-Tolyl | in woodland, non-target effects of 689 |
| methylcarbamate) | resistance to, in |
| Dicrocoelium dendriticum | Aedes aegypti |
| Formica fusca, isolated from, in Bulgaria | in Ghana 2291 in Tanzania 733 |
| F. pratensis, isolated from, in Bulgaria | A. albopictus, in Vietnam 2132 |
| 1568 | Anopheles pharoensis, in Egypt 318 |
| Dicrocoelium lanceatum, ants, role of, in | A. stephensi, in Iraq 231 |
| epidemiology of, in Uzbekistan 1056 | Anophelines, in Rumania 1329 |
| Dicrocoelium lanceolatum | Cimex lectularius 1329 |
| Formica pratensis, intermediate host of | in Libya 729 |
| 2385 | in Rumania 530 |
| Zebrina detrita, intermediate host of 2385 | Culex pipiens, in India 117 Musca domestica |
| Dicrotendipes californicus (see Chironomus) | in Thailand 257 |
| 2-Dicyclohexylaminoethanol, repellent for, | mechanism of 2182 |
| Ornithodoros tholozani 1911 | Pulex irritans, in Czechoslovakia 116 |
| Didelphis marsupialis, Trypanosoma cruzi, | Rhodnius prolixus, in Venezuela 723 |
| isolated from, in Panama 2270 | Xenopsylla cheopis, in Egypt 319 |
| 1,5-Di(2,4-dimethylphenyl)-3-methyl-1,3,5- | specifications for 695, 1986 |
| triazapenta-1,4-diene, acaricidal activity | Diethyl 3-chloro-4-methyl-7-coumarinyl |
| of 1099 Dieldrin | phosphate, against, Boophilus microplus 2394 |
| against | O, O-diethyl S-1,2-di(ethoxycarbonyl)ethyl |
| Aedes rossicus 2098 | phosphorothioate, resistance to, in Musc |
| Anopheles labranchiae 557, 1187, | domestica 2179 |
| 1329 | O,O-diethyl O-2-(dimethylamino)-6-methyl- |
| Blattella germanica 1985 | 4-pyrimidinyl phosphorothioate, against, |
| Chrysomya marginalis 1883 | Boophilus microplus 2394 |
| C. putoria 1883 Glossina spp. 165 | Diethyl 2-isopropyl-4-methyl-6-pyrimidinyl phosphate |
| Glossina spp. 165 G. austeni 248 | in Musca domestica, metabolism of 112 |
| Glossina morsitans 422, 689, 1019, | resistance to, in, Musca domestica 440 |
| 2156–2157 | synergists for 1890 |
| | |

O, O-diethyl O-(5-phenyl-3-isoxazolyl) Dimethoxon (see Omethoate) Dimethrin phosphorothioate, against, Periplaneta americana 193 against O.O-diethyl phosphorodithioate S-ester with Aedes aegypti 1361 N-(2-cyanoethyl)-2-mercaptoacetanilide Musca domestica 1361 in Ephemeroptera, toxicity of 2492 Boophilus annulatus 850 trans-(-)-B. microplus 850 against Diethyl 1-(2,4,5-trichlorophenyl)-2-Aedes aegypti 1361 chlorovinyl phosphate Musca domestica 1361 against O,S-dimethyl acetylphosphoramidothioate Boophilus annulatus 2206 against B. microplus 2206 Blattella germanica 1147 2-(2-(2-(N,N-diethylamino)ethoxy)ethoxy)bo-Musca domestica 1030 Dimethyl 1-(2-bromo-4,5-dichlorophenyl)-2rnane, synergist for, pyrethroids 1054 N.N-diethylbenzamide chlorovinyl phosphate repellent for against mosquitos 304 Boophilus annulatus 850 Musca domestica 304 B. microplus 850 Simuliidae 304 Dimethyl 2-bromo-1-(2,4-Tabanidae 304 dichlorophenyl)vinyl phosphate 2-(Diethylphenoxy)ethanol, repellent for, Xenopsylla cheopis 203 Boophilus annulatus 850 Diethyltoluamide (see Deet) B. microplus 850 Dimethyl 1-(2,4-dichlorophenyl)-2-Difenphos (see Phosphorothioic acid, O,O'chlorovinyl phosphate, against, flies in (thiodi-p-phenylene) O,O,O',O'poultry droppings 2174 tetramethyl ester) Dimethyl 1-(2,5-dichlorophenyl)-2diffinis, Ceratophyllus Dihexamethylenecarbamide chlorovinyl phosphate formulations of 302 against repellent for Anopheles quadrimaculatus 1739 Aedes spp. 161, 302 flies in poultry droppings 2174 Ceratophyllus tesquorum 161 O, O-dimethyl O-p-dimethylsulphamoylphe-Ixodes persulcatus 301 nyl phosphorothioate Musca domestica 161 against Ornithodoros tholozani 301 Amblyomma americanum 1302 Simulium spp. 302 A. maculatum 1302 ticks 1577 Anocentor nitens 1291 Cuterebra spp. 425 β-dihydroheptachlor, biochemistry of 1103 3,5-Diiodo-3'-chloro-4'-(p-Dermacentor variabilis 1302 in cattle, toxicity of 691 chlorophenoxy)salicylanilide, against, Oestrus ovis 1861 O,S-dimethyl phosphoramidothioate, against, Dimatif (see Phosphinothioic amide, P,P-Musca domestica 1030 O.O-dimethyl phosphorodithioate Sester bis(1-aziridinyl)-; or P,P-Bis(1aziridinyl)phosphinothioic amide) with 2-((2-mercaptoethyl)thio)-N,2-Dimatiph (see Phosphinothioic amide, P,Pdimethylpropionamide bis(1-aziridinyl)-; or P,P-Bis(1against aziridinyl)phosphinothioic amide) Hypoderma lineatum 1119 H. bovis 1119 Dimethoate Dimethyl phthalate against Chrysomya marginalis 1883 persistence of 304 C. putoria 1883 repellent for Lucilia spp. 1883 L. cuprina 1041 Aedes spp. 161 Aedes aegypti 788, 2316 Musca domestica 630, 819, 1282, 1883 Ceratophyllus tesquorum 161 Oestridae 2064 Musca domestica 161 Rhipicephalus bursa 1944 Stomoxys calcitrans 2316 in cattle, residues of 163 Dimethyl 3,5,6-trichloro-2-pyridyl in pigs, residues of 163 phosphate, against, Blattella germanica in rabbits, effects of 2588 1147 resistance to, in, Musca domestica, in Florida 2366

| Subject Index | 191 |
|---|--|
| O,O-dimethyl O-3,5,6-trichloro-2-pyridyl | Diptera contd. |
| phosphorothioate | in Maritime USSR 2068 |
| against | in USSR 2047 |
| Aedes taeniorhynchus 379 | infesting man 108 |
| Blattella germanica 1147 | Nematoda |
| mosquitos 2457 | intermediate hosts of 2010 |
| Simuliidae 244 | role of, in epidemiology of 2006 |
| insecticidal activity of 1984 | on man, symptoms of feeding by 1071 |
| 2,2-Dimethyl-1,3-benzodioxol-4-yl | preying on, Anopheles gambiae, in Kenya |
| methylcarbamate | 706 |
| acaricidal activity of 1100, 1611 | pupariation in 2427 |
| insecticidal activity of 1100, 1611 | pupation in 2427 |
| 3,4-Dimethylbenzyl chrysanthemate | sperm transfer mechanisms in 901 |
| against 1361 | Trematoda, role of, in epidemiology of |
| Aedes aegypti 1361 Musca domestica 1361 | 2006 vertebrate pathogens in, detection of |
| Dimetilan, against, Musca domestica 2191 | 1997 |
| dimidiata, Triatoma | Dipterex (see Trichlorphon) |
| dimidiatus, Chrysops | Dipylidium caninum |
| 2,4-Dinitrophenylhydrazine, synergist for, | Čtenocephalides felis |
| carbamates 1564 | in, in Philippines 536 |
| Diothyl (see Phosphorothioic acid, O-[2- | intermediate host of 536 |
| (dimethylamino)-6-methyl-4-pyrimidinyl] | Dirofilaria immitis |
| O,O-diethyl ester; or O,O-Diethyl O-2- | Aedes aegypti, development of, in 962 |
| (dimethylamino)-6-methyl-4-pyrimidinyl phosphorothioate) | A. albopictus, susceptibility to, in 2501 |
| Dioxathion | A. poicilia, isolated from, in Philippines |
| against | A. togoi, susceptibility to, in 1781 |
| Boophilus annulatus 850, 1943 | Anopheles freeborni, development of, in |
| Boophilus microplus 850, 1301, 2394 | 962 |
| Hyalomma spp. 1943 | Armigeres subalbatus, susceptibility to, in |
| lice 353 | 1781 |
| Rhipicephalus appendiculatus 650 | Culex pipiens, susceptibility to, in 1781, |
| R. sanguineus 1943 | 2501 |
| in cattle, effects of 1301 | C. tritaeniorhynchus, susceptibility to, in |
| in soil, mobility of 696 Dipetalonema perstans, man, in, in Zaïre | dogs |
| 603 | in, in Japan 1780 |
| Dipetalonema reconditum, in California | in, in Maryland 796 |
| 962 | in California 962 |
| Dipetalonema streptocerca, man, in, in Zaïre | transportation of 2256 |
| 603 | vectors of 962 |
| Dipin (see Phosphine oxide, 1,4- | Dirofilaria repens, Aedes aegypti, infectivity |
| piperazinediylbis[bis(1-aziridinyl)-; or 1,4- | of, for 2304 |
| Piperazinediylbis(bis(1- | discolar Baranhara |
| aziridinyl)phosphine oxide)) Diplogasteridae, insects, role in natural | discolor, Psorophora dispar, Triatoma |
| control of, in 514 | distinctipennis, Culicoides |
| Diplonychus rusticus | 1,2,4-Dithiazolium, 3,5-bis(dimethylamino)-, |
| in Philippines 531 | hydrogen thiosulfate, sterilant for, Musca |
| preying on | domestica 1287 |
| Lymnaea auricularia, in Philippines | divisus, Chrysops |
| 531 | Dixa obscura, DNA in, related to taxonomy |
| Thiara spp., in Philippines 531 | 1079 |
| Dipsacus laciniatus, mosquitos in leaf axils | 2,4-Dodecadienoic acid, 11-methoxy-3,7,11- |
| of, in New York 2137 | trimethyl- |
| Diptera biology of 1730 | isopropyl ester against |
| cell cultures from 1697 | Aedes aegypti 1447, 1804 |
| Cestoda, role of, in epidemiology of 2006 | Aedes nigromaculis 400, 1804, 2465 |
| control of, biological 62 | Anopheles albimanus 1447 |
| food of 2021 | A. stephensi 1447 |

ticks infesting, in Turkey 852

Damalinia bovis 2084

2-Dodecenoic acid, 3,7,11-trimethyl-, ethyl 2,4-Dodecadienoic acid, 11-methoxy-3,7,11trimethyl- contd. ester, (E)-, against, Damalinia bovis isopropyl ester contd. 2084 against contd. dogieli, Schoutedenichia Culex pipiens 400, 1447, 2138 Dogs C. tarsalis 400 Cheyletiella yasguri infesting, in Canada Damalinia bovis 2084 Musca domestica 1550, 1804 Ctenocephalides canis infesting, in Ireland formulations of 2138 1724 in mammals, toxicity of 1804 C. felis infesting in Brazil 363 resistance to, in, Musca domestica in Cambodia 1166 isopropyl ester, (E,E)-, against, Simulium in Ireland 1724 decorum 2521 in Papua and New Guinea 1696 2,4-Dodecadienoic acid, 3,7,11-trimethylin Philippines 536 ethyl ester Culiseta melanura feeding on, in against Maryland 1767 Aedes aegypti 1804 Demodex canis infesting, symptoms A. nigromaculis 400 resulting from 675 Culex pipiens 400 D. folliculorum infesting, symptoms C. tarsalis 400 resulting from 681 Damalinia bovis 2084 demodicosis in 294 Musca domestica 1804 dichlorvos in in mammals, toxicity of 1804 effects of 690, 884 isopropyl ester toxicity of 1322-1323 against Diptera in faeces of, in California 620 Aedes aegypti 1447 Dirofilaria immitis Anopheles albimanus 1447 in, in Japan 1780 in, in Maryland 796 A. stephensi 1447 eastern equine encephalitis, virus of, Culex pipiens 1447 isolated from, in New Jersey 1410 2,6-Dodecadienoic acid, 10,11-epoxy-7-ethyl-Haemaphysalis moreli infesting, in Senegal 3,11-dimethyl-, methyl ester, effects of, on, Musca domestica 1888 1064 H. punctaleachi infesting, in West Africa 2,6-Dodecadienoic acid, 10,11-epoxy-2569 3,7,10,11-tetramethyl-, ethyl ester, H. yeni infesting, in Japan 461 against, Damalinia bovis 2084 Hippobosca longipennis infesting, in India 2,6-Dodecadienoic acid, 10,11-epoxy-3,7,11trimethyl-Ixodes holocyclus infesting, in Australia ethyl ester, against, Stomoxys calcitrans 1874 I. ovatus infesting, in Nepal 2218 methyl ester I. ricinus infesting, in Netherlands 1929 in Musca domestica, inhibited by Linguatula serrata infesting, in Egypt organic acids 427 in Oncopeltus fasciatus, inhibited by Lucilia caesar infesting, in Germany organic acids 427 methyl ester, (E,E)-, in Rhipicephalus L. sericata infesting, in Israel 1892 sanguineus, not terminating diapause Otodectes cynotis infesting, in Philippines Dodecanoic acid (see Lauric acid) Panstrongylus megistus feeding on, in 2,6,10-Dodecatrien-1-ol, 3,7,11-trimethyl-, Brazil 1827 against, Aedes aegypti 1237 Pneumonyssus caninum infesting 2-Dodecenoic acid in Sweden 1966 (E)-, against, Aedes aegypti 1178 symptoms resulting from 1966 methyl ester, (E)- . propoxur in, effects of 1965 against Pulex irritans infesting, in Ireland 1724 Aedes aegypti 1178 Rhipicephalus sanguineus infesting, in Musca domestica 1179 Queensland 464 2-Dodecenoic acid, 11-chloro-3,7,11-Sarcoptes scabiei infesting, in Trinidad trimethyl-, ethyl ester, against,

| Subject thues | 17 |
|---|--|
| Dogs contd. | Duomeen L-15 contd. |
| Trypanosoma cruzi, isolated from, in | against contd. |
| Chile 950 | Culex contd. |
| Xenopsylla cheopis infesting, in Cambodia | C. tarsalis 756 |
| 1166 | Culiseta inornata 756 |
| dolichopus, Sergentomyia, (Phlebotomus) | in ponds, non-target effects of 640 |
| dolichus, Ctenophthalmus | Duomeen T |
| dolosus, Culex | against |
| domestica, Musca | Culex peus 756 |
| domesticus, Aedes | C. tarsalis 756 |
| domesticus, Glycyphagus | Culiseta inornata 756 |
| domesticus, Ornithodoros procinus | in ponds, non-target effects of 640 |
| Donkey | Dursban |
| Gasterophilus intestinalis infesting, in | against |
| Chad 816 | Achaearanea tepidariorum 1984 |
| G. nasalis infesting, in Chad 816 | Aedes aegypti 1601, 1766, 2289 |
| Hippobosca equina infesting, in Turkey | Aedes melanimon 752, 2457 |
| 824 | Aedes nigromaculis 382, 2457 |
| dorieri, Simulium | A. sierrensis 2474 |
| dorsalis, Aedes | A. taeniorhynchus 379 |
| douglasi, Haemaphysalis japonica | Aedes vexans 752, 1421 |
| Dowco 214 (see Phosphorothioic acid, O,O- | Amblyomma americanum 2050 |
| dimethyl O(3,5,6-trichloro-2-pyridyl) | Anopheles albimanus 1601 |
| ester; or O,O Dimethyl O-3,5,6-trichloro- | Anopheles freeborni 1182–1184 |
| 2-pyridyl phosphorothioate) | A. quadrimaculatus 1601 |
| Dowco 217 (see Phosphoric acid, dimethyl | Blattella germanica 192, 1147–1148, |
| 3,5,6-trichloro-2-pyridyl ester; or | 1602, 1984 |
| Dimethyl 3,5,6-trichloro-2-pyridyl | Boophilus annulatus 850 |
| phosphate) | Boophilus microplus 850, 1301, 2394 |
| Draschia megastoma, Musca domestica, | Chironomus spp. 1870 |
| intermediate host of, in India 1546 | C. attenuatus 1275 |
| Drione (see Pyrethrins) | Cimex lectularius 1602 |
| dromedarii, Hyalomma Drosophila, behaviour in, relation of genetics | Coquillettidia richiardii 785 |
| and 870 | Cricotopus spp. 1870 Culex peus 742, 767, 2458 |
| Drosophila melanogaster | Culex pipiens 767, 1421, 2306, |
| egg-hatch in, effects of ozone on 625 | 2457–2458 |
| fecundity in, effects of ozone on 625 | Culex tarsalis 742, 767, 1182–1184, |
| neuronal differentiation in 1697 | 2457 |
| sigma virus in, relation of, and 879 | Culicoides furens 2148 |
| dthali, Anopheles | C. hollensis 2148 |
| DTHP (see Trichlorphon) | Damalinia bovis 1712 |
| dubinini, Myonyssus | Dermacentor variabilis 1984 |
| dubius, Eupteromalus | Haematopinus eurysternus 1712 |
| duboscaj, Phlebotomus | insects in aircraft 1600 |
| Ducks, Microlichus gaudi infesting, in India | Leptoconops kerteszi 800 |
| 1963 | lice 353 |
| dufouri, Dasyhelea | Linognathus vituli 1712 |
| Dugbe virus | Loxosceles reclusa 476 |
| Amblyomma variegatum, isolated from, in Nigeria 843 | mosquitos 1736 <i>Musca domestica</i> 257, 434, 1601, 198 |
| Boophilus decoloratus, isolated from, in | Neoschoengastia americana 466 |
| Nigeria 843 | Periplaneta americana 1602 |
| Hyalomma rufipes, isolated from, in | Psorophora confinnis 386, 2327 |
| Nigeria 843 | Psoroptes ovis 676 |
| H. truncatum, isolated from, in Nigeria | Rhipicephalus sanguineus 1984 |
| 843 | Rhodnius prolixus 1601 |
| Duomeen L-11, against, Aedes aegypti | Tabanus lineola 2148 |
| 1423 | T. nigrovittatus 2148 |
| Duomeen L-15 | Tanypus spp. 1870 |
| against | Triatoma infestans 1601 |
| Culex peus 756 | Vespula spp. 1984 |

| Duraham santd | Dwallings contd |
|---|---|
| Oursban contd. | Dwellings contd. Triatoma dimidiata in, in Panama 2270 |
| against contd. | |
| Xenopsylla cheopis 1601–1602 | T. infestans in |
| in cattle | assessing infestations with 198 |
| effects of 1301 | in Brazil 1164, 1394–1395 |
| residues of 1317 | dyari, Culiseta morsitans |
| toxicity of 676 | Dytiscidae |
| in fish, residues of 1870 | aliphatic amines in, toxicity of 640 |
| in goats, toxicity of 676 | larvicidal oils in, toxicity of 640 |
| in honey bees, toxicity of 1076 | petroleum oils in, toxicity of 757 |
| in horses, toxicity of 676. | Dytiscus fasciventris |
| in mud, residues of 1870 | in Canada 770 |
| in rice-fields, non-target effects of | preying on, mosquitos, in Ontario 770 |
| 1075–1076 | Dyvon (see Trichlorphon) |
| in salt-marshes, non-target effects of | E-48 (see Phosphorothioic acid, O,O-diethyl |
| 2148 | O-(5-phenyl-3-isoxazolyl) ester or O,O- |
| in sheep, toxicity of 676 | Diethyl O-(5-phenyl-3-isoxazolyl) |
| in turkeys | phosphorothioate) |
| effects of 467 | East Coast fever, Taurotragus oryx, role of, |
| residues of 2589 | in 1915 |
| on pigs, toxicity of 676 | Easter Island, Isometrus maculatus in 241 |
| resistance to, in | |
| Anopheles albimanus, in El Salvador | Ecdysones |
| 233 | biological activity of 1990 |
| Chironomus attenuatus, in California | chemistry of 1990 |
| 1275 | mode of action of 1991 |
| Musca domestica 175 | echidnina, Laelaps |
| use of | Echidnophaga gallinacea |
| equipment for 743 | control of 2433 |
| in sprays 743 | in Cape Verde Islands 112 |
| Dwellings | in USA 297 |
| Blattella germanica in | on pigs 2433 |
| assessing infestations with 343 | on Sturnus vulgaris, in California 297 |
| in Connecticut 2083 in Finland 716 | echinopus, Rhizoglyphus |
| Cimex lectularius in, in Finland 716 | Echinostomatidae, Odonata, isolated from, in Byelorussia 2555 |
| Culex pipiens in 300 | ecuadoriensis, Rhodnius |
| Dasyphora cyanella in 821 | Egypt |
| Elasmostethus humeralis in, in Japan | Aedes caspius in 1470 |
| 1400 | Anopheles pharoensis in 318, 972, 1470 |
| Gymnodia humilis in 821 | Boophilus annulatus in 1943 |
| Halyomorpha picus in, in Japan 1400 | Ctenocephalides felis in, on rodents 1170 |
| insecticides in, evaluation of 103 | Culex pipiens in 1470 |
| Menida scotti in, in Japan 1400 | Dermatophagoides farinae in, in house |
| M. violacea in, in Japan 1400 | dust 1959 |
| mosquitos in, control of 1200 | Haematobia irritans in 1898 |
| Musca autumnalis in 821 | Hyalomma spp. in 1943 |
| M. domestica in 103 | on camels 2561 |
| Muscina stabulans in 821 | viruses in 2561 |
| Panstrongylus geniculatus in, in Panama | Linguatula serrata in, on dogs 2235 |
| 2270 | mosquitos in 1236 |
| P. megistus in, in Brazil 1164 | Musca domestica in 275, 972 |
| P. rufotuberculatus in, in Panama 2270 | Pediculus humanus in 948 |
| Pollenia rudis in 821 | Phlebotomus papatasi in 415 |
| Pulex irritans in, in Finland 716 | Tabanus taeniola in 2001 |
| Rhodnius ecuadoriensis in, in Peru | Xenopsylla cheopis in 319 |
| 1392–1393 | on Mus musculus 1725 |
| scorpions in, control of 2234 | on rodents 1170 |
| Shelfordella tartara in 179 | Ehrlichia canis, Rhipicephalus sanguineus, |
| Supella longipalpa in, in Netherlands | transmitting, in Oklahoma 1349 |
| 2437 They material potential in 821 | Eira barbara barbara, Trypanosoma cruzi, |
| | |

| El Salvador | Encephalitis, eastern equine contd. |
|--|--|
| Anomholos alhimonya in 223 1432 1437 | virus of contd. |
| Anopheles albimanus in 233, 1432, 1437, 1439, 1441, 2122, 2511 | hamsters, isolated from, in New Jersey 1410 |
| A. pseudopunctipennis in 1437 | mink, isolated from, in New Jersey |
| Elaeophora schneideri, Hybomitra spp., | 1410 |
| isolated from, in New Mexico 2188 | reservoirs of, in New Jersey 1410 |
| Eland (see Taurotragus oryx) | squirrels, isolated from, in New Jersey |
| Elasmostethus humeralis | 1410 |
| in Japan 1400 | Encephalitis, Japanese |
| in dwellings, in Japan 1400 elongata, Tinna | Aedes togoi, role of, in, in USSR 95 epidemiology of, models of 1782 |
| Eltonella crinita, in USSR 173 | in Thailand 1786 |
| emasculator, Cuterebra | man, formula for incidence of, in 560 |
| Encephalitis, California | pigs, immunisation of, against 2295 |
| in New York 578 | virus of |
| in Ohio 550 in Texas 961 | Aedes albopictus, development of, in |
| virus of | 1000 |
| Aedes spp., isolated from, in Ohio 550 | bats, isolated from, in Taiwan 2298 |
| A. canadensis, isolated from, in New | Culex fuscocephalus, transmission of, b |
| York 578 | 1181 C. gelidus, isolated from, in Thailand |
| A. cinereus, isolated from, in New York | 1775 |
| 578 Encephalitis, Central European tick-borne | C. tritaeniorhynchus |
| Dermacentor marginatus, role of, in 666 | isolated from, in Thailand 1775 |
| D. reticulatus, role of, in 666 | seasonal incidence of, in, in Japan |
| in Czechoslovakia 1058 | 762 |
| virus of | transmission of, by 1181 |
| Dermacentor marginatus, isolated from, in Bulgaria 663 | C. vishnui, isolated from, in Taiwan 2298 |
| Haemaphysalis punctata, isolated from, | pigs, in, in Japan 1449 |
| in Bulgaria 663 | Encephalitis, Saint Louis |
| Ixodes ricinus, isolated from, in | Culex pipiens, role of, in, in Texas 961 |
| Czechoslovakia 1058 | C. tarsalis, role of, in, in Texas 961 |
| Encephalitis, eastern equine in Cuba 2296 | in Illinois 220 in Ohio 550 |
| in New Jersey 1410 | in Texas 961 |
| in New York 1309 | virus of |
| virus of | Culex pipiens |
| Aedes sollicitans, transmitting, in | isolated from, in Illinois 220, 1494 |
| Maryland 1797 A. vexans, transmitting, in Maryland | transmission of, by 1472 Culex salinarius, isolated from, in |
| 1797 | Illinois 220, 1494 |
| bats, isolated from, in New Jersey 1410 | C. tarsalis, isolated from, in California 2455 |
| birds, isolated from, in New York 2517 | Passer domesticus, isolated from, in Illinois 220 |
| Culex restuans, isolated from, in New | Encephalitis, tick-borne |
| York 2517 | attenuated virus of |
| C. territans, isolated from, in New York | Ixodidae |
| 2517 Culiseta melanura | trans-stadial transmission of, in 1669 |
| isolated from | transovarian transmission of, in |
| in Maryland 1795 | 1669 |
| in New Jersey 1410 | control of |
| in Texas 2453 | in Udmurt ASSR 146 |
| transmitting, in Maryland 1797 | in towns 152 |
| C. morsitans, isolated from, in New York 2517 | epizootiology of 2029 Gamasidae, role of, in, in USSR 1641 |
| dogs, isolated from, in New Jersey | in Soviet Central Asia 2055 |
| 1410 | in USSR 76, 146, 307 |

Encephalitis, tick-borne contd. Encephalitis, Venezuelan equine contd. virus of contd. Ixodes persulcatus role of, in 1683 Aedes taeniorhynchus contd. in Siberia 76 isolated from in Costa Rica 1206 I. trianguliceps, role of, in 1683 Ixodidae, role of, in, in USSR 1641 in Guatemala 777 A. theleter, isolated from, in Mexico virus of Clethrionomys glareolus, antibodies to, in 52 A. triseriatus, infectivity of, for 577 C. rutilus, antibodies to, in 52 Culex nigripalpus, isolated from, in Ctenophthalmus congeneroides, Guatemala 777 transmission of, by 1402 C. salinarius, isolated from, in Mexico Dermacentor marginatus, transmission of, by 1939, 2019 Deinocerites pseudes isolated from, in Costa Rica Dermacentor pictus, transmission of, by 2019, 2396 transmission of, by 207 D. reticulatus, transmission of, by horses, isolated from, in Texas 2451 1939 Mansonia titillans, isolated from, in Haemaphysalis concinna, isolated from, Guatemala 777 in Austria 1582 mosquitos, isolated from, in Colombia H. punctata, transmitting, in 2094 Czechoslovakia 63 Psorophora spp., isolated from, in Texas 2451 Encephalitis, Venezuelan equine Aedes aegypti, role of, in, in Venezuela P. ciliata, isolated from, in Mexico A. sollicitans, control of, and, in Texas P. cilipes, isolated from, in Guatemala 375 777 attenuated virus of ' P. confinnis Aedes taeniorhynchus, not transmitting infectivity of, for 577 isolated from Mansonia titillans, not transmitting in Guatemala 777 in Louisiana 795 in Mexico 1468 Psorophora confinnis, not transmitting in Texas 2453 1469 Culex spp., role of, in, in Venezuela transmission of, by 577 transmitting, in Guatemala 777 2110 in Americas 1973 P. cyanescens, isolated from, in Mexico in California 2454 1468 in Costa Rica 1206 P. discolor, isolated from, in Mexico in Florida 577 in Guatemala 777 Simulium spp., isolated from, in in Mexico 2450 Colombia 2094 in Texas 2450, 2452 Encephalitis, western equine in Venezuela 1324, 2110 Culex tarsalis, role of, in, in Texas 961 Mansonia titillans, role of, in, in in Texas 961 Venezuela 2110 Passer domesticus, role of, in 1770 Psorophora confinnis, control of, and, in Texas 375 Aedes dorsalis, isolated from, in Utah P. discolor, control of, and, in Texas 375 A. melanimon, isolated from, in Aedes spp., isolated from, in Texas California 2455 A. sollicitans, transmitting, in Maryland 2451 A. aegypti biology of, in 984 A. vexans, transmitting, in Maryland development of, in 144 1797 infectivity of, for 577 Culex tarsalis stability of, in 576 isolated from A. sollicitans, isolated from, in Mexico in California 2455 1468 in Texas 2453 A. taeniorhynchus seasonal incidence of, in, in Texas

infectivity of, for 577

Encephalitis, western equine contd.

virus of contd.

Culiseta melanura

isolated from, in Maryland 1795 transmitting, in Maryland 1797

Encephalomyelitis (see Encephalitis)

Endemic typhus, in Indonesia 893

endius, Spalangia

Endosulfan, against, Musca domestica 434 Endrin

against, Periplaneta americana 193, 193 biochemistry of 1103

in Musca domestica, enzyme induction by 916

ENT-16275 (see Allethrin, trans-(+)-)

ENT-21195 (see Chrysanthemic acid, 6bromopiperonyl ester; or 6-Bromopiperonyl chrysanthemate)

ENT-21557 (see Barthrin)

ENT-21559 (see Chrysanthemic acid, omethylbenzyl ester or 2-Methylbenzyl Chrysanthemate)

ENT-21825 (see Chrysanthemic acid, 3,4dimethylbenzyl ester; or 3,4-Dimethylbenzyl chrysanthemate)

ENT-24916 (see Thiotepa)

ENT-50761 (see Phosphinic acid, bis(1aziridinyl)-, ethyl ester or Ethyl bis(1aziridinyl)phosphinate)

ENT-50838 (see 1-Aziridinecarboxamide, N, N'-tetramethylenebis-; or N, N'-Tetramethylenebis(1-

aziridinecarboxamide)) ENT-51254 (see Phosphinic amide, P,Pbis(1-aziridinyl)-N-methyl-; or P,P-Bis(1aziridinyl)-N-methylphosphinic amide)

ENT-61570 (see Phosphinothioic amide, N.N-diallyl-P-(1-aziridinyl)-P-(2-methyl-1-aziridinyl)-; or N.N-Diallyl-P-(1aziridinyl)-P-(2-methyl-1-

aziridinyl)phosphinothioic amide) ENT-61580 (see Phosphinothioic amide, P,P-bis(1-aziridinyl)-N-propyl-; or P,P-Bis(1-aziridinyl)-N-propylphosphinothioic

ENT-61581 (see Phosphinothioic amide, P,P-bis(1-aziridinyl)-N-ethyl-; or P,P-Bis(1-aziridinyl)- N-ethylphosphinothioic amide)

ENT-61584 (see Phosphinodithioic acid, bis(1-aziridinyl)-, ethyl ester; or Ethyl bis(1-aziridinyl)phosphinodithioate)

ENT-61585 (see Phosphinothioic amide, P,P-bis(1-aziridinyl)- N-methyl-; or P,P-Bis(1-aziridinyl)- N

methylphosphinothioic acide)

ENT-70119 (see 2-Nonene, 6,7-epoxy-3ethyl-7-methyl-1-[3,4-(methylenedioxy)phenoxy]-; or 4-((6,7-Epoxy-3-ethyl-7-methyl-2-nonenyl)oxy)-1,2-(methylenedioxy)benzene)

ENT-70221 (see 2-Octene, 6,7-epoxy-1-(pethylphenoxy)-3,7-dimethyl-; or 6,7-Epoxy-1-(p-ethylphenoxy)-3,7-dimethyl-2octene)

ENT-70357 (see 2-Nonene, 6,7-epoxy-3,7dimethyl-1-[3,4-(methylenedioxy)phenoxv]-, (E)-; or (E)-4-((6,7-Epoxy-3,7dimethyl-2-nonenyl)oxy)-1,2-(methylenedioxy)benzene)

Enterobacter B. Musca domestica, survival of, on tarsi of 2175

Enterobius vermicularis, flies contaminated with eggs of, in Azerbaijan Entomology, in Poland 1619

Entomophaga destruens, Culex pipiens, in, in Czechoslovakia 2278

Entomophthora coronata

Aedes taeniorhynchus, pathogenicity of, in

Culex pipiens, pathogenicity of, in 981 mice, infectivity of, for 981

Entomophthora muscae

Hylemya antiqua, pathogenicity of, in

Lucilia cuprina, pathogenicity of, in

Phormia regina, pathogenicity of, in

Pollenia rudis, pathogenicity of, in 2374 Enzymes, inhibition of, measurement of

epactius, Aedes atropalpus

Epanaphe, toxic compounds in 2391 Ephedrine, (-)-, repellent for, Ornithodoros tholozani 1911

Enhemerontera

Nematoda, intermediate hosts of 2010 nymphs of, dispersal of 1993

Ephydra control of, malathion tested for 2531 in Utah 2531

Ephydra riparia

in USA 2485

preyed on by, Pardosa sternalis, in California 2485

Ephydridae

control of, malathion tested for 820, in Utah 2370

Epicoma, toxic compounds in 2391 episema, Acropsylla

Epitheca bimaculata

in USSR 2555

Prosthogonimus cuneatus, isolated from, in Byelorussia 2555

EPN

against

Aedes melanimon 752 A. vexans 752

Periplaneta americana 193

4-((6,7-Epoxy-3,7-dimethyl-2-nonenyl)oxy)-Erethizon dorsatum, Dermacentor andersoni 1,2-(methylenedioxy)benzene infesting 2209 against Eretmapodites, in Central African Republic Aedes nigromaculis 400 Culex pipiens 400 Eretmapodites quinquevittatus, Rift Valley C. tarsalis 400 fever, virus of, transmission of, by 2323 juvenile hormone activity of, with, erichsoni, Agabus Damalinia bovis 2084 Erithacus rubecula, Ixodes ricinus infesting, (E)-4-((6,7-epoxy-3,7-dimethyl-2in Poland 133 nonenyl)oxy)-1,2-(methylenedioxy)ben-Eruca sativa oil, against, Sarcoptes scabiei against eruditus, Cheyletus Aedes nigromaculis Erysimum pannonicum, mucilaginous seeds 2465 Culex pipiens 2464 of, tested as mosquito larvicides 759 Stomoxys calcitrans 829 erythrocephala, Calliphora (see C. vicina) erythrocephalum, Simulium, (Boophthora) 1-(6',7'-Epoxy-3',7'-dimethyloctanyl)-4ethylphenyl ether (see 6,7-Epoxy-1-(perythrothorax, Culex ethylphenoxy)-3,7-dimethyloctane) Escherichia coli, Ornithodoros lahorensis, (E)-4-((6,7-epoxy-3,7-dimethyl-2toxicity of gut and haemolymph extracts octenyl)oxy)-1,2-(methylenedioxy)benze-315 to ne, against, Stomoxys calcitrans 1874 escomeli, Simulium 4-((6,7-Epoxy-3-ethyl-7-methyl-2-Ethane, 1,1,1-trichloro-2,2-bis(pnonenyl)oxy)-1,2-(methylenedioxy)benzechlorophenyl)- (see DDT) Ethanol, against, Musca domestica 438 ne, determination and stability of (E)-4-((6,7-epoxy-3-ethyl-7-methyl-2-Ethanol, 2-(dicyclohexylamino)-, repellent for, Ornithodoros tholozani 1911 nonenyl)oxy)-1,2-(methylenedioxy)benze-Ethanol, 2-(diethylphenoxy)-, repellent for, ne, against, Stomoxys calcitrans 829; Xenopsylla cheopis 203 6,7-Epoxy-1-(p-ethylphenoxy)-3,7-Ethanol, 2-(N-ethylanilino)-, repellent for, dimethyloctane Xenopsylla cheopis 203 Ether, bis(2,3,3,3-tetrachloropropyl) against Aedes aegypti 1447 synergist for Anopheles albimanus 1447 allethrin 1054 malathion 1553 A. stephensi 1447 Culex pipiens 1447 pyrethrins 1054 6,7-Epoxy-1-(p-ethylphenoxy)-3,7-dimethyl-2tetramethrin 1054 octene against against, Boophilus microplus 2394 Aedes aegypti 1447 in turkeys, toxicity of 1315 Anopheles albimanus 1447 Ethiopia A. stephensi 1447 Anopheles spp. in 2139 Culex pipiens 1447 A. confusus in 2335 Simulium decorum 2521 A. culicifacies in 2140 A. funestus in 980 determination and stability of 2252 (E)-6,7-epoxy-1-(p-ethylphenoxy)-3,7-Anopheles gambiae in 980, 2114 dimethyl-2-octene, against, Stomoxys A. longipalpis in 2335 calcitrans 829, 1551 A. nili in 980 6,7-Epoxy-3-methyl-7-ethyl-1-(3,4-A. pharoensis in 980 Culex sitiens in 2140 (methylenedioxy)phenoxy)-2-cis, trans-Culicidae in 2114 octene (see 4-((6,7-Epoxy-3,7-dimethyl-2nonenyl)oxy)-1,2-(methylenedioxy)bencutaneous leishmaniasis in 590-591 Demodex bovis in, on cattle 471 Equatorial Guinea, yellow fever in 2281 Glossina fuscipes in 1406, 2161 equi, Chorioptes (see C. bovis) Glossina longipennis in 1406, 2161 Equigard (see Dichlorvos) Glossina morsitans in 1263, 2161 equina, Hippobosca Glossina pallidipes in 1263, 1406, 2161 equinum, Simulium Glossina tachinoides in 1263, 2161 (Wilhelmia) Haemaphysalis aciculifer in Eratyrus cuspidatus malaria in 980, 2139-2140 in Panama 1165, 2270 Phlebotomus longipes in 590-591, 1010 Trypanosoma cruzi, transmitted by, in P. pedifer in 1010 Panama 2270 Sergentomyia affinis in 240

| 3 | |
|---|---|
| Ethiopia contd. | O-ethyl O-quinol-8-yl phenylphosphonothi- |
| sleeping sickness in 1263 | oate |
| Tabanidae in 1406 | against |
| trypanosomiasis in 2161 | Boophilus microplus 1928 |
| visceral leishmaniasis in 240 | Melophagus ovinus 848 |
| yellow fever in 546 | Ornithodoros lahorensis 848 |
| Ethiopian region | Rhipicephalus bursa 848 |
| Acari in 2557 | R. sanguineus 848 |
| Culicoides similis group in 236 | Ethyl 3,7,11-trimethyl-2,4-dodecadienoate |
| Ethyl bis(1-aziridinyl)phosphinate, sterilant | against |
| for, Culex pipiens 793 | Aedes aegypti 1804 |
| Ethyl bis(1-aziridinyl)phosphinodithioate, | A. nigromaculis 400 |
| sterilant for, Musca domestica 2170 | Culex pipiens 400 |
| O-ethyl S-p-chlorophenyl | C. tarsalis 400 |
| ethylphosphonodithioate, against, | Musca domestica 1804 |
| Simulium pictipes 599 | juvenile hormone activity of, with, |
| Ethyl 11-chloro-3,7,11-trimethyl-2- | Damalinia bovis 2084 |
| dodecenoate, juvenile hormone activity | Ethyl (E)-3,7,11-trimethyl-2-dodecenoate, |
| of, with, Damalinia bovis 2084 | juvenile hormone activity of, with, |
| Ethyl 10,11-epoxy-7-ethyl-3,11-dimethyl-2,6- | Damalinia bovis 2084 (E)-4-((7-ethyl-3,7-dimethyl-2-octenyl)oxy)- |
| tridecadienoate | 1,2-(methylenedioxy)benzene, juvenile |
| against, Stomoxys calcitrans 1874 | hormone activity of, with, Damalinia |
| juvenile hormone activity of, with, | bovis 2084 |
| Damalinia bovis 2268 | N-(2-ethylhexyl)bicyclo[2,2,1]-5-heptene-2,3- |
| Ethyl 10,11-epoxy-3,7,10,11-tetramethyl-2,6- | dicarboximide |
| dodecadienoate, juvenile hormone | synergist for |
| activity of, with, Damalinia bovis 2084 | malathion 1553 |
| Ethyl 10,11-epoxy-3,7,11-trimethyl-2,6- | (+)-trans-tetramethrin 321 |
| dodecadienoate, against, Stomoxys | 4-Ethylphenyl 6,7-epoxygeranyl ether (see |
| calcitrans 1874 | 6,7-Epoxy-1-(<i>p</i> -ethylphenoxy)-3,7- |
| Ethyl 3-ethylcinchoninate | dimethyl-2-octene) |
| repellent for | Nethyl-N-phenylethanolamine, repellent for |
| Aedes aegypti 2316 | Xenopsylla cheopis 203 |
| Stomoxys calcitrans 2316 | 3-(1-Ethylpropyl)phenyl methylcarbamate |
| Ethyl formate, against, Pediculus humanus 524 | against Chrysomya magacanhala 1280 |
| Ethyl heptanoate, against, Musca domestica | Chrysomya megacephala 1280 Lucilia cuprina 1280 |
| 1179 | Euboettcheria, in Cuba 832 |
| Ethyl hexanediol | Euchlaena pectinaria |
| repellent for, Aedes aegypti 788 | in USA 450 |
| derivatives of, repellency of 2237 | on horses, in Arkansas 450 |
| Ethyl hexanoate, against, Musca domestica | Eudocimus albus, Culex nigripalpus feeding |
| 1179 | on, defensive activity against 206, 377 |
| Ethyl-malaoxon (see Succinic acid, | Eugenol (see Phenol, 4-allyl-2-methoxy-) |
| mercapto-, diethyl ester, Sester with | against, Aedes aegypti 1237 |
| O,O-diethyl phosphorothioate; or O,O | Eulaelaps stabularis |
| Diethyl S-1,2-di(ethoxycarbonyl)ethyl | in USSR 15 |
| phosphorothioate) | on rodents, in Kharbarovsk 15 |
| O-ethyl O-methyl O-2,4,5-trichlorophenyl | Euoniticellus pallipes |
| phosphorothioate | in India 1055 |
| against 160 | Spirocerca lupi, infectivity of, for 1055 |
| Aedes aegypti 160 Ixodidae 2203 | Euonymus japonicus |
| Wohlfahrtia magnifica 1036 | Aedes togoi feeding on 1465 Culex pipiens feeding on 1465 |
| Ethyl 3-methylcinchoninate | Eupteromalus dubius |
| repellent for | in Canada 2177 |
| Aedes aegypti 2316 | parasitising, Musca autumnalis, in Ontario |
| Stomoxys calcitrans 2316 | 2177 |
| Ethyl-parathion (see Parathion) | Euroglyphus maynei |
| | control of, by exposure to low |
| | temperatures 1367 |

| Euroglyphus maynei contd. | Fannia pusio, control of, organic phosphate |
|---|---|
| in France 1587 | tested for 2174 |
| in Spain 858, 1971 | Fannia scalaris |
| in dwellings, in Spain 1971 | in Belgium 1040 |
| in house dust | in Japan 86 |
| competing with other mites 2220 | on man, in Belgium 1040 |
| in France 1587 | farauti, Anopheles |
| | fariai, Telenomus |
| in Spain 858 | |
| Europe | farinae, Dermatophagoides |
| Sarcophagidae in 1556 | Farnesinic acid, 10,11-epoxy- (see 2,6- |
| Tabanidae in 1033 | Dodecadienoic acid, 10,11-epoxy-3,7,11- |
| euryadminiculum, Simulium | trimethyl-) |
| eurysternus, Haematopinus | Farnesol (see 2,6,10-Dodecatrien-1-ol, |
| Euschoengastia, rearing of, techniques for | 3,7,11-trimethyl-) |
| 102 | against, Aedes aegypti 1237 |
| Euschoengastia schmuteri, in USSR 173 | fasciatus, Oncopeltus |
| Eusimulium (see Simulium) | fasciolata, Coquillettidia, (Mansonia) |
| Eusimulium angustitarse (see Simulium) Eusimulium aureum (see Simulium) | fascipennis, Culicoides fasciventris, Dytiscus |
| Eusimulium costatum (see Simulium) | |
| | fatigans, Culex pipiens |
| Eusimulium fucense (see Simulium) Eusimulium latigonium (see Simulium) | felis, Ctenocephalides Felis pardus, Haemaphysalis punctaleachi |
| Eusimulium latinum (see Simulium) | infesting, in West Africa 2569 |
| Eusimulium latipes (see Simulium) | femoralis, Fannia |
| Eusimulium latipes (see Simulium) Eusimulium latizonum (see Simulium) | Fenchlorphos |
| eustrigata, Calpe | against |
| evangelistai, Lutzomyia | Aedes dorsalis 489 |
| evertsi, Rhipicephalus | Amblyomma americanum 1302 |
| excavatum, Hyalomma anatolicum | A. maculatum 1302 |
| excrucians, Aedes | Anocentor nitens 1291 |
| exigua, Haematobia | Blattella germanica 1148 |
| exiguum, Simulium | Boophilus annulatus 850, 2206 |
| Exolytus laevigatus (see Mesoleptus) | Boophilus microplus 850, 2206 |
| Exopalpiger trianguliceps (see Ixodes) | Culex pipiens 489 |
| fahrenholzi, Androlaelaps | Cuterebra spp. 425 |
| falculata, Sarcophaga (see S. argyrostoma) | Dermacentor variabilis 1302 |
| fallax, Sergentomyia, (Phlebotomus) | Haematobia irritans 1868, 2546 |
| Famphur (see Phosphorothioic acid, O,O- | Hypoderma spp. 425 |
| dimethyl ester, O-ester with p-hydroxy- | lice 353 |
| N,N-dimethylbenzenesulfonamide; or | Loxosceles reclusa 862 |
| O,O-Dimethyl O-p- | Musca autumnalis 2546 |
| dimethylsulphamoylphenyl | Tabanus iyoensis 439 |
| phosphorothioate) | in cattle, determination of 2426 |
| Fannia | in mice, systemic activity of 425 |
| control of 1407 | resistance to, in, Musca domestica, in |
| biological 2539 | Florida 2366 |
| in USA 687 | Fencholic acid (see Cyclopentanecarboxylic |
| in Hungary 613 | acid, 3-isopropyl-1-methyl- or 3- |
| in dwellings, in UK 1407 | Isopropyl-1-methylcyclopentanecarboxy |
| Fannia canicularis | lic acid) |
| control of, in manure 2180 | fenestralis, Scenopinus |
| in Japan 86 | Fenitrothion |
| in man 2538 | against |
| in New Zealand 1142 | Aedes aegypti 1601, 1766 |
| in USA 2180, 2532 | A. caspius 785 |
| parasites of, and biological control using, | A. rossicus 2098 |
| in California 2532 | Amblyomma americanum 2050 |
| Fannia femoralis | Anopheles albimanus 1601 |
| control of, in manure 2180 | A. gambiae 2124 |
| in USA 2180, 2532 | A. quadrimaculatus 1601 |
| parasites of, and biological control using, in California 2532 | Blattella germanica 1602, 1985 Chironomus spp. 1870 |
| in Carifornia 2002 | Chirolitus Spp. 16/0 |

| Fenitrothion contd. | Fenthion contd. |
|---|---|
| against contd. | against contd. |
| Chrysomya marginalis 1883 | Culex contd. |
| C. putoria 1883 | Culex peus 742, 767, 2458 |
| Cimex lectularius 729, 1602 | Culex pipiens 216, 369, 383, 575, 753 |
| Coquillettidia richiardii 785 | 767, 964, 2306, 2457–2458 |
| Cricotopus spp. 1870 | C. restuans 374 |
| Culex pipiens 1462, 2306 | C. salinarius 374 |
| insects in aircraft 1600 | Culex tarsalis 742, 767, 2457 |
| Ixodes persulcatus 487 | Culicoides furens 2148 |
| Lucilia spp. 1883 | C. hollensis 2148 |
| mosquitos 1440 | Dermacentor variabilis 1302 |
| Musca domestica 257, 426, 618, 1601, | Glossina austeni 248 |
| 1883, 1985, 2192 | Haematobia irritans 1868 |
| Pediculus humanus 948 | Hypoderma spp. 2162 |
| Periplaneta americana 193, 1602, 1699 P. fuliginosa 1985 | Hypoderma bovis 1119, 1528, 2356 Hypoderma lineatum 1119, 2356 |
| Pulex irritans 1167 | insects in aircraft 1600 |
| Rhodnius prolixus 1601 | Leptoconops kerteszi 800 |
| Tabanus iyoensis 439 | L. spinosifrons 585 |
| Tanypus spp. 1870 | lice 353, 1710 |
| Triatoma infestans 1601 | mosquitos 1736, 2110, 2467 |
| Tyrophagus putrescentiae 293, | Musca domestica 257, 630, 819, 1535 |
| 671–672 | 1601, 1985 |
| Xenopsylla cheopis 1601–1602 | Oedemagena tarandi 2166 |
| in Poecilia reticulata, toxicity of 1453 | Oestridae 2064 |
| resistance to, in, Anopheles albimanus, in | Periplaneta americana 1602 |
| El Salvador 233, 2511 | P. fuliginosa 1985 |
| specifications for 695, 1986 Fenthion | Psorophora confinnis 2327 Rhodnius prolixus 54, 1601 |
| against | Simulium pictipes 599 |
| Aedes aegypti 734, 1601, 1766, 2289 | Triatoma infestans 1601 |
| A. albopictus 2132 | Trichoptera 132 |
| A. annulipes 1446 | Tyrophagus putrescentiae 293, |
| A. cantans 1446 | 671–672 |
| A. communis 488 | Xenopsylla cheopis 1601–1602 |
| A. hexodontus 488 | in cattle, toxicity of 1291 |
| Aedes melanimon 752, 2457 | in salt-marshes, non-target effects of |
| Aedes nigromaculis 382, 753, 2457 | 2148 |
| A. pionips 488 | resistance to, in |
| A. punctor 488 | Aedes nigromaculis, in California 736–737, 744 |
| A. rossicus 2098 A. sierrensis 2474 | Chironomus attenuatus, in California |
| A. sollicitans 374 | 1275 |
| A. taeniorhynchus 374 | Culex peus |
| Aedes vexans 752-753 | in California 744, 2458 |
| Amblyomma americanum 1302, 2050 | in Utah 767 |
| A. maculatum 1302 | Culex pipiens |
| Anocentor nitens 1291 | in California 744, 2458 |
| Anopheles albimanus 974, 1601 | in Oregon 515 |
| A. freeborni 753 | in Utah 767 |
| A. labranchiae 557 | C. tarsalis, in Utah 767 |
| A. quadrimaculatus 1601 | specifications for 1986 |
| A. triannulatus 974 Blattella germanica 1148, 1602, 1985 | ferganicum, Simulium, (Odagmia) ferox, Psorophora |
| Boophilus annulatus 850 | Ficalbia, eggs of 2329 |
| B. microplus 850 | Figites anthomyiarum, parasitising, |
| Chironomus attenuatus 1275 | Sarcophaga spp. 1171 |
| Cimex lectularius 530, 729, 1602 | Figites scutellaris scutellaris, parasitising, |
| Coquillettidia richiardii 785 | Ophyra leucostoma 1171 |
| Culex spp. 2492 | Fiji |
| C. nigripalpus 374 | Aedes polynesiensis in 222, 1754 |

| Fiji contd. | Florida contd. |
|---|---|
| Aedes contd. | Aedes contd. |
| A. pseudoscutellaris in 1754 | Aedes taeniorhynchus in 374, 1469 |
| bancroftian filariasis in 1754, 1756 | Coquillettidia perturbans in 970 |
| Calliphoridae in 2371 | Culex nigripalpus in 206, 374 |
| mosquitos in 1755 | C. pipiens in 707 |
| pest control in 1981 | C. restuans in 374 |
| | |
| ticks in 1755 | Culex salinarius in 374, 970 |
| fijiensis, Aedes | Culiseta inornata in, hosts of 760 |
| Filariasis, in Japan 1213 | C. melanura in, hosts of 760 |
| Filariol (see Bromophos-ethyl) | Diptera in 1286 |
| Filipin | fleas in 2273 |
| against, Musca domestica 1281 | Haematobia irritans in, on cattle 817 |
| insecticidal activity of, with Musca | Hypoderma lineatum in, on cattle 817 |
| domestica 167 | Loxosceles reclusa in 296 |
| sterilant activity of, with Musca domestica | Lucilia cuprina in, in refuse 1041 |
| 167 | Mansonia titillans in 1469 |
| fimbriatus, Scheloribates | Musca domestica in 1871, 2366 |
| Finland | Psorophora confinnis in 970, 1469 |
| Blattella germanica in, in dwellings 716 | |
| Cimex lectularius in, in dwellings 716 | Saint Louis encephalitis in 206 |
| Pulex irritans in, in dwellings 716 | Stomoxys calcitrans in 260, 1551 |
| Fish, resmethrin in, toxicity of 244 | Venezuelan equine encephalitis in 577 |
| Fithios (see Ethoate-methyl) | Florida caerulea, Culex nigripalpus feeding |
| flavescens, Aedes | on, defensive activity against 377 |
| flavicans, Simulium | 2-Fluoroacetamide |
| flavidum, Simulium | in Nosopsyllus consimilis, effects on |
| flavidus, Chrysops | fertility of 2254 |
| flaviscutellata, Lutzomyia | in Xenopsylla cheopis |
| flavopictus, Aedes | effects on fertility of 2254 |
| Fleas | effects on Pasteurella pestis of 2253 |
| embedding of, techniques for 715 | in Xenopsylla gerbilli, effects on |
| hosts of, adaptations to 1352 | Pasteurella pestis of 2253 |
| in Florida 2273 | 2-Fluoro-N-methyl-N-1-naphthylacetamide, |
| in Sakhalin 1057 | mode of action of 1288 |
| in Sweden 953 | fluviatilis, Anopheles |
| Kemner collection of 953 | Folithion (see Fenitrothion) |
| on small mammals, in USSR 75 | folliculorum, Demodex |
| plague, role of, in 1353-1354 | fonscolombei, Brachymeria |
| rearing of, techniques for 1355 | Foot and mouth disease |
| surveillance techniques for 512 | Ornithodoros lahorensis, role of, in 164 |
| taxonomy of, parasitism as basis for | virus of, ticks, detection of, in 1692 |
| 1656 | Forcipomyia dacica, sp. n., described from |
| tissue cultures from, cultivation of | Rumania 2 |
| pathogens in 881 | Forcipomyia zlatensis, sp. n., described from |
| vertebrate pathogens in, detection of | Rumania 2 |
| 1997 | Formamidine, N'-(4-chloro-o-tolyl)-N,N- |
| zoogeography of, related to theory of | dimethyl- (see Galecron) |
| continental drift 1337 | Formamidine, N'-(4-chloro-o-tolyl)-N- |
| Flies, dermatophytosis, role of, in 1695 | methyl- |
| Flit MLO | chlorphenamidine metabolite, in Boophil |
| against | microplus 1610 |
| Aedes nigromaculis 208, 737, 2462 | toxicity of, effects of piperonyl butoxide |
| Culex peus 767, 2461 | on 1610 |
| Culex pipiens 767, 2461 | Formamidine, N-methyl-N-2,4-xylyl-N-(N- |
| Culex tarsalis 757, 767, 2461–2462 | 2,4-xylylformimidoyl)- |
| Culiseta incidens 2461 | against |
| C. inornata 757 | Amblyomma hebraeum 1099 |
| mosquitos 1736, 2467 | Boophilus decoloratus 1099 |
| | |
| in ponds, non-target effects of 757 | B. microplus 1099 |
| Florida | Rhipicephalus appendiculatus 1099 |

| - | | | | |
|---|--|--|--|--|
| F | | | | |
| | | | | |

in *Musca domestica*, mode of action of 177

in rats, toxicity of 177

Formic acid, ethyl ester, against, Pediculus humanus 524

Formica clara, in USSR 1056

Formica fusca

Dicrocoelium dendriticum, isolated from, in Bulgaria 1568

in Bulgaria 1568

Formica pratensis

Dicrocoelium dendriticum, isolated from, in Bulgaria 1568

D. lanceolatum, intermediate host of 2385

in Bulgaria 1568

in Yugoslavia 2385

Formosa (see Taiwan) formosus, Aedes aegypti

Formparanate (see Carbamic acid, methyl-, ester with N²(4-hydroxy-o-tolyl)-N,N dimethylformamidine or 3-Methyl-4-dimethylaminomethyleneaminophenyl methylcarbamate)

Fosfamid (see Dimethoate)

Fospirate (see Phosphoric acid, dimethyl 3,5,6-trichloro-2-pyridyl ester)

Fowl excreta, Musca domestica in, for conversion to fertiliser and feedstuffs 1878

Fowl houses, Triatoma infestans in, in Brazil

Fowl-pox, virus of, *Dermanyssus gallinae*, isolated from, in Azerbaijan 1968
Fowls

aldrin in, toxicity of 1313

Amyrsidea powelli infesting, in Nigeria 1709

Argas spp. infesting, in South Africa 1918

Argas persicus infesting, symptoms resulting from 2403–2404

Cuclotogaster occidentalis infesting, in Nigeria 1709

DDT in, residues of 164

Dermanyssus gallinae infesting effects of 292, 1955

in Azerbaijan 1968 in USSR 2224

Haemaphysalis hoodi infesting, in Nigeria

foxi, Culicoides

France

Aedes caspius in 228, 785

A. detritus in 228 A. refiki in 574

Anopheles maculipennis in 1794 Coquillettidia richiardii in 785

Ctenophthalmus spp. in 1168

Culex pipiens in 154

France contd.

Dermatophagoides farinae in, in house dust 1587-1588

Dermatophagoides pteronyssinus in, in house dust 1587–1588

Euroglyphus maynei in, in house dust 1587

Hypoderma bovis in, on cattle 1119

H. lineatum in, on cattle 1119 Leptoconops irritans in 1246, 1504

L. kerteszi in 1504 mosquitos in 114

Phlebotomus ariasi in 121, 1254

Tabanidae in 2537 franciscanus, Anopheles fraseri, Haematopota freeborni, Anopheles

French Polynesia, Culicoides belkini in 2147

French Territory of the Afars and the Issas cutaneous leishmaniasis in 586

Phlebotomidae in 586

visceral leishmaniasis in 586

Friend leukaemia virus

Aedes aegypti, development of, in 551 Anopheles stephensi, development of, in 551

frigoris, Ceratophyllus frisiae, Zygoribatula

frontalis, Hybomitra Frontopsylla semura in USSR 703

on Citellus pygmaeus, in Dagestan 703 fryeri, Aedes

fucense, Simulium, (Eusimulium)

fuji, Leptotrombidium fuliginosa, Periplaneta

fuliginosus, Chrysops

fulvipes, Heterometrus

fulvulus, Tabanus fulvum, Prosimulium (see P. ochraceum)

fulvus, Atylotus fumigata, Byrsotria

Funambulus palmarum, Nosopsyllus arcotus infesting, in India 532

Fundulus, insecticides in, toxicity of 2148 Fundulus diaphanus, preying on, mosquito

larvae, and biological control using, in New Jersey 1424

Fundulus heteroclitus, preying on, mosquito larvae, and biological control using, in New Jersey 1424

funestus, Anopheles

Furadan (see Carbofuran)

Furamethrin (see Chrysanthemic acid, 5-(2propynyl)furfuryl ester; or 5-(2-Propynyl)furfuryl chrysanthemate)

furcifer, Aedes furens, Culicoides Furethrin

against

Aedes aegypti 1361

| Furethrin contd. | Gambusia contd. |
|---|--|
| against contd. | preying on contd. |
| Musca domestica 1361 | mosquitos 2483 |
| fusca, Formica | Gambusia affinis |
| fusca, Glossina | biology of 1208, 1463 |
| fuscipennis, Sepedon | distribution of 1208 |
| fuscipes, Glossina | Dursban in, toxicity of 1075 |
| fuscocephalus, Culex | husbandry of 1208 |
| fuscopennata, Coquillettidia, (Mansonia) | in California 750 |
| fuscus, Colymbetes | in rice-fields 750 |
| fuscus, Opifex | in sewage oxidation ponds 2487 |
| Gahrliepia ligula | marking of, Rhodamine B for 1131 |
| in India 291 | minimum oxygen threshold of 2490 |
| on Bandicota indica, in India 291 | preying on |
| Gahrliepia saduski, in Japan 1585 | Aedes sollicitans, and biological contro |
| Galecron (chlordimeform, | using, in North Carolina 373 |
| chlorphenamidine) against | A. taeniorhynchus, and biological control using, in North Carolina |
| Boophilus microplus 285, 1610, 1935 | 373 |
| Culex spp. 2492 | Culex pipiens, and biological control |
| Musca domestica 2171 | using, in Virginia 373 |
| in Boophilus microplus, metabolism of | C. tarsalis, in California 2489 |
| 2171 | mosquitos |
| in Musca domestica, metabolism of 2171 | and biological control using 1436 |
| synergists for, piperonyl butoxide as | in Japan 1463 |
| 2171 | in New Jersey 1424 |
| toxicity of, effects of piperonyl butoxide | Gamma-BHC (see BHC (y-isomer)) |
| on 1610 | Gardona (see Tetrachlorvinphos) |
| galeratum, Simulium Colistis vittata braziliansis. Tsupanasama | garei, Ceratophyllus |
| Galictis vittata brasiliensis, Trypanosoma cruzi, isolated from, in Brazil 1158 | garmsi, Simulium Garrulus glandarius, Ixodes ricinus infesting |
| gallinacea, Echidnophaga | in Poland 133 |
| gallinae, Ceratophyllus | Gasterophilus, on man 1690 |
| gallinae, Dermanyssus | Gasterophilus intestinalis |
| gallinae, Goniocotes | control of, dichlorvos tested for 816, |
| gallinae, Menopon | 1268-1270 |
| galloisi, Aedes | in Chad 816 |
| galloprovinciale, Simulium, (Obuchovia) | in Philippines 127 |
| Gallus, Syringophilus bipectinatus infesting, | in USA 1529 |
| in India 1303 | on cattle, in New York 1529 |
| Gamasida, taxonomy of 1356 | on donkey, in Chad 816 |
| Gamasidae in Siberia 1659 | on horses, in Philippines 127 |
| tick-borne encephalitis, role of, in, in | Casterophilus nasalis control of, dichlorvos tested for 816, |
| USSR 1641 | 1269–1270 |
| Gamasoidea | in Chad 816 |
| in Byelorussia 1627 | in Philippines 127 |
| in USSR 139 | on donkey, in Chad 816 |
| in Clethrionomys glareolus nests 677 | on horses, in Philippines 127 |
| tularaemia, role of, in 2067 | Gasterosteus aculeatus, preying on, |
| vertebrates, relation of, and 1673 | mosquito larvae, and biological control |
| Gambia | using, in New Jersey 1424 |
| Chrysomya marginalis in, in hides 1883 | gaudi, Microlichus |
| C. putoria in, in hides 1883 | Gazalina, toxic compounds in 2391 |
| Culex spp. in 799 Lucilia spp. in, in hides 1883 | gazella, Onthophagus GC-4072 (see Chlorfenvinphos) |
| Musca domestica in, in hides 1883 | GD-11 (see Triethylamine, 2-[2- |
| gambiae, Anopheles | (isobornyloxy)ethoxy]-; or 2-(2-(2-(N,N- |
| gambiensis, Glossina palpalis | Diethylamino)ethoxy)ethoxy)bornane) |
| Gambusia | Gedoelstia, on man, in Kenya 1267 |
| preying on | Geese, Lucilia sericata infesting, in Israel |
| midges 2483 | 1892 |

| gelidus, Culex | Ghana contd. |
|---|---|
| geminus, Tabanus | Aedes contd. |
| Genet (see Genetta) | A. vittatus in 2291 |
| Genetta genetta, Haemaphysalis | Anopheles funestus in 1180 |
| punctaleachi infesting, in West Africa | Anopheles gambiae in 955, 1180 |
| 2569 | A. hargreavesi in 1180 |
| Genetta johnstoni, Haemaphysalis | Demodex spp. in, on cattle 1970 |
| punctaleachi infesting, in West Africa | |
| 2569 | Haemaphysalis rugosa in 462 malaria in 1180 |
| | |
| Genetta tigrina, Haemaphysalis punctaleachi | onchocerciasis in 1180 |
| infesting, in West Africa 2569 | Simulium adersi in 601 |
| geniculatus, Aedes | Simulium damnosum in 596, 1180, 2153 |
| geniculatus, Panstrongylus | S. garmsi in 596 |
| Gentian violet, effects of, on, Triatoma | Simulium hargreavesi in 601, 1513 |
| infestans 527 | S. schoutedeni in 596 |
| Georgia | yellow fever in 546, 761, 772, |
| Aedes sollicitans in 971 | 2281–2282, 2291 |
| A. taeniorhynchus in 971 | ghanensis, Demodex |
| Argasidae in 655 | gibbosus, Ixodes |
| Copridae in 2199 | gibbus, Listrophorus |
| Ixodidae in 655 | gigas, Phlebotomus, (Spelaeophlebotomus) |
| georgianus, Anopheles | glasgowi, Haemolaelaps (see Androlaelaps |
| Geraniol (see 2,6-Octadien-1-ol, 3,7- | fahrenholzi) |
| dimethyl-, (E)-) | Gliricola porcelli |
| against, Aedes aegypti 1237 | in Cuba 2434 |
| gerbilli, Xenopsylla | on guineapig, in Cuba 2434 |
| German cockroach (see Blattella germanica) | Glossina |
| germanica, Blattella | activity in, effects of starvation on 1838 |
| germanica, Vespula, (Paravespula) | blood-meals of, identification of 1617 |
| Germany | cell cultures from 1697 |
| Aedes detritus in 409 | chromosomes in 1850 |
| A. dorsalis in 409 | control of |
| Anopheles claviger in 409 | biological 2539 |
| A. maculipennis in 409 | dieldrin for 165 |
| Anoplura in, on cattle 937 | environmental effects of 2355 |
| Blatta orientalis in 516 | genetic 2424 |
| Blattella germanica in 516 | in Nigeria 165 |
| Bonomiella columbae in, on Columba livia | in West Africa 897 |
| 1150 | flight activity in 1836 |
| Chorioptes bovis in, on cattle 937 | glycogen in 1839 |
| Culicoides impunctatus in, on man 238 | on goats, sensitisation to 123 |
| C. setosus in, on man 238 | pupation in 1845 |
| Damalinia bovis in, on cattle 937 | rearing of, techniques for 1017 |
| Haematopinus eurysternus in, on cattle | sperm development in 1848 |
| 937 | spermathecae in 1840 |
| Ixodes ricinus in 1298 | |
| Lucilia caesar in, on dogs 2553 | surveillance techniques for 512 Trypanosoma brucei, development of, in |
| | 1860 |
| Mallophaga in, on cattle 937 | |
| Monomorium pharaonis in 1567 | Glossina austeni |
| mosquitos in 406 | choriothete in 501 |
| viruses in 1798 | control of |
| pesticide use in 1108 | in Mozambique 2155 |
| Simulium erythrocephalum in 418, 595, | insecticides tested for 248 |
| 1816 | cytogenetics of 871 |
| Solenopotes capillatus in, on cattle 937 | egg-hatch in 501 |
| Germiston virus, characterisation of 1790 | feeding behaviour in, role of sensilla in |
| Ghana | 609 |
| Aedes aegypti in 2282, 2291 | fertilisation in 1266 |
| A. furcifer in 2291 | flight muscles in 1835 |
| A. luteocephalus in 2291 | habitats of 2159 |
| A. simpsoni in 2282 | head in, functional anatomy of 902 |
| A. taylori in 2291 | in Mozambique 2155, 2159 |

| Glossina austeni contd. | Glossina morsitans contd. |
|---|---|
| karyotype of 252 | control of contd. |
| labial sensilla in 813 | in Mozambique 2155 |
| labrocibarial sensilla in 814 | insecticides tested for 248, 2156 |
| marking of | sterilisation methods for 1851 |
| fluorescent powders for 421 | cytogenetics of 1847 |
| radioisotopes for 810 | egg-hatch in 501 |
| mating in 1844 | feeding behaviour in 254, 1174, 1830, |
| and with G. morsitans 42 | 1837 |
| potential of males for repeated 1015 | fertilisation in 1266 |
| | flight activity in, circadian rhythms in |
| meiosis in 1849 post-metamorphic growth in 310 | 45 |
| F | flight musculature in 2354 |
| rearing of techniques for 871 | habitats of 2159 |
| feeding adults 253, 609 | in Botswana 251, 1820 |
| reproductive cycle in, volume relationships | in Mozambique 1019, 2155, 2159 |
| during 124 | in Niger Republic 422, 2156 |
| spermatogenesis in 871 | in Rhodesia 1019, 1262 |
| Trypanosoma congolense, cyclical | in Tanzania 1260 |
| transmission of, by 1517 | in Zambia 689 |
| visual responses in 701 | marking of, fluorescent powders for 42 |
| Glossina brevipalpis | mating in, and with G. austeni 42 |
| control of, in Mozambique 2155 | mid-gut mycetome in 247 |
| habitats of 2159 | osmoregulation in 1837 |
| in Mozambique 2155, 2159 | parasites of, in Rhodesia 1262 |
| in Uganda 1856, 1856 | proline dehydrogenase in 250 |
| mid-gut mycetome in 247 | pupal weight in, in laboratory colony |
| Trypanosoma congolense, isolated from, in | 1261 |
| Uganda 1856 | rearing of |
| T. vivax, isolated from, in Uganda 1856 | techniques for 1828 |
| Glossina fusca congolensis | feeding adults 253 |
| Absidia repens in, in Central African | sterilisation of, X-irradiation in nitrogen |
| Republic 811 | for 1846 |
| in Central African Republic 811 | Trypanosoma brucei |
| Penicillium lilacinum in, in Central | cyclical transmission of, by 1831 |
| African Republic 811 | infectivity of, for 1857 |
| Glossina fuscipes | isolated from, in Botswana 251 |
| in Kenya 1520 | Trypanosoma congolense, cyclical |
| in Uganda 1856 | transmission of, by 1517, 1831 |
| mid-gut mycetome in 247 | T. rhodesiense, transmitted by, in |
| Trypanosoma congolense, isolated from, in | Botswana 251 |
| Uganda 1856 | T. vivax, cyclical transmission of, by |
| T. vivax, isolated from, in Uganda 1856 | 1825 |
| Glossina fuscipes fuscipes | visual responses in 1820 |
| cytogenetics of 871 | Glossina morsitans centralis |
| in Ethiopia 1406, 2161 | control of, genetical, by release of other |
| in Zaïre 2231 | subspecies 246 |
| mites infesting, in Zaïre 2231 | in Rhodesia 246 |
| rearing of, techniques for 871 | in Tanzania 246, 1834 |
| spermatogenesis in 871 | virus-like particles in, in Tanzania 1834 |
| Glossina fuscipes quanzensis | Glossina morsitans morsitans |
| in Zaïre 2231–2232 | control of, genetical, by release of other |
| mites infesting, in Zaïre 2231–2232 | subspecies 246 |
| Glossina longipalpis, in Senegal 809 | cytogenetics of 871 |
| Glossina longipennis, in Ethiopia 1406, | DDT in, sub-lethal effects of 1122 |
| 2161 | feeding behaviour in 1259 |
| Glossina morsitans | in Rhodesia 1516, 2353 |
| biology of 1676 | in Tanzania 246, 1259 |
| choriothete in 501 | insemination in 42 |
| control of | mating in 42 |
| DDT for 1019 | potential of males for repeated 1015 |
| | |

| 2 | |
|---|---|
| Glossina morsitans morsitans contd. | Glossina pallidipes contd. |
| mortality in, relation of fat content and | in Tanzania 607, 1819, 1822 in Uganda 1265, 1856 |
| ovulation in 42 | mating in 1841–1842 |
| parasitised by | effects of age on 608 |
| Mutilla glossinae, in Rhodesia 1516, | on buffalo, in Kenya 1525 |
| 2353 | on Hippotragus equinus, in Kenya 1525 |
| Thyridanthrax abruptus, in Rhodesia 2353 | on <i>Tragelaphus scriptus</i> , in Kenya 1522, 1525 |
| T. lugens, in Rhodesia 2353 | ovulation in 31 |
| T. salutaris, in Rhodesia 2353 | parasitised by |
| parasitism of, estimating rate of 1516 rearing of, techniques for 871 | Mutilla glossinae, in Rhodesia 1262 Stomatoceras micans, in Rhodesia |
| reproductive abnormalities in 1829 | 1262 |
| spermatogenesis in 871 | Syntomosphyrum albiclavus, in |
| sterilisation of | Rhodesia 1262 |
| γ-irradiation at low temperatures for 2527 | Thyridanthrax spp., in Rhodesia 1262 |
| y-irradiation for 871 | rearing of, techniques for 1016 |
| y-irradiation in nitrogen for 2527 | spermathecae in, microorganisms in 1843 |
| visual responses in 701 | Trypanosoma brucei isolated from |
| Glossina morsitans orientalis (see G. m. | in Kenya 1265 |
| morsitans) Glossina morsitans submorsitans | in Uganda 1265 |
| control of, insecticide barrier for 2157 | survival of, in 2528 |
| DDT in, sub-lethal effects of 1122 | T. congolense |
| habitats of 809 | isolated from |
| in Ethiopia 1263, 2161 in Niger Republic 1821, 2157 | in Kenya 1856 in Tanzania 1822 |
| in Senegal 809 | in Uganda 1856 |
| Trypanosoma bouffardi, morphology of, in 1832, 1859 | T. rhodesiense, transmitted by, in Ethiopia 1263 |
| T. brucei, transmitted by, in Senegal 809 | T. vivax |
| T. congolense, transmitted by, in Senegal | isolated from |
| 809 T. rhodesiense, transmitted by, in Ethiopia | in Kenya 1856 in Tanzania 1822 |
| 1263 | in Uganda 1856 |
| T. vivax, transmitted by, in Senegal 809 | trypanosomes, isolated from, in Kenya |
| trypanosomes, isolated from, in Niger | 1523 |
| Republic 1821 Glossina morsitans submorsitans ugandensis | Glossina palpalis in Liberia 1859 |
| control of, genetical, by release of other | tissue cultures from, cultivation of |
| subspecies 246 | pathogens in 881 |
| in Uganda 246 | Trypanosoma bouffardi, morphology of, in |
| Glossina pallicera in Liberia 1859 | 1859 trypanosomes, isolated from, in Liberia |
| trypanosomes, isolated from, in Liberia | 1859 |
| 1859 | Glossina palpalis gambiensis |
| Glossina pallidipes | biology of 897 |
| control of DDT for 1018 | habitats of 809 in Senegal 809 |
| DDT tested for 607 | in Upper Volta 1652 |
| dieldrin for 1018 | Trypanosoma gambiense, transmitted by, |
| in Mozambique 2155 | in Senegal 809 |
| pyrethrins tested for 607, 1819 feeding behaviour in 1259 | T. vivax, transmitted by, in Senegal 809 |
| habitats of 2159 | Glossina palpalis palpalis in Zaïre 1833, 2232 |
| host preferences of 1522-1525 | mites infesting, in Zaïre 2232 |
| in Ethiopia 1263, 1406, 2161 in Kenya 1265, 1519–1525, 1856 | Trypanosoma bouffardi, morphology of, in |
| in Kenya 1265, 1519–1525, 1856 in Mozambique 2155, 2159 | Classing submarsitans (see G. marsitans |
| in Rhodesia 1018–1019, 1262 | Glossina submorsitans (see G. morsitans submorsitans) |
| | |

on man, literature on 150

| Clossina swynnertoni | Glycyphagus domesticus |
|---|--|
| control of | in Spain 858, 1971 |
| DDT tested for 607 | in dwellings, in Spain 1971 |
| pyrethrins tested for 607, 1819 | in house dust, in Spain 858 |
| feeding behaviour in 1174 | on man, literature on 150 |
| in Kenya 1856 | Glyoxylic acid, sodium salt, attractant for, |
| in Tanzania 607, 1819, 1822, 1824, 1858, | Aedes aegypti 2276 |
| 2158 | Glyoxylonitrile, (o-chlorophenyl)-, oxime, |
| Trypanosoma congolense | O,O-diethyl phosphorothioate (see |
| isolated from | Chlorphoxim) |
| in Kenya 1856 | Glyoxylonitrile, phenyl-, oxime, O,O-diethyl |
| in Tanzania 1822, 1858, 2158 | phosphorothioate (see Phoxim) |
| T. vivax | Glyoxylonitrile, o-tolyl-, oxime, diethyl |
| isolated from | phosphate, against, Anopheles |
| in Kenya 1856 | quadrimaculatus 1739 |
| in Tanzania 1822, 1858, 2158 | Glyptotendipes paripes |
| Flossina tachinoides | larval development in effects of temperature on 2368 |
| control of | radioisotope absorption during 2368 |
| dieldrin for 422 | Goats / |
| insecticide barrier for 2157 | Anaplasma spp., in, in Turkey 852 |
| insecticides tested for 2156 | Ctenocephalides felis infesting, in Papua |
| sterile-insect release tested for 2526 | and New Guinea 1134 |
| cytogenetics of 871 | Damalinia caprae infesting, in Texas |
| habitats of 249 | 2085 |
| host preferences of 249 | D. crassipes infesting, in Texas 2085 |
| in Chad 2526 | D. limbata infesting, in Texas 2085 |
| in Ethiopia 1263, 2161 | demodicosis in 294 |
| in Niger Republic 422, 1821, 2156–2157 | Dermacentor marginatus infesting, in |
| in Nigeria 249 marking of, fluorescent powders for 421 | Bulgaria 663 Dursban in, toxicity of 676 |
| rearing of, techniques for 871 | Glossina spp. feeding on, sensitisation to |
| sleeping sickness, role of, in, in Nigeria | 123 |
| 249 | Haemaphysalis parva infesting, in Israel |
| spermatogenesis in 871 | 658 |
| sterilisation of, y-irradiation for 871 | H. punctata infesting, in Bulgaria 663 |
| Trypanosoma bouffardi, morphology of, in | H. sulcata infesting, in Israel 658 |
| 1832, 1859 | Hyalomma anatolicum infesting, in Israel |
| T. congolense, cyclical transmission of, by | 658 |
| 1517 | Ixodes gibbosus infesting |
| T. rhodesiense, transmitted by, in Ethiopia | in Israel 658 |
| 1263 | symptoms resulting from 658 |
| trypanosomes, isolated from, in Niger Republic 1821 | I. ovatus infesting, in Nepal 2218 mosquitos feeding on, in Czechoslovakia |
| lossinae, Congovidia | 992, 1758 |
| dossinae, Mutilla | Oestrus ovis infesting, in India 610 |
| lossinarum, Afrocalvolia | Przhevalskiana silenus infesting, in Turke |
| Flutaric acid | 1020 |
| dibutyl ester | Rhipicephalus bursa infesting, in Israel |
| in cattle, toxicity of 2141 | 658, 658 |
| repellent for | Theileria hirci, in, in Turkey 852 |
| Aedes communis 2141 | ticks infesting, in Turkey 852 |
| A. punctor 2141 | Golden Bear 1198 (see Oil, petroleum) |
| Slycolic acid, attractant for, Aedes aegypti | Goldfish, malathion in, effects of 1074 |
| 2276 Glycyphagus destructor | gomezi, Lutzomyia Goniocotes gallinae |
| control of | control of |
| γ BHC tested for 2220 | carbamates tested for 680 |
| DDT tested for 2220 | phosmet tested for 680 |
| in house dust, competing with other mites | trichlorphon tested for 680 |
| 2220 | gorodkovi Bellierie |

gracilis, Centruroides

| - | |
|---|---|
| gracillimum, Monomorium | Haemaphysalis aciculifer contd. |
| grahami, Aldrichina, (Calliphora) | hosts of 462 |
| Grape vine, mosquitos feeding on spoiled | Haemaphysalis bispinosa |
| fruit of 1420 | chromosome number in 58 |
| Grasshoppers, Spirocerca lupi, infectivity of, | control of, malathion tested for 1924 |
| for 1055 | in India 1924 |
| Greenland, Diptera in 1080 | on buffalo, in Gujarat 1924 |
| gregaria, Schistocerca | on cattle, in Gujarat 1924 |
| grekovi, Sergentomyia | sex determination in 58 |
| (Phlebotomus) | Haemaphysalis celebensis |
| Grenada, Aedes aegypti in 1793 | descriptions of 2570 |
| griseicollis, Simulium | hosts of 2570 |
| grisescens, Culicoides | in Indonesia 2570 |
| grisescens, Psychoda | Haemaphysalis concinna |
| grochovskae, Dermanyssus | habitats of 172 in Austria 1582 |
| Gromphadorhina portentosa, haemocytes in | |
| 1358 | in Iran 1372 in USSR 172 |
| Gryllus pennsylvanicus, control of, pyrethroids tested for 1362 | |
| Guam | nitrogen in 134 phosphorus in 134 |
| Aedes albopictus in 232 | tick-borne encephalitis, virus of, isolated |
| A. guamensis in 232 | from, in Austria 1582 |
| mosquitos in 954 | Haemaphysalis cretica (see H. sulcata) |
| guamensis, Aedes | Haemaphysalis hoodi hoodi |
| Guatemala | in Nigeria 1914 |
| Anopheles albimanus in 1439 | on fowls, in Nigeria 1914 |
| mosquitos in 777 | Haemaphysalis hystricis, distribution of |
| Venezuelan equine encephalitis in 777 | 2570 |
| Guinea | Haemaphysalis inermis |
| Onchocerca volvulus in 900 | electron-microscope studies of 699 |
| yellow fever in 772 | in Iran 1372 |
| Guineapig Anopheles labranchiae feeding on, | in USSR 2214 on Capreolus capreolus, in USSR 2214 |
| sensitisation to 1226 | Haemaphysalis japonica douglasi |
| Chirodiscoides caviae infesting, in Cuba | habitats of 172 |
| 2434 | in USSR 172, 1635 |
| Dermatophagoides farinae on, allergic | life history of 1635 |
| reaction to 1964 | Haemaphysalis leporispalustris |
| dichlorvos in, toxicity of 2240 | in USA 297 |
| Gliricola porcelli infesting, in Cuba 2434 | on Sturnus vulgaris, in California 297 |
| parasites of 719 | Haemaphysalis longicornis |
| Rhipicephalus sanguineus feeding on, | chloride balance in 454 |
| immune reaction to 326 | chromosome number in 58 |
| gurneyi, Ornithodoros guttipennis, Culicoides | control of 659 |
| Guyana, Aedes aegypti in 734, 780 | cross-mating in, with, <i>Haemaphysalis</i> mageshimaensis 2568 |
| Gymnodia humilis | gonad development in 457 |
| control of 821 | in Fiji 1755 |
| in dwellings 821 | in Japan 58 |
| Haemagogus, yellow fever, control of, and, | in New Zealand 659, 1139 |
| in Americas 391 | life-cycle of 659 |
| Haemaphysalis | on cattle, in New Zealand 659, 1139 |
| in British Honduras 1576 | parthenogenesis in 58 |
| in Czechoslovakia 665 | Haemaphysalis mageshimaensis |
| in Japan 13 | sp. n., description of 2568 |
| in Korea 13 | cross-mating in, with, Haemaphysalis |
| in Ryukyu Islands 13 | longicornis 2568 |
| in Turkey 852 seasonal abundance of, in Malaysia 1940 | in Japan 2568 |
| seasonal abundance of, in Malaysia 1940 Haemaphysalis aciculifer | Haemaphysalis moreli sp. n., description of 1064 |
| descriptions of 462 | hosts of 1064 |
| distribution of 462 | in Seperal 1064 |

| 1 1 | |
|--|---|
| Haemaphysalis numidiana turanica, in USSR 1083 | Haemaphysalis spinigera contd. Kaisodi virus, isolated from, in Mysore |
| Haemaphysalis otophila (see H. parva) | 2565 |
| Haemaphysalis papuana papuana | on Macaca radiata, in India 281 |
| in Papua and New Guinea 1696 | on Presbytis entellus, in India 281 |
| on pigs, in Papua and New Guinea 1696 | Haemaphysalis sulcata |
| Haemaphysalis parmata, in Ethiopian region | in Iran 1372 |
| 462 | in Israel 658 |
| Haemaphysalis parva | in USSR 85 |
| in Iran 1372 | on goats, in Israel 658 |
| in Israel 658 | seasonal abundance of, in Turkmenia 85 |
| in USSR 85 | Haemaphysalis turturis |
| on goats, in Israel 658 | in India 281, 2565 |
| seasonal abundance of, in Turkmenia 85 | Kaisodi virus, isolated from, in Mysore |
| Haemaphysalis punctaleachi | 2565 |
| sp. n., description of 2569 | on Macaca radiata, in India 281 on Presbytis entellus, in India 281 |
| hosts of 2569 | Haemaphysalis wellingtoni |
| in Ivory Coast 2569 | in India 2565 |
| Haemaphysalis punctata | Kaisodi virus, isolated from, in Mysore |
| Babesia bigemina, transmitted by 63 | 2565 |
| Bhanja virus, transmitted by 63 | Haemaphysalis yeni |
| Brucella melitensis, transmitted by 63 | descriptions of 461 |
| central European tick-borne encephalitis, | in Japan 461 |
| virus of, isolated from, in Bulgaria | in Vietnam 461 |
| 663 | on dogs, in Japan 461 |
| control of, carbamates tested for 668 | Haematobia |
| isolated from, in Czechoslovakia 135 | control of, biological 2539 in Uzbekistan 934 |
| transmitted by 63 | Haematobia exigua |
| descriptions of 459 | in Nepal 1543 |
| host preferences of 63 | in Taiwan 1543 |
| in Bulgaria 663 | taxonomy of, characters distinguishing H. |
| in Czechoslovakia 63, 135 | irritans and 1543 |
| in Iran 1372 | Haematobia irritans |
| in Italy 2103, 2217 | biology of 1898–1899 |
| in Sicily 653 | bionomics of 449 |
| in Turkey 1292 | control of |
| in UK 459, 1922 | coumaphos tested for 1554 |
| in USSR 17, 94, 1083 louping ill, virus of, transmitted by 63 | fenchlorphos tested for 2546 in North America 1121 |
| on cattle, in UK 1922 | |
| on goats, in Bulgaria 663 | insecticides tested for 817, 1868 toxaphene tested for 2546 |
| on sheep, in Bulgaria 663 | trichlorphon for 2190 |
| Rickettsia sibirica, transmitted by 63 | identification of 1694 |
| Theileria mutans, transmission of, by 63, | in Egypt 1898 |
| 1922 | in Hawaii 1543 |
| tick-borne encephalitis, virus of, | in Japan 1543 |
| transmitted by 63 | in Rumania 2190 |
| Tribeč virus, transmitted by 63 | in USA 273, 449, 817, 1868, 2546 |
| tularaemia agent of, isolated from, in USSR 94 | mortality in, in Missouri 273 on cattle |
| role of, in, in USSR 17 | in California 1868 |
| Haemaphysalis rugosa | in Florida 817 |
| descriptions of 462 | in Missouri 2546 |
| distribution of 462 | symptoms of feeding by 1694 |
| hosts of 462 | physiological age of, characters for |
| Haemaphysalis silacea | assessing 270 |
| distribution of, related to vegetation 460 | predators of, in Missouri 273 |
| in South Africa 460 | rearing of, techniques for 2181 |
| Haemaphysalis spinigera | taxonomy of, characters distinguishing H |
| in India 281, 2565 | exigua and 1543 |

| Haematobia stimulans | Halyomorpha picus |
|---|---|
| Setaria cervi | in Japan 1400 |
| development of, in 1130 | in dwellings, in Japan 1400 |
| intermediate host of 1130 | Hammerschmidtiella diesingi |
| Haematopinus, antennae in 2269 | Blatta orientalis, neuroendocrine |
| Haematopinus asini | relationship of, and 518 |
| in Australia 1072 | Periplaneta americana, effects of nutrition |
| on horses | of, on 943 |
| in Queensland 1072 | Hamsters |
| symptoms of infestation with 1072 | eastern equine encephalitis, virus of, |
| Haematopinus eurysternus | isolated from, in New Jersey 1410 |
| control of | |
| diazinon for 355 | parasites of 719 |
| Dursban tested for 1712 | Hares |
| | Ixodes ovatus infesting, in Japan 2218 |
| insecticides for 353 malathion for 355 | Ixodidae infesting, in USSR 94 |
| | mosquitos feeding on, in Czechoslovakia |
| identification of 1694, | 992, 1758 |
| in Australia 353, 355 | hargreavesi, Simulium |
| in Germany 937 | Harrison's Law 2071 |
| in New Zealand 1137, 1712 | Hawaii |
| on cattle | Chrysomya megacephala in, on cattle |
| in Germany 937 | 2187 |
| in New South Wales 353 | C. rufifacies in, on cattle 2187 |
| in New Zealand 1137, 1712 | Isometrus maculatus in 1594 |
| in Tasmania 355 | |
| symptoms of infestation with 1694 | Scolopendra subspinipes in 1594 |
| Haematopinus quadripertusus | hayashii, Culex |
| identification of 1694 | HCH (see BHC) |
| on cattle, symptoms of infestation with | Heartwater, in Malagasy Republic 278 |
| 1694 | hebraeum, Amblyomma |
| Haematopinus suis | Helenicula kohlsi caucasica, subsp. n., |
| control of, on pigs 2433 | described from USSR 3 |
| in Papua and New Guinea 1696 | Helenicula lanius caspica, subsp. n., |
| in USA 346 | described from USSR 3 |
| on pigs, in Papua and New Guinea 1696 | Helicobia, in Cuba 832 |
| on wild pigs, in USA 346 | helveticus, Culicoides |
| Haematopota, in Cameroon 445 | Hemidactylus flaviviridis |
| Haematopota bigoti, in France 2537 | Chrysomya megacephala infesting 2550 |
| Haematopota bigoti monspellensis (see H. | Hemipyrellia ligurriens infesting 2550 |
| bigoti) | Hemiptera |
| Haematopota fraseri, in France 2537 | on man |
| Haematopota pluvialis, in France 2537 | symptoms of bite by 1071 |
| Haematopota pluvialis minima (see H. | symptoms of feeding by 1071 |
| pluvialis) | tissue cultures from, cultivation of |
| Haematopota tamerlani, in USSR 495 | pathogens in 881 |
| haematopotus, Culicoides | hemipterus, Cimex |
| Haemogamasus ambulans | Hemipyrellia, in New Guinea 2371 |
| in USSR 15 | Hemipyrellia ligurriens, parasitising, living |
| on rodents, in Kharbarovsk 15 | vertebrates 2550 |
| Haemogamasus serdjukovae | Hempa |
| in USSR 15 | determination of 2326 |
| on rodents, in Kharbarovsk 15 | in Culex pipiens, effects of 1229 |
| Haemolaelaps glasgowi (see Androlaelaps | repellency of, to Musca domestica 2183 |
| fahrenholzi) | sterilant for |
| Haemonchus placei, in cattle dung, effects of | Anopheles albimanus 2326 |
| dung beetle activity on 2386 | Culex pipiens 402, 542, 1229, 2317 |
| Haemorrhagic fever, Omsk, Ixodes | Musca domestica 68, 176, 502, 542, |
| apronophorus, role of, in, in USSR 100 | 1536, 2169, 2317 |
| haemorrhoidalis, Sarcophaga, (Bercaea) | synanthropic flies 1536 |
| halophilus, Culicoides | 9-Heneicosene, (Z)-, attractant for, Musca |
| halterophilus, Sturnophagoides | domestica 1867 |
| Halyomorpha brevis (see H. picus) | hentzi, Centruroides |

| Iepatitis B virus | Heterotylenchus autumnalis contd. |
|--|---|
| Aedes africanus, antibodies to, in, in | Orthellia caesarion contd. |
| Uganda 1461 | immune reaction to, in 429 |
| Anopheles coustani, antibodies to, in, in | Hexachlorane (see BHC) |
| Kenya 1461 | Hexadecanoic acid, ethyl ester, against, |
| A. funestus, antibodies to, in, in Kenya | Aedes aegypti 1178 |
| 1461 | 2,4-Hexadienyl butyrate, attractant for, |
| Coquillettidia fuscopennata, antibodies to, | Diptera 1286 |
| in, in Uganda 1461 | 2,4-Hexadienyl hexanoate, attractant for, |
| Culex sitiens, antibodies to, in, in Kenya | Diptera 1286 |
| 1461 | hexagonus, Ixodes |
| C. tritaeniorhynchus, antibodies to, in, in | Hexamethylenebenzamide |
| Kenya 1461 | formulations of 302 |
| Mansonia africana, antibodies to, in, in | repellent for |
| Kenya 1461 | Aedes spp. 302, 2141 |
| M. uniformis, antibodies to, in, in Kenya | Simulium spp. 302 |
| 1461 | N,N'-hexamethylenebis(1- |
| Hepatozoon caimani, Culex dolosus, | aziridinecarboxamide), sterilant for, |
| development of, in 1772 | Lucilia cuprina 830 |
| -leptachlor | Hexamethylphosphamide (see Hempa) |
| against, Loxosceles reclusa 476 | Hexamethylphosphorothioic triamide |
| biochemistry of 1103 | repellency of, for Musca domestica 218. |
| in Musca domestica, enzyme induction by | sterilant for, Musca domestica 2169 |
| 916 | |
| Heptachlor, β-dihydro- (see 4,7- | 1,3-Hexanediol, 2-ethyl- (see Ethyl hexanediol) |
| Methanoindan, 2,4,5,6,7,8,8-heptachloro- | |
| 3a,4,7,7a-tetrahydro-, exo-) | Hexanoic acid |
| Heptachlor epoxide, in cattle, effects of 1073 | against, Aedes aegypti 1178 |
| Heptanoic acid | ethyl ester against |
| against, Aedes aegypti 1178 | Aedes aegypti 1178 |
| ethyl ester, against, Musca domestica | Musca domestica 1179 |
| 1179 | 2,4-hexadienyl ester, attractant for, |
| methyl ester | Diptera 1286 |
| against | methyl ester |
| Aedes aegypti 1178 | against |
| Musca domestica 1179 | Aedes aegypti 1178 |
| Heptyl butyrate, attractant for, Vespula | Musca domestica 1179 |
| pensylvanica 642 | hexodontus, Aedes |
| hermanni, Argas reflexus | hieroglypha, Congovidiella |
| Hermetia illucens, distribution of 2536 | hieroglyphicus, Culicoides |
| Herpetomonas muscae-domesticae, | Hipodermin-chlorophos (see Trichlorphon) |
| Hippelates pusio, transmission of, by | Hippelates |
| 1975 | control of |
| Herpetomonas muscarum (see H. muscae- | biological 2539 |
| domesticae) | in California 1276 |
| Heterandria formesa preving on mesquito | in soil, effects of additives and waste on production of 2547 |
| Heterandria formosa, preying on, mosquito larvae, and biological control using, in | Hippelates bishoppi, fertility in, effects of |
| New Jersey 1424 | age on 1039 |
| Heterometrus fulvipes, venom of 2580 | Hippelates currani |
| Heterotylenchus, biology of 617 | descriptions of 1277 |
| Heterotylenchus autumnalis | in Brazil 1277 |
| Musca autumnalis | on man, in Brazil 1277 |
| effects of, in 826 | Hippelates pallipes, fertility in, effects of ag |
| in, in Missouri 1042 | on 1039 |
| in, in Ontario 1038 | Hippelates pusio |
| in, in South Dakota 1284 | control of |
| M. domestica, defence mechanisms | malathion tested for 823 |
| against, in 1877 | naled tested for 823 |
| Orthellia caesarion | tetrachlorvinphos tested for 823 |
| effects of, in 826 | fertility in, effects of age on 1039 |
| | |

| Hippelates pusio contd. | Hohorstiella lata contd. |
|--|---|
| flight activity in, effects of climatic | on Columba livia |
| conditions on 444 | distribution pattern of 722 |
| Herpetomonas muscae-domesticae in, | in Australia 722 |
| transmission of 1975 | hollensis, Culicoides |
| in USA 823, 1286 | holocyclus, Ixodes |
| Hippelates tibialis | Holothyrida, taxonomy of 1356 |
| descriptions of 1277 | hominis, Dermatobia |
| in Brazil 1277 | • |
| on man, in Brazil 1277 | hominivorax, Cochliomyia |
| Hippobosca equina | (Callitroga) |
| control of | Homoptera, cell cultures from 1697 |
| BHC tested for 824 | Honduras |
| coumaphos tested for 824 | Aedes aegypti in 780 |
| in Turkey 824 | Anopheles albimanus in 1439 |
| on donkey, in Turkey 824 | Dermatobia hominis in 2358 |
| on mule, in Turkey 824 Hippobosca longipennis | Triatoma ryckmani in 2089 Honey bee (see Apis mellifera) |
| in India 622 | hoodi, Haemaphysalis |
| in Tanzania 2158 | Hookworms, flies contaminated with eggs of |
| on dogs, in India 622 | in Azerbaijan 184 |
| Hipposideros armiger terasensis, Japanese | horotoi, Aedes |
| encephalitis, virus of, isolated from, in | Horses |
| Taiwan 2298 | Aedes triseriatus feeding on, symptoms |
| Hippotragus equinus, Glossina pallidipes | resulting from 1735 |
| feeding on, in Kenya 1525 | Boophilus microplus infesting |
| Hirstionyssus isabellinus | in Queensland 1072 |
| in USSR 15 | symptoms resulting from 1072 |
| on rodents, in Kharbarovsk 15 | Chorioptes bovis infesting |
| hirsutus, Opisocrostis | in Queensland 1072 |
| hirtipes, Prosimulium | symptoms resulting from 1072 |
| hirundinis, Dermanyssus hirundinis, Oeciacus | Culicoides spp. feeding on in Queensland 1072 |
| hispaniola, Anopheles | symptoms resulting from 1072 |
| (Myzomyia) | C. arubae feeding on, in Texas 1002 |
| hispaniola, Simulium | C. milnei feeding on, in South Africa |
| hispida, Basilia | 1808 |
| Hister abbreviatus | C. pallidipennis feeding on, in South |
| in USA 1284 | Africa 1808 |
| preying on, Musca autumnalis, in South | C. variipennis feeding on, symptoms |
| Dakota 1284 | resulting from 1735 |
| Hister lutarius | demodicosis in 294 |
| in India 1055 Spirocerca lupi, infectivity of, for 1055 | Dursban in, toxicity of 676 |
| Hister maindronii | eastern equine encephalitis, in, in New Jersey 1410 |
| in India 1055 | endoparasites of, in Sweden 1527 |
| Spirocerca lupi, infectivity of, for 1055 | Euchlaena pectinaria feeding on, in |
| Histeridae, preying on, Haematobia irritans, | Arkansas 450 |
| in Missouri 273 | Gasterophilus spp. infesting, in Sweden |
| Histiostoma schoutedeni | 1527 |
| sp. n., description of 2232 | G. intestinalus infesting, in Philippines |
| in Zaïre 2232 | 127 |
| on Glossina fuscipes, in Zaïre 2232 | G. nasalis infesting, in Philippines 127 |
| Hog cholera | Haemaphysalis celebensis infesting, in |
| virus of | Indonesia 2570 Haematopinus asini infesting |
| Aedes spp., not transmitting 1869 Psorophora ferox, not transmitting | in Queensland 1072 |
| 1869 | symptoms resulting from 1072 |
| Tabanus spp., transmission of, by 1869 | Leptoconops kerteszi feeding on, in Texas |
| hoguei, Aedes | 1002 |
| Hohorstiella lata | mosquitos feeding on, in Czechoslovakia |
| in Australia 722 | 992, 1758 |

| Horses contd. | Hyalomma |
|--|--|
| Musca vetustissima feeding on | control of |
| in Queensland 1072 | coumaphos tested for 1943 |
| symptoms resulting from 1072 | dioxathion tested for 1943 |
| Simulium spp. feeding on, in | in Czechoslovakia 665 |
| Czechoslovakia 2522 | in Egypt 1943 |
| skin lesions of, caused by arthropods | in Saudi Arabia 136 |
| 1072 | in Senegal 1919 |
| Stomoxys calcitrans feeding on | in Turkey 852 |
| in Queensland 1072 | on sheep, in Iraq 2212 |
| symptoms resulting from 1072 | proteins in, taxonomic differences in 8 |
| Thelazia lacrymalis, isolated from, in Ontario 129 | tularaemia, agent of, isolated from, in USSR 94 |
| Venezuelan equine encephalitis, virus of, | Hyalomma aegyptium |
| isolated from, in Texas 2451 | descriptions of 459 |
| hortensia, Morellia | in Turkey 1292 |
| horvathi, Atylotus | in UK 459 |
| Hospitals | Hyalomma anatolicum |
| cockroaches in, control of 516 | control of, carbamates tested for 668 in USSR 85 |
| Monomorium pharaonis in, in UK 838 | seasonal abundance of, in Turkmenia 85 |
| House dust | Theileria annulata |
| Dermatophagoides farinae in | development of, in 1060 |
| in Czechoslovakia 1305 | effects of X-irradiation on, in 1934 |
| in Egypt 1959 | Hyalomma anatolicum anatolicum |
| in France 1587–1588 | control of, malathion tested for 1924 |
| in New Zealand 1141 | in Egypt 2561 |
| D. pteronyssinus in | in India 1924 |
| in Czechoslovakia 1305 | in Iran 1372 |
| in France 1587–1588 | in Iraq 2212 |
| in Netherlands 1586 | in Saudi Arabia 136 |
| in New Zealand 1141 | life-cycle of, reared on rabbits 842 |
| Euroglyphus maynei in, in France 1587 | on buffalo, in Gujarat 1924 |
| mites in, in Spain 1971 | on camels, in Egypt 2561 |
| on man, allergic reaction to 1589–1590 Sturnophagoides halterophilus in, in | on cattle, in Gujarat 1924 on sheep, in Iraq 2212 |
| Singapore 1956 | Theileria hirci, transmission of, by 2213 |
| Tyroglyphidae in, in Spain 858 | Thogoto virus, isolated from, in Egypt |
| Tyrophagus putrescentiae in, in | 2561 |
| Czechoslovakia 1305 | Hyalomma anatolicum excavatum |
| House-dust allergy, treatment for 2409 | in Israel 658 |
| howardii, Psorophora | in Saudi Arabia 136 |
| humanus, Pediculus | in USSR 85 |
| humeralis, Elasmostethus | lipids in 644, 1300 |
| Humidity | moulting in 463 |
| effects of, on | on goats, in Israel 658 |
| Anopheles pharoensis 2095 | seasonal abundance of, in Turkmenia 85 |
| Ctenophthalmus dolichus 1401 | Hyalomma asiaticum |
| Periplaneta americana 1699 | control of, repellents tested for 1577 Coxiella burneti, localisation of, in 2400 |
| Rhipicephalus appendiculatus 2567 R. sanguineus 1289 | culture of embryonic cells of 25 |
| humilis, Gymnodia, (Limnophora) | in USSR 85, 1062 |
| Hungary | Mycobacterium bovis, isolated from, in |
| Acalyptrates in 613 | USSR 1062 |
| Diptera in, in markets 2544 | seasonal abundance of, in Turkmenia 85 |
| Fannia spp. in 613 | Hyalomma asiaticum asiaticum |
| Musca domestica in 613 | host preferences of 1127 |
| Sarcophagidae in 613 | in Iran 1372 |
| Simulium equinum in 1126 | in USSR 1083, 1127 |
| S. erythrocephalum in 1126 | life history of 2402 |
| on man 298 | seasonal abundance of, in Turkmenia |
| hunteri, Simulium | 1127 |

| Hyalomma detritum | Hyalomma marginatum turanicum contd. |
|---|--|
| control of, repellents tested for 1577 | seasonal abundance of, in Turkmenia 8: |
| in Iran 1372 | Hyalomma plumbeum auct. (see H. |
| in Sicily 653 | marginatum) |
| in USSR 85 | Hyalomma rufipes |
| on cattle, in Sicily 653 | Congo virus, isolated from, in Nigeria |
| seasonal abundance of, in Turkmenia 85 | 843 |
| Hyalomma dromedarii | |
| | Dugbe virus, isolated from, in Nigeria 843 |
| control of, repellents tested for 1577 | |
| Coxiella burneti, localisation of, in 1913 | in Nigeria 843 |
| Dhori virus, isolated from, in Egypt | Hyalomma schulzei, in Iran 1372 |
| 2561 | Hyalomma scupense |
| feeding in | in USSR 17 |
| related to cuticle 290 | tularaemia, role of, in, in USSR 17 |
| related to egg production 290 | Phonia virus isolated from in Nicoria |
| in Egypt 2561 | Bhanja virus, isolated from, in Nigeria |
| in Iran 1372 in Saudi Arabia 136 | 843 |
| in USSR 1636 | caseous lymphadenitis, role of, in 1923 |
| life-cycle of, effects of hosts on 1290 | Congo virus, isolated from, in Nigeria |
| lipids in 644, 1300 | |
| moulting in 463 | Dugbe virus, isolated from, in Nigeria 843 |
| on camels, in Egypt 2561 | in Nigeria 843 |
| oxygen consumption in | in Senegal 1919 |
| effects of feeding on 652 | in South Africa 1923 |
| effects of mating on 652 | on sheep, in South Africa 1923 |
| Rickettsia spp., reservoir of, in Turkmenia | Hybomitra |
| 1636 | Elaeophora schneideri, isolated from, in |
| R. prowazekii, infectivity of, for 851 | New Mexico 2188 |
| Hyalomma excavatum (see H. anatolicum | in USSR 495 |
| excavatum) | Hybomitra affinis |
| Hyalomma impeltatum | in Canada 1024 |
| in Egypt 2561 | physiological age of, in Alberta 1024 |
| in Iran 1372 | Hybomitra alpicola (see H. montana) |
| in Saudi Arabia 136 | Hybomitra arpadi |
| on camels, in Egypt 2561 | in Canada 1024 |
| Wanowrie virus, isolated from, in Egypt | in France 2537 |
| 2561 | in USSR 87 |
| Hyalomma impressum, in Senegal 1919 | physiological age of, in Alberta 1024 |
| Hyalomma lusitanicum | Hybomitra bimaculata, in USSR 87 |
| in Italy 2103 | Hybomitra brevis |
| in Sicily 653 | in USSR 432 |
| Hyalomma marginatum | life history of 432 |
| control of, carbamates tested for 668 | on cattle, in USSR 432 |
| in Italy 2103, 2217 | Hybomitra frontalis |
| in Sicily 653 | in Canada 1024 |
| Hyalomma marginatum isaaci | physiological age of, in Alberta 1024 |
| control of, malathion tested for 1924 | Hybomitra itasca |
| in India 1571, 1924, 1936 | in Canada 1024 |
| life-cycle of 1936 | physiological age of, in Alberta 1024 |
| life history of 1571 | Hybomitra lasiophthalma |
| on buffalo | in Canada 1024 |
| in Gujarat 1924 | in USA 924 |
| in Uttar Pradesh 1936 | physiological age of, in Alberta 1024 |
| on sheep, in Madras 1571 | Hybomitra liorhina |
| Hyalomma marginatum marginatum, in Iran | in Canada 1024 |
| Hydommo marginatum turanicum | physiological age of, in Alberta 1024 |
| Hyalomma marginatum turanicum | Hybomitra lundbecki, in USSR 87 |
| in Iran 1372 in Iraq 2212 | Hybomitra lurida in Canada 1024 |
| in Iraq 2212 in USSR 85 | physiological age of, in Alberta 1024 |
| on sheep, in Iraq 2212 | Hybomitra montana, in France 2537 |
| | |

Hybomitra muehlfeldi, in USSR 495 Hylemya antiqua, Entomophthora muscae Hybomitra nigricornis, in USSR 495 in, pathogenicity of 2374 Hybomitra nuda Hylemya platura in Canada 1024 in Hungary 2544 in markets, in Hungary 2544 physiological age of, in Alberta 1024 Hybomitra rhombica osburni Hylemya radicum in USA 620 in Canada 1024 physiological age of, in Alberta 1024 in dog faeces, in California 620 Hybomitra rupestris Hylesia, toxic compounds in 2391 in Canada 1024 Hymenolepis diminuta physiological age of, in Alberta 1024 Alphitobius laevigatus, intermediate host Hybomitra tarandi, in USSR 495 of 2195 Hybomitra typhus Strongylopsalis mathurinii, intermediate host of 2195 in Canada 1024 Tribolium confusum physiological age of, in Alberta development of, in Hybosorus orientalis susceptibility to, in 2200 in India 1055 Hymenolepis nana Spirocerca lupi, infectivity of, for 1055 Blattella germanica, development of, in Hydra preying on flies contaminated with eggs of, in midges 2483 Azerbaijan 184 mosquitos 2483 Hymenoptera Hydracrylic acid, attractant for, Aedes Nematoda, intermediate hosts of 2010 aegypti 2276 Hydranassa tricolor, Culex nigripalpus allergic reaction to 2388, 2390 feeding on, defensive activity against symptoms of sting by 2387, 2389 Hypoderma Hydrazine, (2,4-dinitrophenyl)-, synergist control of for, carbamates 1564 anthelmintics tested for 1862 Hydrophilidae coumaphos tested for 425, 2162 crufomate tested for 425, 1864 aliphatic amines in, toxicity of 640 larvicidal oils in, toxicity of 640 fenchlorphos tested for 425 petroleum oils in, toxicity of 757 fenthion tested for 2162 preying on, Haematobia irritans, in in USSR 2056 Missouri 273 trichlorphon tested for 425, 2162, Hydrophilus triangularis, Dursban in, 2165toxicity of 1075 host-parasite relations of 1634 Hydropsyche, preying on, Simuliidae, in larvae of, location and counting of 2030 Ghana 596 Hydrotaea albipuncta in British Columbia 1864 in USSR 180 in Ukraine 2165 on man, in Western Sayan 180 in Uzbekistan 2165 Hydrotaea dentipes, in USSR 180 Hypoderma bovis Hydrotaea meteorica · control of feeding behaviour in bromophos for 1119 in USSR 180-181 calcium cyanamide tested for 612 on man 181 crufomate for 1118 DDT for 1021 in Western Sayan Hydrotaea militaris p-dichlorobenzene for 1119 in USSR 180 fenthion for 1119 on man, in Western Sayan fenthion tested for 1528 in North America 1121 180 Hydrotaea pandellei feeding behaviour in 181 insecticides tested for 2356 in USSR 180-181 organic phosphates for 1119 on man 181 rotenone for 1119 in Western Sayan 180 trichlorphon for 1021, 1118-1119 Hydrotaea tuberculata trichlorphon tested for 255, 2164 in USSR 180 extraintestinal digestion in 27 on man, in Western Sayan 180 haemocytes in 1-Hydroxyimidazoles, biological activity of identification of 1694 324 in France 1119

| Hypoderma bovis contd. | IBTA (see Thanite) |
|---|--|
| in Ireland 1118 | Ichneumonoidea, fatty acids in, effects of |
| in Italy 612, 1528 | host on 513 |
| in Mongolia 1666 | Ictalurus punctatus, Dursban in, residues of |
| in USA 2356 | 1870 |
| | |
| in USSR 1021, 1663, 2164 | Icterus galbula, eastern equine encephalitis, |
| in hides 2004 | virus of, isolated from, in New York |
| intestine in, enzymes in 26 | 2517 |
| on cattle | igii, Ceratophyllus |
| in Byelorussia 1021 | ignescens, Simulium |
| in California 2356 | igneus, Phanaeus |
| in Dagestan 2164 | Illinois |
| in France 1119 | Culex pipiens in 220, 1494 |
| in Ireland 1118 | Culex salinarius in 220, 1494 |
| in Italy 1528 | Oestrus ovis in, on sheep 1530 |
| in Mongolia 1666 | Saint Louis encephalitis in 220, 1494 |
| in Yakutia 1663 | illucens, Hermetia |
| symptoms of infestation with 1694 | illustris, Lucilia |
| salivary glands in, enzymes in 26 | Imidan (see Phosmet) |
| sense organs in, in larval cuticle 500 | impatiens, Culiseta |
| Hypoderma diana, sense organs in, in larval | impeltatum, Hyalomma |
| cuticle 500 | impiger, Aedes |
| Hypoderma lineatum | impressum, Hyalomma |
| control of | impunctatus, Culicoides |
| bromophos for 1119 | incidens, Culiseta |
| crufomate for 1118 | incisuralis, Atylotus |
| DDT for 1021 | Indalone (see 2H-Pyran-6-carboxylic acid, |
| p-dichlorobenzene for 1119 | 3,4-dihydro-2,2-dimethyl-4-oxo-, butyl |
| fenthion for 1119 | ester or Butyl 3,4-dihydro-2,2-dimethyl- |
| in North America 1121 | 4-oxo-2 <i>H</i> -pyran-6-carboxylate) |
| insecticides tested for 817, 2356 | India |
| organic phosphates for 1119 | Acropsylla episema in, on rodents 532 |
| rotenone for 1119 | Aedes aegypti in 553 |
| trichlorphon for 1021, 1118–1119 | chikungunya virus in 115 |
| trichlorphon tested for 255, 2164 | dengue type 4 virus in 115 |
| haemocytes in 1022 | A. albopictus in 553 |
| identification of 1694 | A. vittatus in 553 |
| in France 1119 | Anopheles annularis in 1186 |
| in Ireland 1118 | A. culicifacies in 1437 |
| in Mongolia 1666 | A. stephensi in 1437 |
| in USA 817, 2356 | ants in, cysticercoids in 1906 |
| in USSR 1021, 1663, 2164 | Buthus tamulus in 673 coprophagous beetles in 1055 |
| on cattle in Byelorussia 1021 | coprophagous beetles in 1055 Ctenocephalides canis in, on Rattus rattus |
| in Colifornia 2256 | 533 |
| in California 2356 in Dagestan 2164 | C. felis in |
| in Florida 817 . | on Rattus rattus 533 |
| in France 1119 | on rodents 532 |
| in Ireland 1118 | Culex pipiens in 117, 553 |
| in Mongolia 1666 | C. pseudovishnui in, viruses in 404 |
| in Yakutia 1663 | C. vishnui in, viruses in 404 |
| symptoms of infestation with 1694 | filariasis in 1373 |
| on mice, development of 2163 | Gahrliepia ligula in 291 |
| Hypoderma tarandi (see Oedemagena) | Haemaphysalis spp. in, viruses in 2565 |
| Hypodermatidae, on cattle, distribution of | H. bispinosa in |
| 1644 | |
| Hypodermin-chlorophos (see Trichlorphon) | on buffalo 1924 on cattle 1924 |
| hyrcanus, Anopheles | H. spinigera in 281 |
| hystricis, Haemaphysalis | H. turturis in 281 |
| Hystricocnema, in Cuba 832 | Hippobosca longipennis in, on dogs 622 |
| IAA (repellent) (see Acetanilide, N- | Hyalomma anatolicum in |
| isopentyl-) | on buffalo 1924 |

| India contd. | inermis, Haemaphysalis |
|---|---|
| Hyalomma anatolicum in contd. | infamatus, Centruroides |
| on cattle 1924 | infestans, Triatoma |
| Hyalomma marginatum in | infirmatus, Aedes |
| on buffalo 1924, 1936 | inguinalis, Phtirus (see Phthirus pubis) |
| on sheep 1571 | innocens, Simulium |
| Ixodes ovatus in 2218 | inornata, Culiseta |
| Leptotrombidium spp. in 291 | Insect developmental inhibitor |
| Microlichus gaudi in, on ducks 1963 | |
| Monomorium salomonis in, on man | |
| 1908 | |
| mosquitos in 1373 | proposed term for compounds with |
| Musca autumnalis in, on buffalo 1271 | activity resembling that of juvenile |
| Musca domestica in 1373, 1558, 1565 | hormones 400, 2465 |
| M. planiceps in 2189 | Insecticides |
| Nosopsyllus spp. in 1405 | dosage:time curves for, interpretation of |
| N. arcotus in, on rodents 532 | 230 |
| Oestrus ovis in, on goats 610 | in birds, residues of 693 |
| Periplaneta americana in 347 | in food-chains 886 |
| Phlebotomus argentipes in 587 | in mammals, toxicity of 1112 |
| P. papatasi in 587 | in shellfish, residues of 693 |
| plague in 532, 1405 | modes of action of 1983 |
| Sarcoptes scabiei in, on buffalo 860 | non-target effects of 1443 |
| Sergentomyia spp. in 587 | on vegetation, bioassay for 1526 |
| Stivalius aporus in | selective toxicity of 1120 |
| on Rattus rattus 533 | specifications for 1986 |
| on rodents 532 | test methods for 1225 |
| Syringophilus bipectinatus in, on Gallus | toxicity of, determination of 380, 1115 |
| 1303 | Insects |
| Trombiculidae in 291 | control of |
| Xenopsylla astia in 113, 1373 | chemosterilisation for 1334 |
| on Rattus rattus 533 | genetic 874, 2424 |
| on rodents 532 | diapause in 888 |
| X. brasiliensis in, on Rattus rattus 533 | digestion in haematophagous 907 |
| Xenopsylla cheopis in 113, 1373, 1405 | dissection of 713 |
| on Rattus rattus 533 | in Tadzhikistan 2015 |
| on rodents 532 | nematodes in, role in natural control of |
| yellow fever in, risk of 553 | 514 |
| Indian region, Mallophaga in 1385 | parasitic, subspecies and populations in |
| Indiana | 1335 |
| Oestrus ovis in, on sheep 1530 | pathogens, relation of, and 1624 |
| Phormia regina in 274 | photoperiodism in 888 |
| Indiana vesicular stomatitis, virus of, Aedes | sterilisation of |
| albopictus, development of, in 1000 | chemical methods for 872 |
| indicum, Monomorium salomonis | physical methods for 872 |
| indicum, Simulium | insulanus, Culicoides |
| indicus, Aethus | intermedia, Lutzomyia |
| Indonesia | (Phlebotomus) |
| Aedes aegypti in 398 | (Psychodopygus) . |
| Anopheles barbirostris in 1787 | International Quarantine Regulations 88 |
| Brugia malayi in 893 | intestinalis, Gasterophilus |
| Culex pipiens in 554 | invenusta, Cnephia |
| dengue in 893 | invidiosus, Culex |
| endemic typhus in 893 | Invisible Collar (see Propoxur) |
| filariasis in 1787 | Iodofenphos |
| Haemaphysalis celebensis in 2570 | against |
| malaria in 893 | Aedes vexans 1421 |
| plague in 893 | Anopheles pharoensis 972 |
| tsutsugamushi disease in 893 | A. quadrimaculatus 1739 |
| Wuchereria bancrofti in 893 | Boophilus annulatus 850 |
| indus Secritor | B. microplus 850 |
| indus, Scarites | Coquillettidia richiardii 785 |

| Isobutyl 1-cyclohexen-1-yl diethylphosphoramidate repellent for Acdes spp. 161 Loxosceles reclusa 476 Musca domestica 630, 972 Iodoform, against, Wohlfahrtia magnifica 1036 3-Iodo-4-hydroxy-5-nitrobenzonitrile, against, Hypoderma spp. 1862 Iowa, Culiseta silvestris in 798 Iran Anopheles dthali in 571 A. stephensi in 571 Coptopsylla spp. in 202 C. neronovi in, on Meriones 1169 helminthiasis in 839 Phlebotomus spp. in 803 P. ansarii in 1008 P. papatasi in 1008 P. papatasi in 1008 P. papatasi in 1008 Scarabacidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 S. sintoni in 1008 S. sintoni in 1008 Iticks in, survey of 1372 Iraq Anopheles stephensi in 231, 768-769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hypoderma bovis in, on dogs 1724 Demoder spp. in, on cattle 1118 H. lineatum in, on pigs 468 Iridescent viruses, nomenclature of 684 Iridescent viruse | nestica 1564 humanus 948 hydrazines as 1564 humanus 1281 ethoxy-3,7,11-trimethyl-2,4-hate hypti 1447, 1804 hydrazines advantate hypti 1447, 2138 hydrazines 400, 1804, 2465 hydrazines 1447 hydrazines 1804 hydra |
|--|--|
| Culex pipiens 972, 1421 Loxosceles reclusa 476 Musca domestica 630, 972 Iodoform, against, Wohlfahrtia magnifica 1036 3-Iodo-4-hydroxy-5-nitrobenzonitrile, against, Hypoderma spp. 1862 Iowa, Culiseta silvestris in 798 Iran Anopheles dthali in 571 Coptopsylla spp. in 202 C. neronovi in, on Meriones 1169 helminthiasis in 839 Phlebotomus spp. in 803 P. ansarii in 1008 P. papatasi in 1008 P. papatasi in 1008 P. papatasi in 1008 Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 P. papatasi in 1008 P. papatasi in 1008 P. papatasi in 1008 P. papatasi in 1008 P. caucasicus in 1008 P. papatasi in 1008 P. papatasi in 1008 R. papatasi in 1008 R. papatasi in 1008 P. papatasi in 1008 R. papat | nestica 1564 humanus 948 hydrazines as 1564 hibromobenzilate, in Musca netabolism of 1283 ethoxy-3,7,11-trimethyl-2,4- hate wepti 1447, 1804 comaculis 400, 1804, 2465 albimanus 1447 si 1447 ens 400, 1447, 2138 alone activity of, with, a bovis 2084 in, Musca domestica 1550 E-11-methoxy-3,7,11- dodecadienoate, against, ecorum 2521 hate Oester with Oethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- hate wepti 1447 albimanus 1447 si 1447 ens 144 |
| Loxosceles reclusa 476 Musca domestica 630, 972 Iodoform, against, Wohlfahrtia magnifica 1036 3-Iodo-4-hydroxy-5-nitrobenzonitrile, against, Hypoderma spp. 1862 Iowa, Culiseta silvestris in 798 Iran Anopheles dthali in 571 A. stephensi in 571 Coptopsylla spp. in 202 C. neronovi in, on Meriones helminthiasis in 839 Phlebotomus spp. in 803 P. ansarii in 1008 P. caucasicus in 1008 P. papatasi in 1008 Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 ticks in, survey of 1372 Iraq Anopheles sacharovi in 231 Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 Pulex irritans in, on dogs 1724 Demodex spp. in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (**Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) Aedes spp. 161 Ceratophyllus tesquorum 161 Musca domestica 1564 Pediculus humanus 948 synergists for, hydrazines as 1564 Isolan against Musca domestica 1564 Pediculus humanus 948 synergists for, hydrazines as 1564 Isolan against Musca domestica 1564 Pediculus humanus 948 synergists for, hydrazines as 1564 Isolan against Aucdes agint 4 Vediculus humanus 948 synergists for, hydrazines as 1564 Isolan against Musca domestica 1564 Pediculus humanus 948 synergists for, hydrazines as 1564 Isolan against Acdes aegypti 1447, 1804 Aedes aigromaculis 400, 1804, 24 Anopheles albimanus 1447 A. stephensi 1447 Culex pipiens 400, 1447, 2138 C. tarsalis 400 Musca domestica 1564 Pediculus humanus 948 spergists for, hydrazines as 1564 Isolan against Acdes aegypti 1447, 1804 Aedes aegypti 1447, 1804 Aedes aegypti 1447, 1804 Aedes aegypti 1447 A. stephensi 1447 A. stephensi 1447 A. stephensi 1447 A. stephensi 1447 A. stephen | Illus tesquorum 161 mestica 161 mestica 161 mestica 164 humanus 948 ty, hydrazines as 1564 ulatus mid 2414 5594 libromobenzilate, in Musca metabolism of 1283 ethoxy-3,7,11-trimethyl-2,4- ate upti 1447, 1804 comaculis 400, 1804, 2465 albimanus 1447 si 1447 ens 400, 1447, 2138 400 mestica 1804 none activity of, with, a a bovis 2084 in, Musca domestica 1550 LD-11-methoxy-3,7,11- 4-dodecadienoate, against, ecorum 2521 vlate Oester with Oethyl idothioate, against, quadrimaculatus 1739 l-trimethyl-2,4- nate upti 1447 albimanus 1447 si 1447 ethylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Caratophyllus tesquorum 161 | Illus tesquorum 161 mestica 161 mestica 161 mestica 164 humanus 948 ty, hydrazines as 1564 ulatus mid 2414 5594 libromobenzilate, in Musca metabolism of 1283 ethoxy-3,7,11-trimethyl-2,4- ate upti 1447, 1804 comaculis 400, 1804, 2465 albimanus 1447 si 1447 ens 400, 1447, 2138 400 mestica 1804 none activity of, with, a a bovis 2084 in, Musca domestica 1550 LD-11-methoxy-3,7,11- 4-dodecadienoate, against, ecorum 2521 vlate Oester with Oethyl idothioate, against, quadrimaculatus 1739 l-trimethyl-2,4- nate upti 1447 albimanus 1447 si 1447 ethylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Musca domestica 161 | mestica 161 mestica 1564 humanus 948 , hydrazines as 1564 ulatus ind 2414 594 libromobenzilate, in Musca metabolism of 1283 ethoxy-3,7,11-trimethyl-2,4- ate upti 1447, 1804 comaculis 400, 1804, 2465 albimanus 1447 ests 1447 ethoxy-3,7,11- methoxy-3,7,11- done activity of, with, a bovis 2084 in, Musca domestica 1550 |
| against, Hypoderma spp. 1862 Itan Anopheles dthali in 571 A. stephensi in 571 Coptopsylla spp. in 202 C. neronovi in, on Meriones 1169 helminthiasis in 839 Phlebotomus spp. in 803 P. ansarii in 1008 P. caucasicus in 1008 P. papatasi in 1008 P. papatasi in 1008 Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 S. sintoni in 1008 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hmalaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on cattle 1118 H lineatum in, on ge 1724 Sarcoptes suis in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (*6*Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) | humanus 948 , hydrazines as 1564 ulatus ind 2414 594 libromobenzilate, in Musca metabolism of 1283 ethoxy-3,7,11-trimethyl-2,4- ate upti 1447, 1804 comaculis 400, 1804, 2465 albimanus 1447 esis 1447 ens 400, 1447, 2138 400 mestica 1804 none activity of, with, a bovis 2084 in, Musca domestica 1550 ED-11-methoxy-3,7,11- 4-dodecadienoate, against, ecorum 2521 elate Oester with Oethyl idothioate, against, guadrimaculatus 1739 1-trimethyl-2,4- ate upti 1447 albimanus 1447 sis 1447 ens 1447 ens 1447 enthylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| lowa, Culiseta silvestris in 798 Iran Anopheles dthali in 571 A. stephensi in 571 Coptopsylla spp. in 202 C. neronovi in, on Meriones 1169 helminthiasis in 839 Phlebotomus spp. in 803 P. ansarii in 1008 P. caucasicus in 1008 P. papatasi in 1008 Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 Iticks in, survey of 1372 Iraq Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 malaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on cattle 1118 H lineatum in, on glgs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (*6*Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) Musca domestica 1564 Pediculus humanus 948 Isopropyl 4,4'-dibromobenzilate, in Mudomestica, metabolism of 1283 Isopropyl 14,4'-dibromobenzilate, in Mudomestica, metabolism of 1283 Isopropyl 1,44'-dibromobenzilate, in Mudomestica, metabolism of 1283 Isopropyl 1,44'-Aiderolismous 400, 1804, 24 Anopheles albimanus 1447 Culex pipiens 400, 1804, 24 Anopheles albimanus 1447 Culex pipiens 400, 1804, 24 Anopheles albimanus 1447 A stephensi 1447 Culex pipiens 400, 1804, 24 Isopropyl 1,44'-dibromobenzilate, in Mudomestica, metabolism of 1283 Isopropyl 1,44'-,1804 Acdes aegypti 1447, 1804 Acdes aegypti 1447, 1804 Acdes aegypti 1447, 1804 Acdes aegypti 1447 Culex pipiens 400, 1804, 24 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Acdes aegypti 1447 A stephensi 144 | humanus 948 , hydrazines as 1564 ulatus ind 2414 594 libromobenzilate, in Musca metabolism of 1283 ethoxy-3,7,11-trimethyl-2,4- ate upti 1447, 1804 comaculis 400, 1804, 2465 albimanus 1447 esis 1447 ens 400, 1447, 2138 400 mestica 1804 none activity of, with, a bovis 2084 in, Musca domestica 1550 ED-11-methoxy-3,7,11- 4-dodecadienoate, against, ecorum 2521 elate Dester with Dethyl idothioate, against, yuadrimaculatus 1739 1-trimethyl-2,4- ate upti 1447 albimanus 1447 sis 1447 ens 1447 ens 1447 enthylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Itan Anopheles dthali in 571 A. stephensi in 571 Coptopsylla spp. in 202 C. neronovi in, on Meriones 1169 helminthiasis in 839 Phlebotomus spp. in 803 P. ansarii in 1008 P. papatasi in 1008 Scarabacidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 ticks in, survey of 1372 Iraq Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hmalaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on cattle 1118 H. lineatum in, on cattle 1118 H. lineatum in, on cattle 1118 H. lineatum in, on ocattle 1118 H. lineatum in, on oc | humanus 948 , hydrazines as 1564 ulatus ind 2414 594 libromobenzilate, in Musca metabolism of 1283 ethoxy-3,7,11-trimethyl-2,4- ate upti 1447, 1804 comaculis 400, 1804, 2465 albimanus 1447 esis 1447 ens 400, 1447, 2138 400 mestica 1804 none activity of, with, a bovis 2084 in, Musca domestica 1550 ED-11-methoxy-3,7,11- 4-dodecadienoate, against, ecorum 2521 elate Oester with Oethyl idothioate, against, guadrimaculatus 1739 1-trimethyl-2,4- ate upti 1447 albimanus 1447 sis 1447 ens 1447 ens 1447 enthylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Synergists for, hydrazines as 1564 Sometrus maculatus | thydrazines as 1564 thatus tha |
| Anopheles dthali in 571 A. stephensi in 571 Coptopsylla spp. in 202 C. neronovi in, on Meriones 1169 helminthiasis in 839 Phlebotomus spp. in 803 P. ansarii in 1008 P. caucasicus in 1008 P. caucasicus in 1008 Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 Iraq Anopheles sacharovi in 231 Anopheles sacharovi in 231 Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 malaria in 769 control of 231 Phlebotomus spp. in, on dogs 1724 C. felis in, on dogs 1724 Demodex spp. in, on cattle 1118 H. lineatum in, on cattle 1118 H. lineatum in, on cattle 1118 H. lineatum in, on dogs 1724 Sarcoptes suis in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iridescent viruses, nomenclature of 6 | ulatus and 2414 594 libromobenzilate, in Musca metabolism of 1283 ethoxy-3,7,11-trimethyl-2,4- ate upti 1447, 1804 comaculis 400, 1804, 2465 albimanus 1447 sis 1447 ens 400, 1447, 2138 400 mestica 1804 none activity of, with, a bovis 2084 in, Musca domestica 1550 E-11-methoxy-3,7,11- 4-dodecadienoate, against, eccorum 2521 vlate Oester with Oethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- nate upti 1447 albimanus 1447 sis 1447 ethylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| A. stephensi in 571 Coptopsylla spp. in 202 C. neronovi in, on Meriones 1169 helminthiasis in 839 Phlebotomus spp. in 803 P. ansarii in 1008 P. caucasicus in 1008 P. papatasi in 1008 Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 ticks in, survey of 1372 Iraq Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 H. marginatum in, on sheep 2212 H. marginatum in, on sheep 2212 H. marginatum in, on sheep 2212 Melebotomus spp. in 1006 Rhipicephalus spp. in, on dogs 1724 Ceflis in, on dogs 1724 Demodex spp. in, on cattle 1118 H. lineatum in, on cattle 1118 H. lineatum in, on cattle 1118 H. lineatum in, on odgs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iridescent viruses, nomenclature of 684 Iron, radioactive (*9Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) | and 2414 bibromobenzilate, in Musca metabolism of 1283 ethoxy-3,7,11-trimethyl-2,4- ate upti 1447, 1804 comaculis 400, 1804, 2465 albimanus 1447 si 1447 ess 400, 1447, 2138 doo mestica 1804 none activity of, with, a bovis 2084 in, Musca domestica 1550 E-11-methoxy-3,7,11- 4-dodecadienoate, against, ecorum 2521 vlate O-ester with O-ethyl idothioate, against, guadrimaculatus 1739 1-trimethyl-2,4- nate upti 1447 albimanus 1447 si 1447 eethylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Coptopsylla spp. in 202 C. neronovi in, on Meriones 1169 helminthiasis in 839 Phlebotomus spp. in 803 P. ansarii in 1008 P. caucasicus in 1008 P. caucasicus in 1008 Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 ticks in, survey of 1372 Iraq Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 malaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on cattle 1118 Phlebotomus spp. in, on cattle 1118 Pulex irritans in, on dogs 1724 Demodex spp. in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (*5°Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) | ibromobenzilate, in Musca metabolism of 1283 ethoxy-3,7,11-trimethyl-2,4-ate upti 1447, 1804 omaculis 400, 1804, 2465 albimanus 1447 issi 1447 ethylczelate along the desired |
| C. neronovi in, on Meriones 1169 helminthiasis in 839 Phlebotomus spp. in 803 P. ansarii in 1008 P. caucasicus in 1008 P. papatasi in 1008 Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 ticks in, survey of 1372 Iraq Anopheles sacharovi in 231 Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 malaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Demodex spp. in, on cattle 1118 H. lineatum in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iridescent viruses | libromobenzilate, in Musca netabolism of 1283 ethoxy-3,7,11-trimethyl-2,4-ate vpti 1447, 1804 comaculis 400, 1804, 2465 albimanus 1447 si 1447 ethyl-2,4-ate 1840 mestica 1804 cone activity of, with, a bovis 2084 in, Musca domestica 1550 E-11-methoxy-3,7,11-4-dodecadienoate, against, eccorum 2521 plate Oester with Oethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4-ate 1847 albimanus 1447 si 1447 ethylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| helminthiasis in 839 Phlebotomus spp. in 803 P. ansarii in 1008 P. caucasicus in 1008 Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 ticks in, survey of 1372 Iraq Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 malaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Demodex spp. in, on cattle 1118 H. lineatum in, on modogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iridescent viruses, nomenclature of 684 Iron, radioactive (*5°Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) domestica, metabolism of 1283 Isopropyl 11-methoxy-3,7,11-trimethyl-indedadeanioate against Aedes aegypti 1447 Aledes nigromaculis 400, 1804, 24 Anopheles albimanus 1447 Austephensi 1447 Culex pipiens 400 Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1sopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes nigromaculis 400, 1804, 24 Anopheles albimanus 1447 A. stephensi 1447 A. stephensi 1447 Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes nigromaculis 400, 1804, 24 Anopheles albimanus 1447 A. stephensi 1447 Anopheles albimanus 1447 | metabolism of 1283 ethoxy-3,7,11-trimethyl-2,4- ate ppti 1447, 1804 pomaculis 400, 1804, 2465 albimanus 1447 sis 1447 ens 400, 1447, 2138 ethoxy-3,7,11- et |
| Phlebotomus spp. in 803 P. ansarii in 1008 P. caucasicus in 1008 S. carabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 ticks in, survey of 1372 Iraq Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Haralaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on cattle 1912 Hypoderma bovis in, on cattle 1912 Hypoderma bovis in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (59Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) Isopropyl 11-methoxy-3,7,11-trimethyl-2 Anopheles albimanus 1447 Anopheles albimanus 1447 Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes aegypti 1447 Culex pipiens 400, 1804, 24 Anopheles albimanus 1447 Culex pipiens 400, 1804, 24 Isopropyl (LE/LE)-11-methoxy-3,7,11-trimethyl-2,4-dodecadienoate against Charsalis 400 Musca domestica 1sopropyl (LE/LE)-11-methoxy-3,7,11-trimethyl-2,4-dodecadienoate, against Simulium decorum 2521 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes aegypti 1447 Culex pipiens 400, 1804, 24 Anopheles albimanus 147 Culex pipiens 400, 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1sopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1739 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1474 Anopheles albimanus 1447 Anopheles albimanus 1474 Anopheles | ethoxy-3,7,11-trimethyl-2,4- ate sypti 1447, 1804 comaculis 400, 1804, 2465 albimanus 1447 sisi 1447 ens 400, 1447, 2138 400 mestica 1804 tone activity of, with, a bovis 2084 in, Musca domestica 1550 ED-11-methoxy-3,7,11- 4-dodecadienoate, against, ecorum 2521 slate O-ester with O-ethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- ate sypti 1447 albimanus 1447 sisi 1447 ens 1447 enthylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| P. ansarii in 1008 P. caucasicus in 1008 P. papatasi in 1008 Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 ticks in, survey of 1372 Iraq Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 malaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (*5°Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) dodecadienoate against Aedes aegypti 1447, 1804 Aedes nigromaculis 400, 1804, 24 Anopheles albimanus 1447 Culex pipiens 400, 1804, 24 Anopheles albimanus 1447 Anopheles domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 18opropyl (2E,4E)-11-methoxy-37,11-trimethyl-2,4-dodecadienoate, against, Simulium decorum 2521 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 Lientention of 211 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 Anopheles albimanus 1447 Lientention of 211 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 Anopheles albimanus 1447 Anopheles albimanus 1447 Lientention of 211 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes aegypti 1447 Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes aegypti 1447 Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes aegypti 1447 Anop | weste April 1447, 1804 April 1447, 1804 April 1447 |
| P. caucasicus in 1008 P. papatasi in 1008 Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 ticks in, survey of 1372 Iraq Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 malaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Demodex spp. in, on cattle 1118 H. lineatum in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iridescent virusea, | ypti 1447, 1804 romaculis 400, 1804, 2465 albimanus 1447 sis 1447 ens 400, 1447, 2138 400 mestica 1804 none activity of, with, a bovis 2084 in, Musca domestica 1550 ED-11-methoxy-3,7,11- 4-dodecadienoate, against, ecorum 2521 rlate Oester with Oethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- nate ypti 1447 albimanus 1447 sis 1447 enthylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| P. caucasicus III 1008 P. papatasi in 1008 Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 Licks in, survey of 1372 Iraq Anopheles sacharovi in 231 Anopheles sacharovi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 H. marginatum in, on sheep 2212 H. marginatum in, on sheep 2212 H. marginatum in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Cenocephalides canis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 H. lineatum in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iron, radioactive (59Fe), Glossina austeni labelled with 810 Irritans, Haematobia (Lyperosia) (Siphona) Aedes aegypti 1447 A. stephensi 1447 Culex pipiens 400, 1447, 2138 C. tarsalis 400 Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1sopropyl (2E,4E)-11-methoxy-3,7,11- trimethyl-2,4-dodecadienoate, against, Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes aegypti 1447 A. stephensi 1447 Culex pipiens 400, 1447, 2138 C. tarsalis 400 Musca domestica 1sopropyl (2E,4E)-11-methoxy-3,7,11- trimethyl-2,4-dodecadienoate, against, Anopheles albimanus 1447 Anopheles albimanus 1447 A. stephensi 1447 Litrimethyl-2,4-dodecadienoate, against, Anopheles albimanus 1447 A. stephensi 1447 Litrimethyl-2,4-dodecadienoate, against Simulium decorum 2521 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes aegypti 1447 Culex pipiens 400, 1447, 2138 C. tarsalis 400 Musca domestica Isopropyl (2E,4E)-11-methoxy-3,7,11- trimethyl-2,4-dodecadienoate, against Simulium decorum 2521 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 A. stephensi 1447 Culex pipiens 400, 1447, 2138 C. tarsalis Actensaire 400 Husca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 20 | omaculis 400, 1804, 2465 albimanus 1447 sis 1447 ens 400, 1447, 2138 400 mestica 1804 none activity of, with, a bovis 2084 in, Musca domestica 1550 ED-11-methoxy-3,7,11- 4-dodecadienoate, against, ecorum 2521 rlate O-ester with O-ethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- ate vpti 1447 albimanus 1447 sis 1447 ens 1447 enthylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 ticks in, survey of 1372 Iraq Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hmalaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iron, radioactive (*5°Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) Aedes nigromaculis 400, 1804, 24 Anopheles albimanus 1447 Culex pipiens 400, 1447, 2138 C. tarsalis 400 Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1sopropyl (2E,4E)-11-methoxy-37,11- trimethyl-2,4-dodecadienoate, against, Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4- dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 Anopheles albim | omaculis 400, 1804, 2465 albimanus 1447 sis 1447 ens 400, 1447, 2138 400 mestica 1804 none activity of, with, a bovis 2084 in, Musca domestica 1550 ED-11-methoxy-3,7,11- 4-dodecadienoate, against, ecorum 2521 rlate O-ester with O-ethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- ate vpti 1447 albimanus 1447 sis 1447 ens 1447 enthylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Scarabaeidae in 839 Sergentomyia spp. in 803 S. sintoni in 1008 ticks in, survey of 1372 Iraq Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 malaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Demodex spp. in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (*5°Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) Anopheles albimanus 1447 A. stephensi 1447 Cutex pipiens 400, 1447, 2138 C. tarsalis 400 Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1800-juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1800-juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1800-juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1800-juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1800-juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1800-juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1800-juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1800-juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1800-juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1800-juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1800-juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1800-juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1800-juvenile hormone activit | albimanus 1447 si 1447 ent logical and alexage and ale |
| Sergentomyya spp. in 803 S. sintoni in 1008 ticks in, survey of 1372 Iraq Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 Hyalomma spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Cenocephalides canis in, on dogs 1724 Cenocephalides canis in, on cattle 1118 H lineatum in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iron, radioactive (59Fe), Glossina austeni labelled with 810 Irritans, Haematobia (Lyperosia) (Siphona) A. stephensi 1447, 2138 C. tarsalis 400 Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 18opropyl (2E,4E)-11-methoxy-3,7,11-trimethyl-2,4-dodecadienoate, against Simulium decorum 2521 Isopropyl salicylate Oester with Oeth phosphoramidothioate, against, Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aects alegypti 1447 Anopheles albimanus 1447 Culex pipiens 400, 1447, 2138 C. tarsalis 400 Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone detivity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia povis | ssi 1447 ens 400, 1447, 2138 400 mestica 1804 none activity of, with, a bovis 2084 in, Musca domestica 1550 ED-11-methoxy-3,7,11- 4-dodecadienoate, against, ecorum 2521 vlate O-ester with O-ethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- nate vpti 1447 albimanus 1447 si 1447 ethylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| S. sintom in 1008 ticks in, survey of 1372 Iraq Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 H. marginatum in, on sheep 2212 malaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Cenocephalides canis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 H. lineatum in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iron, radioactive (5°Fe), Glossina austeni labelled with 810 Irritans, Haematobia (Lyperosia) (Siphona) Culex pipiens 400, 1447, 2138 C. tarsalis 400 Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1sopropyl (2E,4E)-11-methoxy-3,7,11- trimethyl-2,4-dodecadienoate, against, Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4- dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 A. stephensi 1447 Culex pipiens 400, 1447, 2138 C. tarsalis 400 Musca domestica Isopropyl (2E,4E)-11-methoxy-3,7,11- trimethyl-2,4-dodecadienoate, against, Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4- dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 Culex pipiens 400, 1447, 2138 C. tarsalis 400 | ens 400, 1447, 2138 400 400 mestica 1804 none activity of, with, a bovis 2084 in, Musca domestica 1550 E)-11-methoxy-3,7,11- 4-dodecadienoate, against, ecorum 2521 vlate O-ester with O-ethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- eate upti 1447 albimanus 1447 sisi 1447 ens 1447 nethylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Iraq Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 H marginatum in, on sheep 2212 malaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 H lineatum in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iron, radioactive (*5°Fe), Glossina austeni labelled with 810 Irritans, Haematobia (Lyperosia) (Siphona) Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1804 pension 2084 resistance to, in, Musca domestica 1804 pension pour location at the phosphoramidothioate, against Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Acetes aegypti 1447 Autopheles albimanus 1447 Autopheles albimanus 1447 Autopheles albimanus 1447 Culex pipiens 1447 Culex pipiens 1447 Culex pipiens 1447 Culex pipiens 1447 Culex p | mestica 1804 none activity of, with, a bovis 2084 in, Musca domestica 1550 E-11-methoxy-3,7,11- 4-dodecadienoate, against, ecorum 2521 vlate Oester with Oethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- nate typti 1447 albimanus 1447 sisi 1447 ethylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Anopheles sacharovi in 231 Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 H. marginatum in, on sheep 2212 malaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Cenocephalides canis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 H. lineatum in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iron, radioactive (5°Fe), Glossina austeni labelled with 810 Irritans, Haematobia (Lyperosia) (Siphona) juvenile hormone activity of, with, Damalinia bovis 2084 resistance to, in, Musca domestica 1 Isopropyl (2E,4E)-11-methoxy-3,7,11- trimethyl-2,4-dodecadienoate, against, Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4- dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 A. stephensi 1447 Culex pipiens 1447 Culex pipiens 1447 S-Isopropyl-1-methyleyclopentanecarbor acid, repellent for, cockroaches 32 m-isopropylphenyl methylcarbamate against Chrysomya megacephala 1280 Lucilia cuprina 1280 Pediculus humanus 948 | none activity of, with, a bovis 2084. in, Musca domestica 1550 E-11-methoxy-3,7,11- 4-dodecadienoate, against, eccorum 2521 vlate Oester with Oethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- iate vpti 1447 albimanus 1447 sisi 1447 ens 1447 enthylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Anopheles stephensi in 231, 768–769 Boophilus annulatus in, on sheep 2212 Hyalomma anatolicum in, on sheep 2212 H. marginatum in, on sheep 2212 malaria in 769 control of 231 Philebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iron, radioactive (*5°Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) Damalinia bovis 2084 resistance to, in, Musca domestica 1Isopropyl (2E,4E)-11-methoxy-3,7,11-trimethyl-2,4-dodecadienoate, against Simulium decorum 2521 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 A. stephensi 1447 Culex pipiens 1426 Chrysomya megacephala 1280 Lucilia cuprina 1280 Pediculus humanus 948 | a bovis 2084 in, Musca domestica 1550 £D-11-methoxy-3,7,11- 4-dodecadienoate, against, ecorum 2521 rlate O-ester with O-ethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- eate evoti 1447 albimanus 1447 ests 1447 eethylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Boophilus annulatus in, on sheep 2212 H. marginatum in, on sheep 2212 malaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Ceffis in, on dogs 1724 Demodex spp. in, on cattle 1118 H. lineatum in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (59Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) resistance to, in, Musca domestica 2 Isopropyl (2E,4E)-11-methoxy-37,11- trimethyl-2,4-dodecadienoate, against, Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4- dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 Anopheles albimanus 1447 Culex pipiens 1447 | in, Musca domestica 1550 E-11-methoxy-3,7,11- 4-dodecadienoate, against, ecorum 2521 plate Oester with Oethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- pate 1447 albimanus 1447 esthylcyclopentanecarboxylic int for, cockroaches 321–322 nyl methylcarbamate |
| Hyalomma anatolicum in, on sheep 2212 H. marginatum in, on sheep 2212 malaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Censocephalides canis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 H. lineatum in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iron, radioactive (5ºFe), Glossina austeni labelled with 810 Irritans, Haematobia (Lyperosia) (Siphona) Isopropyl (2E,4E)-11-methoxy-3,7,11-trimethyl-2,4-dodecacienoate, against Simulium decorum 2521 Isopropyl salicylate O-ester with O-eth phosphoramidothioate, against, Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate, against Anopheles quadrimaculatus 1739 Isopropyl 4,7,11-methyl-2,4-dodecadienoate, against Anopheles quadrimaculatus 1739 Isopropyl 4,7,11-trimethyl-2,4-dodecadienoate, against | E)-11-methoxy-3,7,11- 4-dodecadienoate, against, eccorum 2521 vlate O-ester with O-ethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- nate ypti 1447 albimanus 1447 sisi 1447 ens 1447 entylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| H. marginatum in, on sheep 2212 malaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Cenocephalides canis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 H. lineatum in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iron, radioactive (59Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) trimethyl-2,4-dodecadienoate, agains Simulium decorum 2521 Isopropyl salicylate Oester with Oeth phosphoramidothioate, against, Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate, agains 7 Simulium decorum 2521 Isopropyl salicylate Oester with Oeth phosphoramidothioate, against, Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4-dodecadienoate against Acces acgupti 1447 Anopheles albimanus 1447 Culex pipiens 1447 Culex pipiens 1447 S-Isopropyl-1-methyleyclopentanecarbou acid, repellent for, cockroaches 32 m-isopropylphenyl methylcarbamate against Chrysomya megacephala 1280 Lucilia cuprina 1280 Pediculus humanus 948 | 4-dodecadienoate, against, ecorum 2521 vlate Oester with Oethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4-ate vpti 1447 albimanus 1447 sisi 1447 ents 1447 ents 1447 ents 1447 ents 16r, cockroaches 321–322 nyl methylcarbamate |
| malaria in 769 control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 Cenocephalides canis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (*5°Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) Simulium decorum 2521 Isopropyl 3,7,11-trimethyl-2,4- dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 Anopheles albimanus 1447 Culex pipiens 1447 | ecorum 2521 rlate O-ester with O-ethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- ate expti 1447 albimanus 1447 sisi 1447 ethylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| control of 231 Phlebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 C. felis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 H. lineatum in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (5ºFe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) Isopropyl salicylate O-ester with O-eth phosphoramidothioate, against, Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4- dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 Culex pipiens 1447 S-Isopropyl-1-methylcyclopentanecarbor acid, repellent for, cockroaches 32 m-isopropylphenyl methylcarbamate against Chrysomya megacephala 1280 Lucilia cuprina 1280 Pediculus humanus 948 | vlate Oester with Oethyl idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- nate vpti 1447 albimanus 1447 sisi 1447 nethylcyclopentanecarboxylic nt for, cockroaches 321–322 nyl methylcarbamate |
| Phlebotomus spp. in 1006 Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 C. felis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 H. lineatum in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iron, radioactive (5ºFe), Glossina austeni labelled with 810 Irritans, Haematobia (Lyperosia) (Siphona) phosphoramidothioate, against, Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4- dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 Culex pipiens 1447 S-Isopropyl-1-methyleyclopentanecarbor acid, repellent for, cockroaches 32 m-isopropylphenyl methylcarbamate against Chrysomya megacephala 1280 Lucilia cuprina 1280 Pediculus humanus 948 | idothioate, against, quadrimaculatus 1739 1-trimethyl-2,4- nate ypti 1447 albimanus 1447 sisi 1447 ens 1447 enthylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Rhipicephalus spp. in, on sheep 2212 Ireland Ctenocephalides canis in, on dogs 1724 C. felis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iron, radioactive (5°Fe), Glossina austeni labelled with 810 Irritans, Haematobia (Lyperosia) (Siphona) Anopheles quadrimaculatus 1739 Isopropyl 3,7,11-trimethyl-2,4- dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 Anopheles albimanus 1447 Culex pipiens 1447 S-Isopropyl-1-methyleyclopentanecarbor acid, repellent for, cockroaches 32 misopropylphenyl methylcarbamate against Chrysomya megacephala 1280 Pediculus humanus 948 | quadrimaculatus 1739 1-trimethyl-2,4- iate ypti 1447 albimanus 1447 sisi 1447 cns 1447 ethylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Ireland Ctenocephalides canis in, on dogs 1724 C. felis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 H. lineatum in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (*9Fe), Glossina austeni labelled with 810 Irritans, Haematobia (Lyperosia) (Siphona) Isopropyl 3,7,11-trimethyl-2,4- dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 Culex pipiens 1447 Culex pipiens 1447 3-Isopropyl-1-methyleyclopentanecarbos acid, repellent for, cockroaches 32 m-isopropylyhenyl methylcarbamate against Chrysomya megacephala 1280 Pediculus humanus 948 | İ-trimethyl-2,4- nate ypti 1447 albimanus 1447 sisi 1447 ens 1447 nethylcyclopentanecarboxylic nt for, cockroaches 321–322 nyl methylcarbamate |
| Ctenocephalides canis in, on dogs 1724 C. felis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 H. lineatum in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (5ºFe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) dodecadienoate against Aedes aegypti 1447 Anopheles albimanus 1447 Culex pipiens 1447 Culex pipiens 1447 S-Isopropyl-1-methylcyclopentanecarbor acid, repellent for, cockroaches 32 m-isopropylphenyl methylcarbamate against Chrysomya megacephala 1280 Lucilia cuprina 1280 Pediculus humanus 948 | wate sypti 1447 albimanus 1447 esi 1447 ens 1447 ethylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| C. felis in, on dogs 1724 Demodex spp. in, on cattle 1972 Hypoderma bovis in, on cattle 1118 H. lineatum in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iron, radioactive (*5°Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) against Aedes aegypti 1447 Anopheles albimanus 1447 Culex pipiens 1447 S-Isopropyl-1-methylcyclopentanecarbor acid, repellent for, cockroaches 32 m-isopropylphenyl methylcarbamate against Chrysomya megacephala 1280 Lucilia cuprina 1280 Pediculus humanus 948 | albimanus 1447 si 1447 ens 1447 ethylcyclopentanecarboxylic ent for, cockroaches 321-322 nyl methylcarbamate |
| Hypoderma bovis in, on cattle 1118 H. lineatum in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (5°Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) Anopheles albimanus 1447 A. stephensi 1447 S-Isopropyl-1-methyleyclopentanecarbor acid, repellent for, cockroaches 32 m-isopropylphenyl methylcarbamate against Chrysomya megacephala 1280 Lucilia cuprina 1280 Pediculus humanus 948 | albimanus 1447 si 1447 ens 1447 ethylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Hypoderma bovis in, on cattle 1118 H. lineatum in, on cattle 1118 Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (5°Fe), Glossina austeni labelled with 810 irritans, Haematobia (Lyperosia) (Siphona) Anopheles albimanus 1447 A. stephensi 1447 S-Isopropyl-1-methyleyclopentanecarbor acid, repellent for, cockroaches 32 m-isopropylphenyl methylcarbamate against Chrysomya megacephala 1280 Lucilia cuprina 1280 Pediculus humanus 948 | isi 1447 ens 1447 hethylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Pulex irritans in, on dogs 1724 Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (5ºFe), Glossina austeni labelled with 810 Irritans, Haematobia (Lyperosia) (Siphona) Culex pipiens 1447 3-Isopropyl-1-methylcyclopentanecarbor acid, repellent for, cockroaches 32 m-isopropylphenyl methylcarbamate against Chrysomya megacephala 1280 Lucilia cuprina 1280 Pediculus humanus 948 | ens 1447 hethyleyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Sarcoptes suis in, on pigs 468 Iridescent viruses, nomenclature of 684 Iron, radioactive (*9Fe), Glossina austeni labelled with 810 Iritians, Haematobia (Lyperosia) (Siphona) 3-Isopropyl-1-methylcyclopentanecarbo; acid, repellent for, cockroaches 32 m-isopropylphenyl methylcarbamate against Chrysomya megacephala 1280 Lucilia cuprina 1280 Pediculus humanus 948 | nethylcyclopentanecarboxylic ent for, cockroaches 321–322 nyl methylcarbamate |
| Iridescent viruses, nomenclature of 684 Iron, radioactive (5°Fe), Glossina austeni labelled with 810 (Lyperosia) (Siphona) acid, repellent for, cockroaches 32 misopropylphenyl methylcarbamate against Chrysomya megacephala 1280 Lucilia cuprina 1280 Pediculus humanus 948 | ent for, cockroaches 321–322 nyl methylcarbamate |
| labelled with 810 against irritans, Haematobia Chrysomya megacephala 1280 (Lyperosia) Lucilia cuprina 1280 (Siphona) Pediculus humanus 948 | nyl methylcarbamate |
| labelled with 810 against irritans, Haematobia Chrysomya megacephala 1280 (Lyperosia) Lucilia cuprina 1280 (Siphona) Pediculus humanus 948 | |
| irritans, HaematobiaChrysomya megacephala1280(Lyperosia)Lucilia cuprina1280(Siphona)Pediculus humanus948 | |
| (Lyperosia) Lucilia cuprina 1280 (Siphona) Pediculus humanus 948 | a inegacennaia /XII |
| (Siphona) Pediculus humanus 948 | |
| | |
| | |
| | |
| isaaci, Hyalomma marginatum Isotox (see BHC) | |
| isabellinus, Hirstionyssus Israel | |
| N-isoamylacetanilide, repellent for, ticks Anopheles spp. in 1747 | |
| 1577 arboviruses in 2502 | |
| | |
| | |
| | natolicum in, on goats 658 |
| B. microplus 850 Ixodes gibbosus in, on goats 658 | and in an adula (50 |
| Isobornyl thiocyanoacetate (see Thanite) Lucilia sericata in on dogs 1892 | |
| | ata in |
| irritans, Pulex isaaci, Hyalomma marginatum isabellinus, Hirstionyssus Nisoamylacetanilide, repellent for, ticks 1577 Isobenzan against Boophilus annulatus 850 Isoptera, infesting man 108 Isoptera, | prina 1280 humanus 948 - 1563-1564 ing man 108 C) pp. in 1747 n 2502 lis parva in, on goats 658 , on goats 658 |

| Israel contd. | Ixodes laguri |
|--|---|
| mosquitos in 1482, 1748, 2502 | in USSR 17 |
| Rhipicephalus bursa in, on goats 658 | tularaemia, role of, in, in USSR 17 |
| Wohlfahrtia magnifica in, on sheep 258 | Ixodes ovatus |
| Italy | distribution of 2218 |
| | hosts of 2218 |
| | |
| Anopheles spp. in 1487 | taxonomy of 2218 |
| Culex pipiens in 1484, 2306 | Ixodes pacificus |
| Dermacentor martinatus in 2217 | in USA 515 |
| Haemaphysalis punctata in 2217 | Rickettsia rickettsi, isolated from, in |
| Hyalomma marginatum in 2217 | Oregon 515 |
| Hypoderma bovis in, on cattle 612, 1528 | Ixodes pavlovskyi |
| Leptoconops spp. in 2340 | distribution of 2397 |
| L. bezzii in 583 | in USSR 2397 |
| L. irritans in 583 | Ixodes persulcatus |
| L. kerteszi in 583 | artificial feeding of 2566 |
| | control of |
| Macrocheles muscaedomesticae in 853 | acaricides tested for 1683 |
| mosquitos in 2103 | BHC for 158 |
| Rhipicephalus bursa in 2217 | bromophos-ethyl tested for 487 |
| R. sanguineus in 2217 | bromophos tested for 487 |
| Simuliidae in 1514 | |
| effects of pollution on 2350 | N-butylacetanilide tested as repellent for |
| Simulium equinum group in 1510 | 301 DDT 6 156 158 487 |
| ticks in 2103 | DDT for 156, 158, 487 |
| | deet tested as repellent for 301 |
| itasca, Hybomitra | dihexamethylenecarbamide tested as |
| Ivory Coast | repellent for 301 |
| Culex pipiens in 1765 | fenitrothion tested for 487 |
| Haemaphysalis punctaleachi in 2569 | persistent acaricides needed for 157 |
| Laelaps litigiosa in, on rodents 854 | distribution map for, in Udmurt ASSR |
| Simulium damnosum in 2154 | , 170 |
| sleeping sickness in 895 | distribution of 2397 |
| Ixodes | habitats of 172 |
| Bacillus anthracis | in Sakhalin 329 |
| isolated from | hosts of, in Sakhalin 329 |
| in Armenia 1579 | in USSR 76, 82, 156, 158, 172, 329, 493, |
| in Daghestan 1579 | 1635, 2397 |
| in British Honduras 1576 | life history of 1635 |
| in Czechoslovakia 665 | marking of, labelled glycine for 1297 |
| in Japan 13 | physiological age of, determination of 82, |
| in Korea 13 | 99 |
| in Ryukyu Islands 13 | taxonomy of 1675 |
| Ixodes apronophorus | tick-borne encephalitis |
| collection of 100 | role of, in 1683 |
| in USSR 100, 2008, 2401 | in Siberia 76 |
| on Arvicola terrestris, in Siberia 100 | Ixodes pilosus |
| tularaemia, role of, in, in Siberia 2401 | distribution of, related to vegetation 460 |
| Ixodes cookei | in South Africa 460 |
| in Canada 2208 | Ixodes redikorzevi, in USSR 1083 |
| larvae of 2208 | Ixodes ricinus |
| on Marmota monax, in Ontario 2208 | Babesia capreoli, transmission of, by |
| Ixodes gibbosus | 2214 |
| in Israel 658 | B. major, transmission of, by 1929 |
| on goats | biology of 1059, 1298 |
| in Israel 658 | |
| symptoms of infestation with 658 | carbaryl susceptibility in, effects of age on |
| | |
| Ixodes hexagonus, in Italy 2103 | Central European tick-borne encephalitis, |
| Ixodes holocyclus | virus of, isolated from, in |
| control of 453 | Czechoslovakia 1058 |
| in Australia 453, 847 | control of |
| on dogs, in Australia 453 | carbamates tested for 668 |
| paralysis caused by 847 | chlorfenvinphos tested for 2060 |

| _ | |
|--|---|
| Ixodes ricinus contd. | Ixodidae contd. |
| DDT susceptibility in, effects of age on 1294 | hosts of, symptoms of feeding by, in 2052 |
| development in, effects of photoperiod on | in Alabama 849 |
| 889 | in Georgia (USA) 655 |
| diapause in 2399 | in New Guinea 1351 |
| effects of photoperiod on 889 | in Rumania 1679 |
| ecology of 1632 | in Siberia 1640, 2057 |
| Haller's organ in 137 | in USSR 2023 |
| hosts of 1059 | marking of, radioisotopes for 1925 |
| in Czechoslovakia 664, 1058 | mixed infections, role of, in 2065 |
| in Germany 1298 | nitrogen in 134 |
| in Iran 1372 | nitrogenous excretion in 452 |
| in Netherlands 1929 | phosphorus in 134 |
| in Poland 133 | piroplasmosis, role of, in 2043 |
| in Switzerland 1059 | proteins in, taxonomic differences in 8 |
| in Turkey 852, 1292 | rickettsiae, relation of, and 880 |
| in USSR 14, 17, 493, 1938, 2214 | tick-borne encephalitis |
| on birds, in Poland 133 | attenuated virus of |
| on Capreolus capreolus, in USSR 2214 | trans-stadial transmission of, in |
| on cattle, in Ukraine 1938 | 1669 transovarian transmission of, in |
| on dogs, in Netherlands 1929 | 1669 |
| overwintering in 1296 | role of, in, in USSR 1641 |
| phosmet susceptibility in, effects of age on | tularaemia, role of, in 2067 |
| 1294 | viruses |
| rickettsiae, isolated from, in | detection of, in 2078 |
| Czechoslovakia 664 | relation of, and 880 |
| tularaemia, role of, in, in USSR 17 | Ixodoidea |
| Uukuniemi virus, trans-stadial | in Uzbekistan 935 |
| transmission of, in 1293 | Siberian tick typhus, causal agent of, |
| Uukuniemi viruses, isolated from, in | localisation of, in 2026 |
| Ukraine 1938 | iyoensis, Tabanus |
| Ixodes ricinus gibbosus (see I. gibbosus) | jaimeramirezi, Simulium |
| Ixodes rubicundus | Jamaica, Aedes taeniorhynchus in 2061 |
| caseous lymphadenitis, role of, in 1923 distribution of, climate in relation to | jamesi, Culicoides Jammu and Kashmir, Boophilus decoloratus |
| 1125 | in, on cattle 2406 |
| in South Africa 1923 | Japan * |
| on sheep, in South Africa 1923 | Aedes dorsalis in 1463 |
| Ixodes sachalinensis | A. japonicus in 1491 |
| sp. n., description of 2558 | A. koreicoides in 1491 |
| in USSR 2558 | A. togoi in 1214 |
| Ixodes scapularis | A. vexans in 762 |
| identification of 1694 | Aldrichina grahami in 1875 |
| on cattle, symptoms of infestation with | Anopheles hyrcanus in 561, 762, 1463 |
| 1694 | on pigs 1449 |
| Ixodes texanus, detachment in 1910 | bancroftian filariasis in 1214 |
| Ixodes trianguliceps | Chrysomys pinguis in 1875 |
| Babesia microti, transmission of, by 1067 control of, acaricides tested for 1683 | Chrysomya pinguis in 1875 Culex hayashii in 561 |
| development in 2041 | C. orientalis in 561 |
| in USSR 2041 | Culex pipiens in 225, 561, 1214, |
| morphology of 1921 | 1239–1240, 1462–1463 |
| tick-borne encephalitis, role of, in 1683 | Culex pseudovishnui in 2109, 2275 |
| Ixodida, taxonomy of 1356 | Culex tritaeniorhynchus in 116, 225-227, |
| Ixodidae | 559, 762, 1463, 1490, 2275 |
| control of | on pigs 1449 |
| acaricides for 2203 | C. vorax in 561 |
| acaricides tested for 1670 | Diptera in 86 |
| crotoxyphos tested for 1949 | Elasmostethus humeralis in, in dwellings |
| trichlorphon tested for 1949 | 1400 |

| Japan conta. | Kenya |
|--|--|
| filariasis in 1213 | Aedes dentatus in 2288, 2320 |
| Haemaphysalis longicornis in 58 | A. fryeri in 2331 |
| H. mageshimaensis in 2568 | A. simpsoni in 1192 |
| H. yeni in, on dogs 461 | Anopheles coustani in 1461 |
| Haematobia irritans in 1543 | A. funestus in 1461 |
| Halyomorpha picus in, in dwellings 1400 | Anopheles gambiae in 2124, 2321 |
| Hermetia illucens in 2536 | natural enemies of 706 |
| Ixodes ovatus in 2218 | Culex pipiens in 396 |
| | |
| Ixodidae in 13 | C. sitiens in 1461 |
| Leptotrombidium akamushi in, on man | C. tritaeniorhynchus in 1461 |
| 1343 | Demodex bovis in, on cattle 471 |
| Lucilia illustris in 1875 | Gedoelstia spp. in, on man 1267 |
| L. sericata in 1875 | Glossina fuscipes in 1520 |
| Menida scotti in, in dwellings 1400 | Glossina pallidipes in 1265, 1519–1525, |
| M. violacea in, in dwellings 1400 | 1856 |
| mosquitos in 2136 | G. swynnertoni in 1856 |
| Musca domestica in 618 | Mansonia africana in 1461 |
| Periplaneta fuliginosa in 109 | M. uniformis in 1461 |
| P. japonica in 350 | Phlebotomus pedifer in 1010 |
| Sarcophaga peregrina in 1875 | sleeping sickness in 1519–1522 |
| schistosomiasis in 1213 | Synphlebotomus complex in 239 |
| scrub typhus in 1342, 1345 | visceral leishmaniasis in 239 |
| Tabanidae in 2360 | kenyae, Simulium |
| | Kerosene, against, Culex pipiens 331 |
| Tabanus iyoensis in 619, 1542 | kerteszi, Leptoconops |
| Trombiculidae in 1585 | Keys |
| tsutsugamushi disease in 1585 | Argasidae 288 |
| Tyrophagus putrescentiae in 293, | Austrosimulium 2352 |
| 671–672 | Chironomidae, in New Zealand 616 |
| japonica, Haemaphysalis | Culicoides |
| japonica, Periplaneta | in Polynesia 2147 |
| japonicus, Aedes | in Taiwan 413 |
| japonicus, Argas | Ixodidae 13 |
| Jordan | Lucilia, in Europe 131 |
| Linguatula serrata in, on man 2583 | Lutzomyia cruciata group 1250 Microlichus 1963 |
| malaria in, control of 231 | |
| Juvenile hormones | Pherbellia 635 |
| analogues of effects of, on, <i>Rhipicephalus sanguineus</i> | Simuliidae, in Alabama 606 Simulium equinum group 1510 |
| 66 | Simulium equinum group 1510 Tabanidae, in USA 822 |
| insect control using 378, 400, 427, | Kikuthrin (see Chrysanthemic acid, [2- |
| 828–829, 958, 1285, 1447, 1498, | methyl-5-(2-propynyl)-3-furyl]methyl |
| 1550–1551, 1804, 1855, 1874, 1888, | ester or 2-Methyl-5-(2-propynyl)-3- |
| 2138, 2324, 2464–2465, 2521 | furylmethyl chrysanthemate) |
| resistance to 1550 | Kleidotoma marshalli, parasitising, Piophili |
| selective toxicity of 1120 | casei 1171 |
| mode of action of 1991 | kobayashii, Aedes |
| Juveth (see 2,6-Tridecadienoic acid, 10,11- | kochi, Anopheles |
| epoxy-7-ethyl-3,11-dimethyl-, ethyl ester; | kohlsi, Helenicula |
| or Ethyl 10,11-epoxy-7-ethyl-3,11- | Korea |
| dimethyl-2,6-tridecadienoate) | Aedes spp. in 2494 |
| Kaisodi virus, ticks, isolated from, in | A. japonicus in 1491 |
| Mysore 2565 | A. koreicus in 1491 |
| kandelakii, Phlebotomus | Ixodidae in 13 |
| Karboksid (see 1 H-Azepine, 1,1'- | Tripteroides bambusa in 2494 |
| carbonylbis[hexahydro-) | koreicoides, Aedes |
| karzhantavicum, Simulium, (Eusimulium) | koreicus, Aedes |
| Kemerovo virus | Kudu (see Tragelaphus strepsiceros) |
| Aedes aegypti, multiplication of, in 1212 | Kyasanur Forest disease |
| A. albopictus, multiplication of, in 1212 | Haemaphysalis spinigera, role of, in, in |
| Kentucky, Oestrus ovis in, on sheep 1530 | India 281 |
| 750 mg | 111010 201 |

Kyasanur Forest disease contd.

| Haemaphysalis contd. | control of |
|--|---|
| H. turturis, role of, in, in India 281 | apholate as sterilant for 1566 |
| Kyuzol A (see Quinoline, 1-acetyl-1,2,3,4- | metepa as sterilant for 1566 |
| tetrahydro-) | lata, Calliphora |
| Labidostommina, taxonomy of 1356 | lata, Hohorstiella |
| Laboratory animals, parasites of 719, 2080 | lateralis, Tropisternus |
| labranchiae, Anopheles | latigonium, Simulium, (Eusimulium) |
| Laccophilus | latinum, Simulium |
| Dursban in, toxicity of 1075 | (Eusimulium) |
| in rice-fields, in California 2488 | latipes, Scheloribates |
| LaCrosse virus, Aedes triseriatus, | latipes, Simulium |
| transmission of, by 205 | (Eusimulium) |
| Lactic acid, L-, attractant for, Aedes aegypti | latizonum, Simulium, (Eusimulium) |
| 2276 | Latrodectus, venom of, mode of action of |
| Lactic acid, 2-methyl-, attractant for, Aedes | 865 |
| aegypti 2276 | Latrodectus hesperus (see L. mactans) |
| lactis, Carpoglyphus | Latrodectus mactans |
| Lactose, against, Musca domestica 438 | eggs of, toxicity of 2581 |
| Laelaps | haemolymph osmolarity in 2582 |
| in Nigeria 2230 | venom of 2578 |
| taxonomy of 2230 | effects of, on heart function in |
| Laelaps clethrionomydis | Periplaneta americana 50 |
| in USSR 15 | mode of action of 2411 |
| on rodents, in Kharbarovsk 15 | Latrodectus mactans tredecimguttatus |
| Laelaps echidnina | venom of 2412, 2579 |
| in Nigeria 2230 | effects on vertebrate muscle of 866 |
| taxonomy of 2230 | Lauric acid |
| Laelaps echidnina solida, subsp. n., | ethyl ester |
| described from Ethiopian region 854 | against |
| Laelaps litigiosa, sp. n., described from | Aedes aegypti 1178 |
| rodents in Ivory Coast and Nigeria 854 | Musca domestica 1179 |
| Laelaps muricola, taxonomy of, variation in | methyl ester |
| 854 | against |
| Laelaps pavlovskyi | Aedes aegypti 1178 |
| in USSR 15 on rodents, in Kharbarovsk 15 | Musca domestica 1179 |
| on rodents, in Kharbarovsk 15 laemica, Calliphora | Laverania falciparum (see Plasmodium) Lebanon, malaria in, control of 231 |
| laeta, Loxosceles | Lebistes reticulata (see Poecilia) |
| laeviceps, Ceratophyllus | lecticularius, Triatoma |
| laevigatus, Alphitobius | lectularius, Cimex |
| laevigatus, Mesoleptus, (Exolytus) | Leeuwenhoekia major, in USSR 173 |
| laevigatus, Scheloribates | Leidynema appendiculata, Periplaneta |
| Lagenidium culicidum | americana, effects of nutrition of, on |
| Culex spp., in, in North Carolina 2128 | 943 |
| life-cycle of 2128 | Leishmania |
| mosquitos, pathogenicity of, in 2128 | Lutzomyia intermedia, isolated from, in |
| laguri, Ixodes | Brazil 2151 |
| lahorensis, Ornithodoros | L. pessoai, isolated from, in Brazil 2151 |
| (Alveonasus) | Leishmania braziliensis |
| lanceolata, Maruina | Choloepus hoffmanni detection of, in 416 |
| Land reclamation, ecological effects of 73 langi, Chrysops | reservoir of, in Panama 416 |
| lanius, Heleniculus | Lutzomyia shannoni, isolated from, in |
| Lankesteria, Phlebotomus longipes, in, in | Costa Rica 2346 |
| Ethiopia 591 | L. ylephiletrix, isolated from, in Costa |
| Lasiohelea sibirica | Rica 2346 |
| biology of 1682 | Leishmania braziliensis braziliensis |
| breeding places of 79 | in Brazil 2150 |
| in USSR 79, 1682 | Lutzomyia wellcomei, isolated from, in |
| lasiophthalma, Hybomitra | Brazil 2150 |

Lasius

Leishmania braziliensis guvanensis, in Brazil

Leishmania donovani

Phlebotomus ariasi, infectivity of, for

Rhipicephalus turanicus, infectivity of, for 1248

Leishmania mexicana amazonensis

Lutzomyia flaviscutellata, isolated from, in Brazil 801

L. olmeca, transmitting, in Brazil 2150 man, isolated from, in Brazil 802 Oryzomys, isolated from, in Brazil 802 O. capito, isolated from, in Brazil 801 Proechimys, isolated from, in Brazil 802

Leishmania tropica major

Meriones erythrourus, persistence of, in 480

Phlebotomus caucasicus, transmitting, in Turkmenia 482

P. mongolensis, isolated from, in USSR

P. papatasi, transmitting, in Turkmenia

Rhombomys opimus, persistence of, in

Leishmania tropica minor, Ornithodoros lahorensis, haemolymph and organ extracts not toxic to 316

Leishmaniasis, canine, Phlebotomus ariasi, infection of, with 1255

Leishmaniasis, cutaneous

in Brazil 588

in Ethiopia 590-591

in French Territory of the Afars and the Issas 586

in South-West Africa 239

in Turkmenia 482, 2345

in USSR 147, 336, 2236

Lutzomyia wellcomei, role of, in, in Brazil

Phlebotomus longipes, role of, in, in Ethiopia 591 P. mongolensis, role of, in, in USSR

Rhombomys opimus, reservoir of, in

USSR Leishmaniasis, mucocutaneous, in Venezuela

Leishmaniasis, visceral

in Algeria 149

in Ethiopia 240

in French Territory of the Afars and the Issas 586

in Kenya 239

in Turkmenia 2345

in USSR 336 in Venezuela 1324

Phlebotomidae, role of, in 2073 Leiurus quinquestriatus, venom of 477

Leopard (see Felis pardus)

Lepidoptera

cell cultures from, pathogens in, development of 1697

eye-frequenting, in Asia 1650 on man, allergic reactions to 1071

Lepiselaga crassipes

Crithidia spp., isolated from, in Colombia 1045

in Colombia 1045

on cattle, in Colombia 1045

Trypanosoma theileri, isolated from, in Colombia 1045

Lepomis gibbosus, preying on, mosquito larvae, and biological control using, in New Jersey 1424

Lepomis macrochirus

Dursban in

residues of 1870 toxicity of 1075

· leporis, Rhipicephalus leporispalustris, Haemaphysalis Leptoconops bezzii

breeding places of 583 in Italy 583, 2340

Leptoconops irritans

breeding places of 583, 1246 descriptions of 1246 in France 1246, 1504

in Italy 583, 2340 Leptoconops kerteszi

breeding places of 583 control of

in Utah 800

insecticides tested for

in France 1504 in Italy 583, 2340 in Italy 583, 2340 in USA 800, 1002

larvae of, descriptions of 1504

on horses, in Texas 1002 pupae of, descriptions of 1504

Leptoconops spinosifrons biology of 585

control of, insecticides for 585

in Malagasy Republic 585

Leptophos (see Phosphonothioic acid, phenyl-, O-(4-bromo-2,5-dichlorophenyl) O-methyl ester)

Leptotrombidium

in India 291 rearing of, techniques for

Leptotrombidium akamushi in India 291

in Japan 1343 on man, in Japan 1343

on Rattus rattus, in India

Leptotrombidium deliense 291 in India

on Rattus rattus, in India 291

Leptotrombidium fuji, in Japan 1585 Leptotrombidium pallidum, in Japan 1585

Lepus tolai, tularaemia, agent of, isolated

from, in USSR 94

| Lestes sponsa | Light-trap, New Jersey |
|--|--|
| in USSR 2555 | for |
| trematodes, isolated from, in Byelorussia 2555 | Aedes sierrensis 2130 |
| Lethane 384 (see Thiocyanic acid, 2-(2- | Culex pipiens 2130 C. tarsalis 2130 |
| butoxyethoxy)ethyl ester; or β -Butoxy- | |
| β' -thiocyanodiethyl ether) | Light-traps for |
| Leucocytozoon simondi | Anopheles stephensi 367 |
| Cnephia ornithophilia, transmission of, by | mosquitos 926 |
| 604 | lignarius, Panstrongylus |
| Simulium innocens, transmission of, by | ligula, Gahrliepia |
| 604 | ligurriens, Hemipyrellia |
| S. rugglesi, transmission of, by 604 | Ligustrum japonicum |
| Leucocytozoon smithi | Aedes togoi feeding on 1465 |
| Simulium congareenarum, transmitting, in | Culex pipiens feeding on 1465 |
| South Carolina 1258, 2347 | limbata, Damalinia, (Bovicola) |
| Simulium slossonae, transmitting, in South | Limnophora humilis (see Gymnodia) |
| Carolina 1258, 2347 | Limnophyes |
| Leucophaea maderae | in Canada 1037 |
| cuticle in, effects of ecdysterone on | sex ratio in 1037 |
| deposition of 700 | limpidus, Centruroides |
| control of, baits for 352 | Lindane (see BHC (γ-isomer)) |
| haemocytes in 1358 | lindesayi, Anopheles |
| hindgut in, peptide stimulant of 1375 | lineatopennis, Aedes |
| oocyte development in, effects of juvenile | lineatum, Hypoderma |
| hormone on 2266 | lineatum, Simulium |
| Toxoplasma gondii, persistence of, in 2440 | (Wilhelmia) lineola, Tabanus |
| Leucophoyx thula, Culex nigripalpus feeding | Linguatula serrata |
| on, defensive activity against 377 | in Egypt 2235 |
| leucosphyrus, Anopheles | in Jordan 2583 |
| leucostoma, Ophyra | life-cycle of 2583 |
| levinseni, Rhinonyssus | on dogs, in Egypt 2235 |
| lewisi, Sergentomyia, (Phlebotomus) | on man, in Jordan 2583 |
| Libellula depressa | in New Zealand 1138 |
| in USSR 2555 | on sheep, in New Zealand 1138 |
| Prosthogonimus cuneatus, isolated from, | Linognathus pedalis |
| in Byelorussia 2555 | in New Zealand 1138 |
| Liberia | on sheep, in New Zealand 1138 |
| Culex pipiens in 1765 | Linognathus vituli |
| Glossina pallicera in 1859 | control of |
| G. palpalis in 1859 Simulium berneri in 1815 | diazinon for 355 Dursban tested for 1712 |
| S. damnosum in 1814 | insecticides for 353 |
| S. kenyae in 1814 | malathion for 355 |
| S. lumbwanum in 1815 | identification of 1694 |
| S. ovazzae in 1815 | in Australia 353, 355 |
| Liberonautes latidactylus, Simulium | in New Zealand 1137, 1712 |
| ovazzae, associated with, in Liberia | on cattle |
| 1815 | in New South Wales 353 |
| Libya, Cimex lectularius in 729 Lice, dermatophytosis, role of, in 1695 | in New Zealand 1137, 1712 in Tasmania 355 |
| Light | symptoms of infestation with 1694 |
| effects of, on | liorhina, Hybomitra |
| Ixodes texanus 1910 | Lipoptena cervi |
| Musca domestica 1049, 2172 | · in USSR 1034 |
| Light-trap, CDC miniature | on cattle, in Byelorussia 1034 |
| for | Listeria monocytogenes, Ornithodoros |
| Anopheles spp. 1227 mosquitos 925 | lahorensis, persistence of, in 316 Listrophoridae, in Africa 669 |
| mosquitos 723 | Listrophoritae, in Arrica 009 |

| Listrophorus gibbus in Cuba 2434 | Loxosceles rufescens, in Paraguay 1591 Lucilia |
|---|--|
| on rabbits, in Cuba 2434 | biology of 131 control of, insecticides tested for 1883 |
| litigiosa, Laelaps | |
| litoralis, Anopheles | in Europe 131 |
| litorea, Culiseta | in New Guinea 2371 |
| Loa | in hides, in Gambia 1883 |
| Chrysops centurionis, transmitting, in | keys to 131 parasites of, and biological control using, |
| Cameroon 1175 | in California 2532 |
| C. langi, transmitting, in Cameroon 1175 | Lucilia caesar |
| Loa loa | descriptions of 2553 |
| Chrysops spp., transmitting, in Cameroon 1728 | in Germany 2553 |
| C. dimidiatus, transmitting, in Cameroon | in Japan 86 |
| 1175 | on dogs, in Germany 2553 |
| C. silaceus, transmitting, in Cameroon | Salmonella, transmission of, by 2369 |
| 1175 | Lucilia cuprina |
| in Angola 892 | baits for 1549 |
| in Cameroon 1175 | biology of 2364 |
| man, in, in Zaïre 603 | biology of 2364 control of 2381 |
| Locusta migratoria | aziridine derivatives tested as sterilants |
| in India 2415 | for 830 |
| on man, allergic reaction to 2415 | carbamates tested for 1280 |
| Lokern virus, Culicodes variipennis, isolated | diazinon tested for 1053 |
| from, in California 411 | dichlorvos for 1041 |
| Iomamiensis, Congovidia | dimethoate for 1041 |
| Iongiareolata, Culiseta | in Western Australia 261-262 |
| (Allotheobaldia) | pyrethroids tested for 1053 |
| longicollis, Culicoides | development in |
| longicornis, Haemaphysalis | enzyme activity during 909 |
| longicuspis, Phlebotomus | protein synthesis during 906 |
| longior, Tyrophagus, (Tyroglyphus) | Entomophthora muscae in, pathogenicity |
| longipalpa, Supella | of 2374 |
| longipalpis, Anopheles | in Australia 261–262, 2381 |
| longipalpis, Glossina | in USA 1041 |
| longipennis, Glossina | in refuse, in Florida 1041 insecticide resistance in 2381 |
| longipennis, Hippobosca | |
| longipes, Phlebotomus | testing for 2548 on sheep, in Western Australia 261–262 |
| Louisiana Anonheles crucians in 372 | on sheep, in Western Australia 261–262 proteolytic activity in 259 |
| Anopheles crucians in 372 A. quadrimaculatus in 372 | Lucilia illustris |
| Corethrella brakeleyi in, natural enemies | in Hungary 2544 |
| of 2542 | in Japan 1875 |
| mosquitos in 2125 | in markets, in Hungary 2544 |
| Psorophora confinnis in 378, 795 | parasitising, living vertebrates 2550 |
| Louping ill, virus of, Haemaphysalis | Lucilia sericata |
| punctata, transmitting, in Czechoslovakia | antennal pedicel in, plaques on 1541 |
| 63 | coldhardiness in 1048 |
| lowii, Uranotaenia | control of |
| Loxosceles laeta | aziridine derivatives tested as sterilants |
| venom of | for 830, 1536 |
| biochemistry of 1592 | carbaryl tested for 1892 |
| mode of action of 1592 | insecticides tested for 834, 1611 |
| Loxosceles reclusa | trichlorphon for 2190 |
| control of | diapause in 1048 |
| dichlorvos tested for 862 | emergence in, effects of X-irradiation on |
| fenchlorphos tested for 862 | 634 |
| insecticides tested for 476 | helminths, eggs of, in faeces and |
| methoxy-DDT tested for 862 | regurgitations of 184 |
| resmethrin tested for 862 | |
| haemolymph osmolarity in 2582 | in Canada 1048 in Hungary 2544 |
| in USA 296, 862 | in Israel 1892 |

in Panama 1009

Lucilia sericata contd. Lutzomvia sanguinaria in Japan 86, 1875 host preferences of, in Panama in Netherlands 636 in New Zealand 1145, 1555 in Panama 1009 Lutzomyia shannoni in Rumania 2190 host preferences of, in Panama in cattle bones, in Japan 1875 in Costa Rica 2346 in markets, in Hungary 2544 in Panama 1009 lipids in 168 Leishmania braziliensis, isolated from, in olfactory responses in 2377-2378 Costa Rica 2346 on dogs, in Israel 1892 Lutzomyia sherlocki on geese, in Israel 1892 sp. n., description of 1250 in Brazil 1250 on sheep, in Netherlands 636 Lutzomyia townsendi, in Venezuela 1251 oviposition, effects of X-irradiation on Lutzomyia trapidoi host preferences of, in Panama 1009 pupation in, effects of X-irradiation on in Panama 1009 634 vesicular stomatitis virus rearing of, techniques for 1555 multiplication of, in 593 Salmonella typhimurium, transmission of, transmission of, by by 614 Lutzomyia trinidadensis, rearing of, sterilisation of, X-irradiation for 634 techniques for 242 yellow-eye mutant of 1555 Lutzomyia vespertilionis lugens, Thyridanthrax host preferences of, in Panama lumbwanum, Simulium in Panama 1009 lunatum, Sphaeridium rearing of, techniques for 242 lundbecki, Hybomitra Lutzomyia vexatrix, in Canada lurida, Hybomitra Lutzomyia vexatrix occidentis lusitanicum, Hyalomma gregarines in, in California 2344 lutarius, Hister in USA 2344 luteocephalus, Aedes Lutzomyia wellcomei Lutzomyia amazonensis, in Brazil 2150 sp. n., description of, in Psychodopygus Lutzomyia arthuri, taxonomy of, characters distinguishing L. wellcomei and 1812 cutaneous leishmaniasis, role of, in, in Lutzomyia cruciata, group of, keys to 1250 Brazil 588 Lutzomyia evangelistai descriptions of 1812 sp. n., description of 1249 in Brazil 588, 1812, 2149-2150 in Brazil 1249 Leishmania braziliensis, isolated from, in Lutzomyia flaviscutellata Brazil 2150 in Brazil 801-802, 2149 on man, in Brazil 2149 Leishmania mexicana amazonensis. taxonomy of, characters distinguishing L. isolated from, in Brazil 801 arthuri and 1812 on rodents, in Brazil 2149 Lutzomyia yencannensis, in Venezuela seasonal abundance of, in Brazil 801 vertical distribution of 802 Lutzomyia ylephiletrix Lutzomyia gomezi, on Choloepus hoffmanni host preferences of, in Panama 1009 in Costa Rica 2346 Lutzomyia intermedia in Panama 1009 in Brazil 2151 Leishmania braziliensis, isolated from, in Leishmania spp., isolated from, in Brazil Costa Rica 2346 Lutzomyia yuilli Lutzomvia olmeca sp. n., description of 1507 in Colombia 1507 in Brazil 2150 on man, in Colombia 1507 Leishmania mexicana, transmitted by, in Brazil 2150 Lymnaea auricularia rubiginosa Lutzomyia paraensis, in Brazil 2150 Fasciola gigantica, intermediate host of Lutzomyia pessoai in Brazil 2151 preyed on by, Diplonychus rusticus, in Leishmania spp., isolated from, in Brazil 531 Philippines Lymnaea palustris, preyed on by, Sepedon fuscipennis, in New York 1866 Lutzomyia pessoana host preferences of, in Panama Lyperosia (see Haematobia)

Lyperosia irritans (see Haematobia)

ıcaca mulatta Plasmodium fieldi, effects of splenectomy on, in 1495 Pneumonyssus spp. infesting, effects of 1306 Macaca radiata Haemaphysalis spinigera infesting, in India 281 H. turturis infesting, in India 281 Macao, malaria in 892 machardyi. Culicoides Mackiena sugiharai in Japan 1585 on Troglodytes troglodytes, in Japan Macrocheles muscaedomesticae development in, effects of temperature on in Italy 853 phoretic behaviour in 1887 sensilla in 2572 Macrocheles penicilliger, development in, effects of temperature on 853 Macrocheles peniculatus, development in, effects of temperature on 853 mactans, Latrodectus maculata, Triatoma maculatum, Amblyomma maculatus, Anopheles maculatus, Isometrus maculipennis, Anopheles maderae, Leucophaea mageshimaensis, Haemaphysalis magnifica, Wohlfahrtia magnus, Deinocerites Main Drain virus, Culicodes variipennis, isolated from, in California 411 maindronii, Hister Maize starch, against, Musca domestica major, Chatia, (Shunsennia)

major, Leeuwenhoekia major, Phlebotomus Malagasy Republic Amblyomma variegatum in 278 Anopheles gambiae complex in 955 Anophelinae in 1687 Boophilus microplus in 284 heartwater in 278 Hermetia illucens in 2536 Leptoconops spinosifrons in 585 Simulium neireti in 243 against, Musca domestica 1890 synergists for, polychlorinated biphenyls as 1890 Malaoxon-ethyl (see Succinic acid,

mercapto-, diethyl ester, S-ester with

O, O-diethyl phosphorothioate)

Mexico 776

Anopheles albimanus, role of, in, in

Malaria

Malaria contd. Anopheles contd. A. claviger, role of, in, in Turkey 990 A. darlingi, role of, in, in central America A. dthali, role of, in, in Iran 571 Anopheles funestus, role of, in, in Éthiopia 980, 2139 Anopheles gambiae, role of, in, in Ethiopia 980, 2139 A. litoralis, role of, in, in Philippines A. maculatus, role of, in, in Nepal 959 Anopheles maculipennis, potential vector of, in USSR 159 332 A. nili, role of, in, in Ethiopia 2139 A. nuneztovari, role of, in, in central America 1433 A. punctimacula, role of, in, in central America 1433 A. superpictus, role of, in, in Afghanistan 1188 control of 781-782, 1753, 1802, 2111 ecological effects of 1444 in Americas 1428 in Malaysia 683 in Mexico 776 problems with 1428-1429, 1431, 1433 epidemiological entomology of 1678 in Afghanistan 1188 in Africa 891 in Angola 892 in Bangladesh 394 in California 2479 in Cape Verde Islands 892 in Ethiopia 980, 2140 in Ghana 1180 in Indonesia 893 in Iraq 231, 769 in Jordan 231 in Lebanon 231 in Macao 892 in Malaysia 683 in Mexico 776 in Mozambique 892 in Nepal 959 in Papua and New Guinea 1776 in Portuguese Guinea 892 in Principe 892 in São Tomé 892 in Sierra Leone 1189 in Singapore 2145 in Solomon Islands 2314 in Sudan 1180

in Surinam 893 in Syria 231

in Tanzania 570 in Texas 1792

in USSR 81, 83, 159, 332

in Timor 892

| Malaria contd. | Malathion contd. |
|--|--|
| in Uzbekistan 481 | against contd. |
| in Venezuela 2111 | mosquitos 1440, 2110, 2468 |
| recrudescence of 2420 | Musca domestica 322, 819, 1553, |
| research on 1430 | 1873, 1886, 1985 |
| Malaria, simian | Pediculus humanus 1151-1152 |
| Anopheles cruzii, role of, in, in Brazil | Periplaneta fuliginosa 1985 |
| 1223 | Psorophora confinnis 375, 386, 2327 |
| A. neivai, role of, in, in Brazil 1223 | P. discolor 375 |
| in Brazil 1223 | Rhipicephalus bursa 1944 |
| Malathion | Rhodnius prolixus 54 |
| against 1004 | scorpions 2234 |
| Achaearanea tepidariorum 1984 | Solenopotes capillatus 355 |
| Aedes spp. 2468 Aedes aegypti 380, 549, 1185, 1737, | Trichoptera 132 Uranotaenia lowii 380 |
| 1766, 2289 | in Colinus virginianus, effects of 1074 |
| A. communis 488 | in goldfish, effects of 1074 |
| A. hexodontus 488 | in mice, effects of 1074 |
| Aedes melanimon 752, 2457 | in Musca domestica, metabolism of 827, |
| A. nigromaculis 2457 | 2246 |
| A. pionips 488 | in Poecilia reticulata, toxicity of 1453 |
| A. punctor 488 | in Uca spp., toxicity of 503 |
| A. rossicus 2098 | in water, residues of 2587 |
| Aedes sollicitans 374–375, 380, 971 | resistance to, in |
| Aedes taeniorhynchus 374, 380, 971 | Aedes albopictus, in Vietnam 2132 |
| Aedes vexans 752, 1421 | A. nigromaculis, in California 737 |
| Alphitobius diaperinus 1313 Amblyomma americanum 2050 | Anopheles albimanus in Central America 1439 |
| Anopheles crucians 380 | in El Salvador 233, 2511 |
| Anopheles labranchiae 557, 1329 | Blattella germanica 192, 1383 |
| A. quadrimaculatus 1739 | Chironomus attenuatus, in California |
| Anopheles stephensi 768–769 | 1275 |
| Argas persicus 2203 | Culex peus, in California 744, 2458 |
| Blattella germanica 192, 321–322, | Culex pipiens, in California 744, 2458 |
| 1147–1148, 1985 | Musca domestica 314, 1553 |
| Boophilus annulatus 850 | in Japan 618 |
| B. microplus 850 | mechanism of 1106 |
| Chironomus attenuatus 1275 Cimex lectularius 729 | Pediculus humanus, in Burundi 1388 |
| Culex nigripalpus 374 | selective toxicity of 1120 specifications for 695, 1986 |
| Culex peus 767, 2458 | synergists for 1553 |
| Culex pipiens 380, 767, 1421, 1737, | Malawi, sleeping sickness in 2160 |
| 2457–2458 | Malaysia |
| C. restuans 374 | Aedes togoi in 1777 |
| Culex salinarius 374, 380 | Basilia hispida in 2045 |
| Culex tarsalis 767, 2457 | Culex pseudovishnui in 2109 |
| C. tritaeniorhynchus 2495 | Dermacentor spp. in 1940 |
| Damalinia bovis 355 | Haemaphysalis spp. in 1940 |
| Dermanyssus gallinae 2203 | Hermetia illucens in 2536 malaria in 683 |
| Dermestes ater 1314 Ephydra spp. 2531 | Maldison (see Malathion) |
| Ephydridae 820, 2370 | Mali |
| Haemaphysalis bispinosa 1924 | Culex pipiens in 1765 |
| Haematopinus eurysternus 355 | sleeping sickness in 895 |
| Hippelates pusio 823 | yellow fever in 546, 761, 2281 |
| Hyalomma anatolicum 1924 | Malic acid |
| H. marginatum 1924 | diisopentyl ester, repellent for, |
| Leptoconops kerteszi 800 | Ornithodoros tholozani 1911 |
| L. spinosifrons 585 | dipentyl ester, repellent for, Ornithodoros |
| lice 353 | tholozani 1911 |
| Linognathus vituli 355 | Mallophaga |
| Loxosceles reclusa 476 | biology of 2018 |

Mallophaga contd. Man contd. in Europe 522 Chrysops contd. in Indian region 1385 C. fuliginosus feeding on, in Connecticut literature on 522 on cattle, in Germany 937 Cicadellidae infesting, in Malagasy on game-birds, in USSR 2022 Republic 863 Malonamide, N,N'-bis[2-(1-aziridinyl)ethyl]-Coleoptera infesting 108 sterilant for Coleoptera on Musca domestica 1536 allergic reaction to 1071 2415 synanthropic flies 1536 Ctenocephalides felis infesting, in Mammals Cambodia 1166 ectoparasites in nests of 1655 Culex pipiens feeding on 1365 insecticides in, toxicity of 1112 Culex pipiens on, allergic reaction to organic phosphates in, elimination of 2415, 2514 Culicoides spp. infesting, in Malagasy Republic 863 pesticides in effects on reproduction of 1113 C. impunctatus feeding on, in Germany toxicity of, determination of 1110 C. setosus feeding on, in Germany Aedes aegypti on, allergic reaction to DDE in, residues of, in Utah 694 DDT in, residues of, in Utah 694 A. hoguei feeding on, in Solomon Islands Delphacidae infesting, in Malagasy Republic 863 A. horotoi feeding on, in Solomon Islands Dermanyssus gallinae infesting 138 Dermatobia hominis infesting, in Brazil Amblyomma cajennense infesting, in British Honduras 1576 Dermatophagoides spp. infesting Anopheles minimus feeding on, in diagnosis of 483 in Lithuania 483 Bangladesh 394 Anoplura feeding on, symptoms resulting Dermatophagoides spp. on, allergic from 1071 reaction to 1958, 2222 ants on, allergic reaction to 2415 Dermatophagoides farinae on, allergic ants stinging, symptoms resulting from reaction to 1583, 1589-1590, 1959-1960, 2408 Aphodius spp. infesting 108 Dermatophagoides pteronyssinus on, Apis mellifera stinging allergic reaction to 1589-1590, 2573 2388 dieldrin in, residues of, in Utah 694 allergic reaction to in Virginia 2197 Dipetalonema perstans, in, in Zaïre D. streptocerca, in, in Zaïre 603 symptoms resulting from 2197, 2202 Arachnida biting, symptoms resulting Diptera feeding on, symptoms resulting from 1071 from arthropods on, allergic reactions to 1071 Diptera infesting 108 bees stinging, symptoms resulting from eastern equine encephalitis, in, in New Jersey 1410 blood-sucking flies, relation of, and 539 facial paralysis in, arthropods and Brachypelma smithi on, allergic reaction Fannia canicularis infesting 2538 to 1307 F. scalaris infesting, in Belgium 1040 febrile illness in, in India 115 Buthus tamulus stinging in India 673 Gasterophilus spp. infesting 1690 symptoms resulting from 673 gastrointestinal tract in, effects of Centruroides spp. stinging in Mexico 2234 in USA 2234 arthropods on 108 Gedoelstia spp. infesting, in Kenya 1267 health hazards for 497 symptoms resulting from 2234 Hemiptera biting, symptoms resulting Charitopes similis infesting from 1071 in Belgium 840 Hemiptera feeding on, symptoms resulting symptoms resulting from 840 from 1071 chikungunya virus, isolated from, in India Hippelates currani feeding on, in Brazil Chrysops atlanticus feeding on, in H. tibialis feeding on, in Brazil 1277 Connecticut 2167 house-dust allergy in, treatment for 2409 M

| ubject Index | 83 |
|---|--|
| an contd. house-dust mites on, allergic reaction to 1962 | Man contd. Pselliopus barberi biting, in North Carolina 1717 |
| house dust on, allergic reaction to | repellent preparations for 302 Rickettsia prowazekii, antibodies to, in, in |
| Hydrotaea meteorica feeding on, in USSR | Uganda 354 Sarcoptes scabiei infesting |
| H. pandellei feeding on, in USSR 181 H. spp. feeding on, in USSR 180 | in Czechoslovakia 2086, 2229 in Trinidad 2227 |
| Hymenoptera stinging | Scenopinus fenestralis infesting, in |
| allergic reaction to 2388, 2390, 2392 | Minnesota 128 |
| symptoms resulting from 2387, 2389 | Simulium damnosum feeding on, in |
| treatment for 2389, 2393 | Cameroon 1257 |
| Isoptera infesting 108 | S. erythrocephalum feeding on, in Hungary 298 |
| Japanese encephalitis, formula for incidence of, in 560 | S. indicum feeding on |
| Leishmania mexicana amazonensis, in, in | in Nepal 1511 |
| Brazil 802 | in Pakistan 807 |
| Lepidoptera on, allergic reactions to | S. neireti feeding on, in Malagasy Republic 243 |
| Leptotrombidium akamushi infesting, in | S. ovazzae feeding on, in Liberia 1815 |
| Japan 1343 | Siphonaptera feeding on, symptoms resulting from 1071 |
| Linguatula serrata infesting, in Jordan | Solenopsis richteri stinging |
| 2583 | allergic reaction to 2198 |
| Loa loa, in, in Zaïre 603 Locusta migratoria on, allergic reaction to | in USA 2198 symptoms resulting from 2198 |
| 2415 | spiders biting, in Costa Rice 295 |
| Lutzomyia flaviscutellata feeding on, in | Tenebrio spp.infesting 108 |
| Brazil 802 | tick-borne relapsing fever, treatment of, in |
| L. wellcomei feeding on, in Brazil 2149 | 478 |
| L. yuilli feeding on, in Colombia 1507 Monomorium salomonis biting | tick-borne viruses in 145 Trachelas tranquillus biting, in Delaware |
| in India 1908 | 2577 |
| symptoms resulting from 1908 Muscina stabulans infesting 2538 | Triatoma rubrofasciata feeding on, in Brazil 724 |
| in Austria 1894 | T. sanguisuga biting, in North Carolina |
| Oeciacus hirundinis biting | 1717 |
| in UK 951 | Tyroglyphidae infesting, literature on |
| symptoms resulting from 951 Onchocerca volvulus, in, in Zaïre 603 | Vespa affinis stinging, symptoms resulting |
| Onthophagus spp. infesting 108 | from 1907 |
| Pangonius micans feeding on, in Spain | Vespula spp. stinging |
| Paratranardus masistus faedina en in | in Virginia 2197 |
| Panstrongylus megistus feeding on, in Brazil 1827 | symptoms resulting from 2197 Xenopsylla cheopis infesting, in Cambodia |
| Pediculus humanus infesting | 1166 |
| in Czechoslovakia 2086 | mandarinus, Tabanus |
| in Uganda 354 in UK 1151-1152 | Manitoba mosquitos in 579, 1217 |
| Pentastomidae infesting 108 | natural enemies of 1219 |
| Periplaneta americana on, allergic reaction | soil in, DDT residues in 1218 |
| to 2415 | Wyeomyia smithii in 1451 |
| pesticides in symptoms of poisoning with 1114 | Mansonia, eggs of 2329–2330 Mansonia africana |
| toxicity of 1111 | hepatitis B virus, antibodies to, in, in |
| treatment of poisoning with 1114 | Kenya . 1461 |
| Phthirus pubis infesting | in Kenya 1461 |
| in Chad 111 in UK 1151 | in Upper Volta 784 in dwellings, in Upper Volta 784 |
| piperonyl butoxide in, toxicology of 1316 | in dwellings, in Upper Volta 784 traps for 784 |
| Polistes spp. on, allergic reaction to 2415 | Mansonia bonneae, in Philippines 2107 |

marshalli, Kleidotoma

Mansonia fasciolata (see Coquillettidia) marteri, Anopheles Mansonia fuscopennata (see Coquillettidia) Maruina lanceolata, in Canada 594 Mansonia indubitans Maryland Aedes canadensis in, feeding on spoiled in Colombia 2094 fruit 1420 in Mexico 1468 on man, in Mexico . 1468 Aedes vexans in 796, 1740 Venezuelan equine encephalitis, virus of, Anopheles punctipennis in isolated from, in Colombia 2094 A. quadrimaculatus in 796 Coquillettidia perturbans in Mansonia ochracea (see Coquillettidia) Mansonia perturbans (see Coquillettidia) Culex pipiens in 1740 Mansonia richiardii (see Coquillettidia) Culex salinarius in 796, 1740 Mansonia titillans Culiseta melanura in 1767 Anaplasma marginale, not persisting in viruses in 1795 Dirofilaria immitis in, in dogs 796 in Costa Rica 1206 eastern equine encephalitis in 1797 in Guatemala mosquitos in 1795-1797 in USA 1469 feeding on spoiled fruit 1420 in Venezuela 2110 Musca domestica in 435-436 Venezuelan equine encephalitis Stomoxys calcitrans in 435 attenuated virus of, not transmitted by western equine encephalitis in Massachusetts role of, in, in Venezuela 2110 Culicoides furens in 2148 virus of, isolated from, in Guatemala C. hollensis in 2148 mosquito control in 1734, 1736 complex of Tabanus lineola in 2148 Crithidia spp., isolated from, in Colombia 1045 in Colombia 1045 Tabanus nigrovittatus in 825, 2148 Matachirops opossum, Piry virus, isolated Mansonia uniformis from, in Brazil 1597 Brugia malayi, isolated from, in mathurinii, Strongylopsalis Matricaria chamomilla, extracts of, against, Philippines 1788 B. patei, development of, in 1727 Culex pipiens 1467 control of, pyrethrins tested as repellent Mauritania, Anopheles gambiae complex in for 1210 955 hepatitis B virus, antibodies to, in, in Mauritius Kenya 1461 in Kenya 1461 Stomoxys calcitrans in 2186 S. nigra in 2186 in Okinawa 387 maurus, Scorpio in Philippines 1788, 2107 maynei, Euroglyphus in Tanzania 1210 MCA-600 (see Carbamic acid, methyl-, in Upper Volta 784 benzo[b]thien-4-yl ester) in dwellings, in Upper Volta 784 Mecarphon (see Carbamic acid, traps for 784 (mercaptoacetyl)methyl-, methyl ester, S-Wuchereria bancrofti, development of, in ester with Omethyl methylphosphonodithioate) mediovittatus, Aedes of distribution of arthropods, need for mediterraneum, Simulium (Wilhelmia) preparation of 170 megacephala, Chrysomya marginalis, Chrysomya megistus, Panstrongylus marginatum, Hyalomma (Triatoma) marginatus, Dermacentor megnini, Otobius mariae, Aedes melanimon, Aedes marmoratus, Culicoides melanocerus, Tabanus Marmosa microtarsus microtarsus, melanogaster, Drosophila Trypanosoma cruzi, isolated from, in melanophylum, Deinocerites Brazil 200 melanura, Culiseta Marmota monax melas, Anopheles Dermacentor andersoni infesting, in melleus, Culicoides British Columbia 2209 mellifera, Apis Ixodes cookei infesting, in Ontario 2208 Melogale personata, Rickettsia orientalis, isolated from, in Vietnam 1967

| Melophagus ovinus control of chlorfenvinphos tested for 2060 | Metacnephia tetraginata, in USSR 1082 Metacnephia undecimata, in USSR 1082 metallicum, Simulium |
|---|---|
| insecticides tested for 1384 organic phosphates tested for 848 | metallicus, Aedes Metarhizium anisopliae, against, Culex |
| enzymes in 717 | pipiens 581 |
| in Bulgaria 1902 | Metathion (see Fenitrothion) |
| in New Zealand 1144 | meteorica, Hydrotaea |
| in Turkey 848 | Metepa |
| on sheep | determination of 2326 |
| distribution pattern of 1902 in Bulgaria 1902 | repellency of, to <i>Musca domestica</i> 2183 sterilant for |
| in New Zealand 1144 | Anopheles albimanus 2326 |
| Menacanthus stramineus | Culêx pipiens 402, 793, 2317 |
| control of | Lasius spp. 1566 |
| carbamates tested for 680 | Musca domestica 2317 |
| phosmet tested for 680 trichlorphon tested for 680 | Rhodnius prolixus 1390, 1396 |
| trichlorphon tested for 680 Menida scotti | Methamidophos (see Phosphoramidothioic acid, O,S-dimethyl ester) |
| in Japan 1400 | Methanearsonic acid, monosodium salt, in |
| in dwellings, in Japan 1400 | Cochliomyia hominivorax, toxicity of |
| Menida violacea | 1863 |
| in Japan 1400 | 4,7-Methanoindan, 2,4,5,6,7,8,8-heptachloro- |
| in dwellings, in Japan 1400 | 3a,4,7,7a-tetrahydro-, exo-, biochemistry |
| Menopon gallinae | of 1103 |
| control of, propoxur tested for 1955 in Germany 1955 | 4,7-Methanoindan, 1,2,4,5,6,7,8,8-octachloro- 3a,4,7,7a-tetrahydro- (see Chlordane) |
| Menthol, against, Aedes aegypti 1237 | Methidathion, in turkeys, toxicity of 1315 |
| Mephitis mephitis, Dermacentor andersoni | Methiocarb |
| infesting, symptoms resulting from | against |
| 2209 | Chrysomya megacephala 1280 |
| meridionalis, Telmatoscopus | Lucilia cuprina 1280 |
| Meriones crassus, Coptopsylla neronovi | Musca domestica 1535 |
| infesting, in Iran 1169 | Pediculus humanus 948 |
| Meriones erythrourus (see M. libycus erythrourus) | Methiotepa determination of 2326 |
| Meriones libycus erythrourus | repellency of, to Musca domestica 2183 |
| Bacillus anthracis, isolated from, in USSR | sterilant for, Anopheles albimanus 2326 |
| 1579 | Methoprene (see 2,4-Dodecadienoic acid, |
| burrows of, as breeding places for | 11-methoxy-3,7,11-trimethyl-, isopropyl |
| Phlebotomidae 1368 | ester, (<i>E,E</i>)-; or Isopropyl (2 <i>E,</i> 4 <i>Ē</i>)-11- methoxy-3,7,11-trimethyl-2,4- |
| Leishmania tropica in, persistence of 480 | |
| Ornithodoros tartakovskyi infesting, in USSR 2428 | dodecadienoate) Methoquin-butyl (see Cinchoninic acid, 3- |
| Trombiculidae infesting, in Kobystan | methyl-, butyl ester) |
| 173 | Methoxy-DDT |
| Meriones persicus, Coptopsylla neronovi | against |
| infesting, in Iran 1169 | Haematobia irritans 817 |
| Meriones unguiculatus, Brugia pahangi, oral | Hypoderma lineatum 817 |
| infection with, in 1481 Mermithidae | Loxosceles reclusa 862 mosquitos 1736 |
| Anopheles annulipes, in, in New South | Trichoptera 132 |
| Wales 977 | in cattle, effects of 1073 |
| insects 299 | selective toxicity of 1120 |
| merus, Anopheles | specifications for 695, 1986 |
| Mesocricetus auratus (see Cricetus) | S-(N-methoxycarbonyl-N- |
| Mesoleptus laevigatus, in Japan 1875 | methylcarbamoylmethyl) O-methyl |
| Mesostigmata, reproduction in, effects of food quality on 1304 | methylphosphonodithioate, against, Aedes taeniorhynchus 379 |
| messeae, Anopheles maculipennis | Methoxychlor (see Methoxy-DDT) |
| Mesurol (see Methiocarb) | Methyl bromide, against, Cryptotermes |
| Metacnephia persica, in USSR 1082 | brevis 2410 |

840 Methyl (E)-2-decenoate, against, Musca domestica 1179 Methyl (E)-2-dodecenoate, against, Aedes aegypti 1178 Methyl 10,11-epoxy-7-ethyl-3,11-dimethyl-2,6-tridecadienoate against, Stomoxys calcitrans 1874 juvenile hormone activity of, with, Damalinia bovis 2084 Methyl 10,11-epoxyfarnesenate effects of, on Musca domestica, inhibited by organic acids 427 Oncopeltus fasciatus, inhibited by organic acids 427 Methyl trans, trans-10,11-epoxyfarnesenate, in Rhipicephalus sanguineus, not terminating diapause 66 Methyl nonanoate, against, Musca domestica Methyl (E)-2-nonenoate, against, Musca domestica 1179 Methyl 2-nonynoate, against, Musca domestica 1179 Methyl octanoate, against, Musca domestica Methyl (E)-2-octenoate against Aedes aegypti 1178 Musca domestica 1179 Methyl 2-octynoate, against, Musca domestica 1179 Methyl-parathion against Aedes melanimon 752 A. vexans 752 Culex peus 767 C. pipiens 767 resistance to, in Aedes nigromaculis, in California 736-737 Anopheles albimanus, in El Salvador 233, 2511 specifications for 695 Methyl tridecanoate, against, Musca domestica 1179 Methyl (E)-2-tridecenoate, against, Musca domestica 1179 2-Methylbenzyl chrysanthemate against Aedes aegypti 1361 Musca domestica 1361 3-(1-Methylbutyl)phenyl methylcarbamate Chrysomya megacephala 1280 Lucilia cuprina 1280 2-Methyl-5-(2-propynyl)-3-furylmethyl chrysanthemate against

> Aedes aegypti 1361 Dipterous larvae 1053

Musca domestica 1361

Metriphonate (see Trichlorphon) Mexacarbate (see Zectran) mexicanum, Simulium Mexico Aedes aegypti in 734, 780, 1468 Anopheles albimanus in 776 Cnephia muzquicensis in 1512 malaria in 776 mosquitos in 1468 scorpions in 2234 ticks in, on cattle 1580 Venezuelan equine encephalitis in 2450 MGK Synergist 264 (see 5-Norbornene-2,3-dicarboximide, N-(2-ethylhexyl)-) micans, Pangonius micans, Stomatoceras Mice cyanates in, liberation of HCN from dichlorvos in, toxicity of 2240 Entomophthora coronata, infectivity of, for 981 Hypoderma lineatum infesting 2163 insecticides in, systemic activity of 425 malathion in, effects of 1074 Myobia musculi infesting, in Cuba Myocoptes musculinus infesting in Cuba 2434 in Papua and New Guinea 1584 nitriles in, liberation of HCN from 1098 parasites of 719 Psorergates simplex infesting, pathogenic effects of 294 Michigan, Simuliidae in 604 microceras, Dermatophagoides microchiropteri, Neotrombicula Microlichus, keys to 1963 Microlichus gaudi descriptions of, in India 1963 on ducks, in India 1963 Micronesia, Anoplura in 947 microplus, Boophilus Micropterus salmoides, Dursban in, residues of 1870 Microsporidia, mosquitos, biological control of, using 2324 Microtrombicula, rearing of, techniques for Microtrombicula azerbaidjanica, in USSR Microtus arvalis Ctenophthalmus teres infesting, in USSR fleas infesting, in USSR Microtus montebelli Trombiculidae infesting in Japan 1585 migratoria, Locusta militaris, Hydrotaea

butonate in, residues of 1605

crotoxyphos in, residues of 1606

| filk contd. | Moniezia |
|---|---|
| crufomate in, residues of 692 | intermediate hosts of, in Azerbaijan 196 |
| dichlorvos in, residues of 1605 | Scheloribates spp., isolated from, in |
| trichlorphon in, residues of 1605 | Uzbekistan 856 |
| nilnei, Culicoides | Xylobates monodactylus, isolated from, is |
| nimeticus, Culex | Uzbekistan 856 |
| nimeticus, Calex nimeticus, Rhipicephalus evertsi | Zygoribatula skrjabini, isolated from, in |
| | |
| ninax, Xenopsylla gerbilli | Uzbekistan 856 |
| ninima, Haematopota pluvialis (see H. | Moniezia benedeni, Oribatidae, intermediate |
| pluvialis) | hosts of 856 |
| ninimus, Anopheles | Moniezia expansa, Oribatidae, intermediate |
| Ainiopterus schreibersii fuliginosus, | hosts of 856 |
| Japanese encephalitis, virus of, isolated | Moniliformis, Periplaneta americana, |
| from, in Taiwan 2298 | isolated from, in India 347 |
| fink, eastern equine encephalitis, virus of, | Moniliformis dubius |
| isolated from, in New Jersey 1410 | Periplaneta americana |
| finnesota, Scenopinus fenestralis in, | development of, in 720, 1703 |
| infesting man 128 | morphology of, in 1374 |
| ninnesotae, Culiseta silvestris | Monitor (see Phosphoramidothioic acid, |
| ninuta, Neotrombicula | O,S-dimethyl ester; or O,S-Dimethyl |
| ninuta, Sergentomyia | phosphoramidothioate) |
| ninutus, Copris | Monocrotophos |
| ninutus, Scutovertex | against |
| nirabilis, Sergentomyia, (Phlebotomus) | Boophilus annulatus 850 |
| dississippi 034 | B. microplus 850 |
| Culicidae in 924 | monodactylus, Xylobates |
| Tabanidae in 924 | Monomorium destructor |
| dissouri | Cotugnia dignopora, intermediate host of |
| Haematobia irritans in 273 | in Kerala 1906 |
| on cattle 2546 Musca autumnalis in 1042 | in India 1906 |
| | Monomorium gracillimum |
| on cattle 2546 lites | Cotugnia dignopora, intermediate host of in Kerala 1906 |
| | in India 1906 |
| dermatophytosis, role of, in 1695 in Ethiopian region 2557 | Monomorium indicum (see M. salomonis |
| larvae of | indicum) |
| mounting of 1133 | Monomorium pharaonis |
| preservation of 1133 | control of, queen-technique for 1566 |
| taxonomy of, revision of 1356 | in Germany 1567 |
| vertebrate pathogens in, detection of | in UK 838 |
| 1997 | in hospitals, in UK 838 |
| Mobam (see Carbamic acid, methyl-, | Pasteurella pestis, persistence of, in 335 |
| benzo[b]thien-4-yl ester or Benzo[b]thien- | pathogens, isolated from, in UK 838 |
| 4-yl methylcarbamate) | Monomorium salomonis indicum |
| nodestus, Culex | in India 1908 |
| Modiolus demissus, insecticides in, toxicity | on man |
| of 2148 | in India 1908 |
| nolestus, Culex pipiens | symptoms of bite by 1908 |
| Molluscicides, specifications for 1986 | monspellensis, Haematopota bigoti (see H. |
| nombasaensis, Aedes (see A. fryeri) | bigoti) |
| 10N-0412 (see Cyclopropane, 1,1-bis(p- | monstrosum, Nosomma |
| chlorophenyl)-2,2-dichloro- or 1,1-Di(p- | montana, Hybomitra |
| chlorophenyl)-2,2-dichlorocyclopropane) | montchadskyi, Neotrombicula |
| AON-0585 (see Phenol, 2,6-di-tert-butyl-4- | montchadskyi, Schoutedenichia |
| $(\alpha, \alpha$ -dimethylbenzyl)- or 2,6-Di-t-butyl- | monticola, Simulium, (Odagmia) |
| $4-(\alpha,\alpha-\text{dimethylbenzyl})$ phenol) | mopsus, Onthophagus |
| nongolensis, Phlebotomus | Moraxella bovis, Musca autumnalis, |
| Aongolia | transmission of, by 1544 |
| Hypoderma bovis in, on cattle 1666 | moreli, Haemaphysalis |
| H. lineatum in, on cattle 1666 | Morellia hortensia |
| Simuliidae in 2523 | in USSR 2535 |
| Annanga vallow (one Comintic maniaillata) | in dung in Moritimo HCCD 2525 |

| Iorellia simplicissima | Mosquitos contd. |
|--|--|
| in USSR 2535 | control of contd. |
| in dung, in Maritime USSR 2535 | water management for 749, 1743, 2482 |
| Iorocco | diapause in 1416 |
| Anopheles spp. in 2503 | diseases in, methods for detection and |
| | study of 101 |
| Culicoides spp. in 582, 1245 | |
| Phlebotomidae in 1253 | distribution of, determination of 774 |
| Iorphimide (see Phosphinic amide, P,P- | embryonic development in, effects of |
| bis(1-aziridinyl)-N-(6-morpholino-4- | temperatures on 2005 |
| pyrimidinyl)-; or P,P-Bis(1-aziridinyl)-N- | evolution of 2302 |
| (6-morpholino-4-pyrimidinyl)phosphinic | haemolymph of, as indicator for infections |
| amide) | 2115 |
| orsitans, Culiseta | human diseases, transmission of, by 1199 |
| orsitans, Glossina | |
| losquito coils, specifications for 1612 | in Afghanistan 2332 |
| Iosquito fish (see Gambusia affinis) | in Germany 406 |
| | in Yakutia 1625 |
| losquito iridescent virus | in dwellings 1200 |
| characterisation of 485, 1976 | insecticide resistance in 1198 |
| purification of 485 | marking of, techniques for 1371 |
| Iosquitos | nectar in, method for detecting 340 |
| abundance of, determination of 774 | rearing of |
| antimalarial drugs, evaluation of, in 1680 | |
| autogeny in, in Turkmenia 2017 | apparatus for 1999 |
| biology of, review of 779, 1733 | techniques for 873 |
| blood-meals of, identification of 1132 | sampling of, sweep netting for 711 |
| calorific reserves in, determination of | surveillance techniques for 512 |
| 922 | taxonomy of, characters for, head as |
| cell cultures from, pathogens in, | 2518 |
| development of 1697 | thermal responses in 1658 |
| control of 1195-1197, 1200-1201, 1224, | tissue cultures from, cultivation of |
| 1416, 1806 | pathogens in 881 |
| algae for 2477 | traps for 925–926, 970 |
| biological 2324, 2460 | use of carbon dioxide in 1202 |
| parasites for 1436 | viruses, transmitted by 1445 |
| | moubata, Ornithodoros |
| pathogens for 1436 | |
| predators for 1436 | Mouse (see Mice) |
| with fish 1424 | Mouse, white-footed (see Peromyscus |
| chemosterilants for 2242 | leucopus) |
| deet tested as repellent for 2112 | Mozambique |
| ecological effects of 1732, 1734, 1743 | Glossina austeni in 2155, 2159 |
| equipment for testing insecticides for · | Glossina brevipalpis in 2155, 2159 |
| 1995–1996 | Glossina morsitans in 1019, 2155, 2159 |
| fenitrothion for 1440 | Glossina pallidipes in 2155, 2159 |
| genetical 870, 2324 | malaria in 892 |
| chromosome aberrations for 1434 | sleeping sickness in 892, 2159–2160 |
| cytoplasmic incompatibility for 1434 | trypanosomiasis in 2159 |
| hybrid sterility for 1434 | Wuchereria bancrofti in 892 |
| intraspecific sterility for 1434 | MS-1 (see Trichlorphon) |
| lethal genes for 1434 | MSMA (see Methanearsonic acid, |
| mejotic drive for 1434 | monosodium salt) |
| sex distortion for 1434 | muehlfeldi, Hybomitra |
| habitat management for 1413 | Mule |
| in rice-fields 217, 2478, 2486 | Hippobosca equinainfesting, in Turkey |
| in USA 1805 | 824 |
| land management for 747-748, 2470, | |
| 2482 | Simulium rubiginosum feeding on, in |
| | Andes 1 |
| malathion for 1440 | Multanin-fluid-3 (see BHC (γ-isomer), |
| organic phosphates for 1440 | DDT, and dieldrin) |
| propoxur for 1440 | multicolor, Anopheles |
| repellents for 2074 | multidens, Sergentomyia, (Phlebotomus) |
| sterilants for 1332 | multidentatum, Prosimulium |
| ULV sprays for 1442 | muricola, Laelans |

| Murine typhus | Musca autumnalis contd. |
|--|---|
| in Texas 365 | parasitised by contd. |
| Xenopsylla cheopis, role of, in, in Texas 365 | Muscidifurax raptor, in Ontario 2177 Spalangia nigra, in Ontario 2177 |
| Mus musculus | Spalangia nigra, in Ontario 2177 predators of, in South Dakota 1284 |
| | sex pheromone of 268 |
| Xenopsylla astia infesting, in India 113 Xenopsylla cheopis infesting | sex pheromone of 200 sexual behaviour in 268 |
| in Egypt 1170, 1725 | Stephanofilaria spp., isolated from, in |
| in India 113 | Uttar Pradesh 1271 |
| Mus platythrix platythrix | Thelazia lacrymalis, suggested as vector |
| Acropsylla episema infesting, in India | of, in North America 129 |
| 532 | vector potential of 1622 |
| Nosopsyllus arcotus infesting, in India | Musca domestica |
| 532 | abdominal histoblasts in 2365 |
| Stivalius aporus infesting, in India 532 | acetylcholine receptor in 2373 |
| Xenopsylla astia infesting, in India 532 | adult size in, effects of larval food |
| Musca | competition on 1649 |
| control of 1407 | aldrin in, enzyme induction by 916 |
| in USA 687 | amino acids in 1561 |
| in dwellings, in UK 1407 | antennal pedicel in, plaques on 1541 |
| Musca amica | apholate resistance in, not found 2545 attractants for 1867 |
| biology of 1880 thelaziasis, role of, in 1880 | in its excreta 41 |
| Musca autumnalis | attraction of, to light 2172 |
| activity in 1043 | azinphos-methyl in, metabolism of 633 |
| biology of 1622 | baits for 1549 |
| control of 821, 1622 | BHC resistance in, in Rumania 1329 |
| biological 2539 | γ BHC resistance in, in Thailand 257 |
| bioresmethrin tested for 322 | δ BHC susceptibility in, diel variation in |
| crotoxyphos for 1043 | 437 |
| DDT tested for 321–322 | brain in, adrenergic neurones in 33 |
| dichloryos for 1043 | bromopropylate in, metabolism of 1283 |
| fenchlorphos tested for 2546 pyrethroids tested for 1046–1047, 1362 | carbamates in, mode of action of 177 chloropropylate in, metabolism of 1283 |
| (+)-trans-tetramethrin tested for 321 | chromosome 3 in |
| toxaphene tested for 2546 | detecting recessive lethal genes on |
| Heterotylenchus autumnalis in | 1050 |
| effects of 826 | linkage map of 1051 |
| in Missouri 1042 | control of 819, 2020 |
| in Ontario 1038 | (+)-trans-allethrin tested for 1737 |
| in South Dakota 1284 | anthramycin tested as sterilant for 160 |
| identification of 1694 | antibiotics tested for 1281, 1607–1608 |
| in Canada 256, 1038, 2177 | aziridine derivatives tested as sterilants |
| in India 1271 in USA 256, 1042–1043, 1284, 2546 | for 317, 1536, 1538, 2169 baits for 51, 1558 |
| in dwellings 821 | baits tested for 2191 |
| literature on 256 | γ BHC tested for 257 |
| Moraxella bovis, transmission of, by | biological 2539 |
| 1544 | bioresmethrin tested for 322 |
| on buffalo, in Uttar Pradesh 1271 | bromopropylate tested for 1283 |
| on cattle | chloropropylate tested for 1283 |
| in Missouri 2546 | DDT tested for 257 |
| in New Jersey 1043 | deet tested as repellent for 161 |
| symptoms of feeding by 1544, 1694 | diazinon tested for 257 |
| ovipositor in, sense organs on 266 parasitised by | dichlorvos tested for 257 dieldrin tested for 257 |
| Aleochara bimaculata, in South Dakota | N,N-diethylbenzamide tested as |
| 1284 | repellent for 304 |
| Aphaereta pallipes | dihexamethylenecarbamide tested as |
| in Ontario 2177 | repellent for 161 |
| in South Dakota 1284 | dimethoate analogues tested for 1282 |
| Eupteromalus dubius, in Ontario 2177 | dimethoate tested for 1282 |
| | |

Musca domestica contd. Musca domestica contd. control of contd. DDT in contd. dimethyl phthalate tested as repellent penetration of 1025 for 161 DDT resistance in 426 dithiobiuret derivatives tested as exposed to sodium arsenate 162 in Rumania 1329 sterilants for 1287, 2372 Dursban tested for 257, 434 in Thailand 257 endosulfan tested for 434 DDT susceptibility in, effects of evaluation of insecticides for 103 photoperiod on 1545 fatty acid esters tested for 1179 development in fenitrothion tested for 257, 426, 2192 effects of photoperiod on 1545 fenthion tested for 257 effects of temperature on diazinon in, metabolism of 1124 Galecron analogues tested for 2171 genetic 631 diazinon resistance in translocations tested for 1871 cytochromes and hempa tested as sterilant for 68, 176, mechanism of 440 502, 542 dieldrin in in cattle manure 436, 438 enzyme induction by in dairy barns 435 penetration of 2182 in manure 2180 dieldrin resistance in, in Thailand 257 insecticides tested for 630, 1563-1564, dimethoate resistance in, in Florida 2366 1601, 1883, 1890, 1984 Draschia megastoma, intermediate host of, iodofenphos tested for 972 in India 1546 juvenile hormone analogues tested for egg-hatch in 1804 effects of ozone on 625 malathion tested for 322, 1873 effects of X-rays on 267 naled tested for 1422 embryonic development in 905 omethoate tested for 1282 protein changes during 2551 organic phosphates tested for 436, emergence in, effects of y-irradiation on 2173-2174 Petkolin tested for 490 endrin in, enzyme induction by 916 phosphoramidates tested as repellents Enterobacter B, survival of, on tarsi of for 161 enzymes in 47, 908, 910 phosphoramidothioates tested for 1030 Piper peepuloides extract tested for eyes in, visual fibres in 1094 fat-body in 499 Podocarpus extract tested for 918 effects of X-irradiation on 1882 pyrethrins tested for 321-322, 913 fecundity in, effects of ozone on 625 pyrethroids tested for 1046-1047, fenchlorphos resistance in, in Florida 1361-1362, 2099 2366 resmethrin tested for 1737 sterilants tested for 2170 fertility in effects of y-irradiation on 1539 tetramethrin tested for 1321 effects of temperature on 1534 (+)-trans-tetramethrin tested for 321 filipin in thiotepa tested as sterilant for 271, insecticidal activity of 167 1330, 1534, 2264 sterilant activity of 167 thiourea tested as sterilant for 1891 flight activity in, effects of y-irradiation trichlorphon for 2190 on 1539 trichlorphon tested for 176, 1329, food consumption in, diel variation in copulation in, effects of insecticides on formetanate in, mode of action of 177 Galecron in, metabolism of 2171 genetics of 877 coumaphos resistance in 314 and cross-resistance 175 heat-sensitive lethal mutations in 831 Coxsackie virus, isolated from, in helminths, eggs of, in faeces and Philippines 1885 regurgitations of 184 cyanates in, liberation of HCN from heptachlor in, enzyme induction by 916 Heterotylenchus autumnalis in, defence cytochromes in, insecticide resistance and mechanisms against 1877 57 in Czechosłovakia in Denmark DDT in effects of 40, 442, 2251 in Egypt 972

| fusca domestica contd. | Musca domestica contd. |
|---|---|
| in Gambia 1883 | nitriles in, liberation of HCN from 1098 |
| in Hungary 613, 2544 | ommochromes in, effects of light on |
| in India 1373, 1546, 1558 | synthesis of 1049 |
| in Japan 86 | optical analyser in 912 |
| in New Zealand 1142 | organic phosphate resistance in, and cross- |
| in Philippines 1885 | resistance 1901 |
| in Rumania 1329, 2190 | organic phosphates in |
| in Thailand 257 | metabolism of 917 |
| in USA 435–436, 630, 1871, 2180, 2366, | penetration of 917 |
| 2532 | orientation in 1626 |
| in USSR 68, 176, 1693, 2192 | ovarian development in |
| in fowl excreta, for conversion to fertiliser | effects of juvenile hormone analogue on |
| and feedstuffs 1878 | 1888 |
| in hides, in Gambia 1883 | effects of X-irradiation on 1882 |
| in markets, in Hungary 2544 | |
| insecticide resistance in 2179, 2247 | paraoxon resistance in, mechanism of |
| cytochrome P-450 and 2549 | 505 |
| in USSR 1693 | parasites of, and biological control using, |
| mechanism of 440 | in California 2532 |
| insecticide susceptibility in | parasitised by |
| effects of application method on 434 | Muscidifurax raptor, in Denmark |
| effects of X-irradiation on 441 | 1027 |
| insecticides in, actograph for studying | M. zaraptor 833 |
| effects of 1535 | Nasonia vitripennis 513, 833 |
| intraspecific competition in 2176 | Phygadeuon spp., in Denmark 1027 |
| juvenile hormone analogues in | Spalangia cameroni 513, 833 |
| inhibited by organic acids 427 | in Denmark 1027 |
| resistance to 1550 | parathion resistance in, mechanism of |
| life-cycle of 819 | 440, 1106 |
| life-span in | phosalone resistance in 314 |
| effects of y-irradiation on 1539 | phosmet resistance in 314 |
| effects of X-irradiation on 267 | polychlorinated biphenyls in, effects of |
| in male-producing strain 626 lipids in 1531 | 507 |
| literature on 1884 | proline dehydrogenase in 250 pupal development in |
| malathion in, metabolism of 827, 2246 | amino acid metabolism during 29 |
| malathion resistance in 314 | effects of thiourea on 508 |
| mechanism of 1106 | repellency of chemosterilants to 2183 |
| mating competitiveness in | reproductive isolation in 1552 |
| effects of X-rays on 267 | reproductive success of, calculation of |
| in male-producing strain 626 | 707 |
| mating in, role of abdominal peripheral | ribosomes in, effects of thiotepa on |
| nervous system in 269 | proteins in 271 |
| metabolic studies on, collecting labelled | Salmonella typhimurium |
| CO_2 for 2430 | survival of, on tarsi of 2175 |
| metamorphosis in 2554 | transmission of, by 614 |
| methionine metabolism in 2552 | sex ratio abnormality in 265 |
| microsomal enzymes in 2586 | spermiogenesis in 1897 |
| microsomal oxidases in, inhibited by | sphingosine in 1531 |
| xanthommatin 632, 1026 | sterilisation of, chemosterilants tested for |
| microsomal preparations from, oxygen | 2317 |
| uptake in 28, 1090 | stigmata in 9 |
| mortality in effects of γ -irradiation on 1539 | Streptococcus pyogenes, survival of, on tarsi of 2175 |
| effects of y-irradiation on 1539 effects of X-irradiation on 267 | |
| | surveillance techniques for 512 |
| effects of insecticides on 1044 | terminal organ in 22 tetrachlorvinphos in, penetration of 1025 |
| effects of temperature on 1044 | Thelazia gulosa, intermediate host of, in |
| naphthalene in, metabolism of 1097 | India 1546 |
| 1-naphthol in, metabolism of 1097 | trichlorphon in, effects of 40, 2037 |
| nicotine in, mode of action of 915 | trichlorphon resistance in 1664 |

| Ausca domestica contd. | Muscalure (see 9-Tricosene, (Z)-) |
|--|---|
| Trypanosoma cruzi, transmission of, by | Muscidae |
| 1893 | control of, insecticides tested for 2261 |
| visual responses in 629, 2172 | gustation in 1176 |
| weight of, diel variation in 437 | olfaction in 1176 |
| xanthommatin in, inhibitor of microsomal | parasitised by, Cynipodea 1171 |
| oxidases 632, 1026 | Muscidifurax raptor |
| Ausca domestica nebulo | in Canada 2177 |
| control of, method for testing insecticides | in Denmark 1027 |
| for 189 | in USA 2532 |
| human intestinal parasites, transmission | in USSR 1369 |
| of, by 1565 in India 1565 | parasitising |
| | dung-breeding flies, and biological |
| Ausca domestica vicina | control using, in California 2532 |
| control of | Musca autumnalis, in Ontario 2177 |
| cyanophos tested for 1985 | M. domestica |
| diazinon tested for 1053 | in Denmark 1027 |
| malathion tested for 1553 | in USSR 1369 |
| pyrethroids tested for 1053–1054 | Stomoxys spp., and biological control |
| human intestinal parasites, transmission | using, in Mauritius 2186 population dynamics of 1369. |
| of, by 1565 in Egypt 275 | Muscidifurax zaraptor |
| in India 1565 | parasitising, Musca domestica 833 |
| in Japan 618 | preying on |
| in Thailand 1886 | Nasonia vitripennis 833 |
| in USSR 64, 1369, 2036 | Spalangia cameroni 833 |
| insecticide susceptibility in | Muscina stabulans |
| in Japan 618 | control of 821 |
| in Thailand 1886 | aziridine derivatives tested as sterilants |
| in USSR 2036 | for 1536 |
| malathion resistance in 1553 | in manure 2180 |
| in Japan 618 | helminths, eggs of, in faeces and |
| parasitised by | regurgitations of 184 |
| Muscidifurax raptor, in USSR 1369 | in Austria 1894 |
| Spalangia nigroaenea 91 | in Hungary 2544 |
| in Uzbekistan 64 | in Japan 86 |
| seasonal abundance of, in Egypt 275 | in USA 2180, 2532 |
| Musca planiceps in India 2189 | in dwellings 821 in markets, in Hungary 2544 |
| Stephanofilaria zaheeri, intermediate host | in markets, in Hungary 2544 on man 2538 |
| of 2189 | in Austria 1894 |
| Musca pruna | parasites of, and biological control using, |
| Dermatobia hominis eggs carried by, in | in California 2532 |
| Honduras 2358 | Muscinae |
| in Honduras 2358 | in Africa 1876 |
| Musca sorbens | in Zaïre 276 |
| control of 819 | musculi, Myobia |
| life-cycle of 819 | musculinus, Myocoptes |
| Musca stabulans (see Muscina) | Mustela putorius, Dermacentor andersoni |
| Musca vetustissima | infesting 2209 |
| biology of 1537 | mutata, Cnephia |
| Heterotylenchus spp. in 617 | Mutilla glossinae |
| in Australia 264, 1072, 1537, 1557 | in Rhodesia 1262, 1516, 2353 |
| larval development in | parasitising |
| effects of cattle dung on 264 | Glossina morsitans, in Rhodesia 1262 |
| effects of temperature on 430 | 1516, 2353 |
| effects of temperature on 430 morphometric cline in 1557 | G. pallidipes, in Rhodesia 1262 |
| on horses | muzquicensis, Cnephia MYC 8005 |
| in Queensland 1072 | against |
| symptoms of feeding by 1072 | Aedes aegypti 1607–1608 |
| muscaedomesticae. Macrocheles | Musca domestica 1607–1608 |

| Aycobacterium avium, Argas persicus, | Naled contd. |
|---|---|
| isolated from, in USSR 1062 | against contd. |
| Aycobacterium bovis | Culex contd. |
| Dermacentor pictus, persistence of, in | Culex pipiens 380, 1744, 2306, 2457 |
| 1062 | C. restuans 374 |
| Hyalomma asiaticum, isolated from, in | Culex salinarius 374, 380 |
| USSR 1062 | C. tarsalis 2457 |
| Ornithodoros lahorensis, transmission of, | Hippelates pusio 823 |
| by 1062, 1129 | Leptoconops kerteszi 800 |
| Aycobacterium tuberculosis bovis (see M. | mosquitos 1422, 1736 |
| bovis) | Musca domestica 1422 |
| Ayobia musculi | Psorophora confinnis 375, 386 |
| control of, trichlorphon tested for 2576 | P. discolor 375 |
| in Cuba 2434 | Simulium pictipes 599 |
| on mice, in Cuba 2434 | Uranotaenia lowii 380 |
| Ayocoptes musculinus | formulations of 1744 |
| control of 1584 | Nankor (see Fenchlorphos) |
| in Cuba 2434 | Naphthalene, against, Tyrophagus |
| in Papua and New Guinea 1584 | putrescentiae 293 |
| on mice | Naphtho[2,3-d]-1,3-dioxole-5,6-dicarboxylic |
| in Cuba 2434 | acid, 5,6,7,8-tetrahydro-7-methyl-, |
| in Papua and New Guinea 1584 | dipropyl ester (see Propyl isome) |
| Ayonyssus dubinini | nasalis, Gasterophilus |
| in USSR 15 | Nasonia vitripennis |
| on rodents, in Kharbarovsk 15 | fatty acids in, effects of host on 513 |
| Ayotrombicula rhinolophi, sp. n., described | parasitising, Musca domestica 513, 833 |
| from bats in USSR 4 | preyed on by, Muscidifurax zaraptor 833 |
| Ayristic acid | Nauphoeta cinerea, social behaviour in 72 |
| ethyl ester | Nauru, Culex pipiens in 397 |
| against 1179 | NC-6897 (see Carbamic acid, methyl-, 2,3- |
| Aedes aegypti 1178 | (isopropylidenedioxy)phenyl ester; or 2,2- |
| Musca domestica 1179 | Dimethyl-1,3-benzodioxol-4-yl |
| methyl ester | methylcarbamate) neavei, Culex |
| against Aedes aegypti 1178 | nebeculosus, Culicoides |
| Musca domestica 1179 | Nebraska, Stomoxys calcitrans in 1551 |
| Ayxoma virus | nebulo, Musca domestica |
| Anopheles annulipes, transmitting, in New | nebulosus, Culex |
| South Wales 730 | nebulosus, Tabanus |
| Spilopsyllus cuniculi, transmitting, in New | neglectus, Rhodnius |
| South Wales 730-731, 1403 | Neguvon (see Trichlorphon) |
| Ayxoma virus, California, Aedes aegypti, | neireti, Simulium |
| transmission of, by 778 | Neisseria meningitidis, Ornithodoros |
| 1yxomatosis , in Australia 730–731 | lahorensis, toxicity of gut and |
| Myzomyia hispaniola (see Anopheles) | haemolymph extracts to 316 |
| Myzomyia superpictus (see Anopheles) | neivai, Anopheles |
| 1-2596 (see Phosphonodithioic acid, ethyl-, | Nematoda |
| S(p-chlorophenyl) Oethyl ester; or O | epidemiology of, role of Diptera in 2006 |
| Ethyl S-p-chlorophenyl | in Anopheles gambiae, in Kenya 706 |
| ethylphosphonodithioate) | in cattle dung, effects of dung beetle |
| Nagilactone C, against, Musca domestica | activity on 2199, 2386 |
| 918 Video and a final fi | in insects, role in natural control of 514 |
| Vaia, venom of 174 | intermediate hosts of 2010 |
| against | Neoaplectana carpocapsae, Culex pipiens, infectivity of, for 2325 |
| Aedes aegypti 380 | Neopsylla setosa |
| A. melanimon 2457 | in USSR 703 |
| A. nigromaculis 2457 | on Citellus pygmaeus, in Dagestan 703 |
| Aedes sollicitans 374–375, 380, 1744 | Neoschoengastia americana |
| Aedes taeniorhynchus 374, 379–380 | control of, Dursban tested for 466 |
| Anopheles crucians 380 | in USA 466 |
| Culex nigripalpus 374 | on turkeys, in Texas 466 |
| | |

Neotragus pygmaeus, Haemaphysalis New York State contd. punctaleachi infesting, in West Africa Culex contd. 2569 C. territans in, viruses in 2517 Neotrombicula, rearing of, techniques for Culiseta morsitans in 711 viruses in 2517 eastern equine encephalitis in 1309 Neotrombicula autumnalis, in USSR 173 Neotrombicula microchiropteri, sp. n., Gasterophilus intestinalis in, on cattle described from bats in USSR 4 Neotrombicula minuta, in USSR 173 mosquitos in 1745 Neotrombicula montchadskyi, in USSR Sepedon fuscipennis in 1866 ticks in 1941 New Zealand Nepal Anopheles spp. in 959 Austrosimulium spp. in 2352 Blattella germanica in 1140 Ixodes ovatus in 2218 malaria in 959 Calliphora laemica in 1145 Simulium indicum in, on man 1511 Chironomidae in 616 Chorioptes bovis in, on sheep 472 nereensis, Ornithodoros neronovi, Coptopsylla Chrysomya rufifacies in 1145 Netherlands Cimex lectularius in 1143 Dermatophagoides pteronyssinus in, in Ctenocephalides canis in 1136 house dust 1586 C. felis in 1136 Ixodes ricinus in, on dogs 1929 Damalinia bovis in, on cattle 1137, 1712 Lucilia sericata in, on sheep 636 D. ovis in, on sheep 1138 1108 Dermatophagoides farinae in, in house pesticide use in Supella longipalpa in, in dwellings 2437 dust 1141 New Hebrides, Calliphoridae in 2371 D. pteronyssinus in, in house dust 1141 New Jersey Fannia canicularis in 1142 Aedes canadensis in 1738 Haemaphysalis longicornis in, on cattle A. cantator in 1411 659, 1139 Aedes sollicitans in 1410-1411 Haematopinus eurysternus in, on cattle Culiseta melanura in 1410 1137, 1712 eastern equine encephalitis in 1410 Linognathus ovillus in, on sheep mosquito control in 739, 1734 L. pedalis in, on sheep 1138 Linognathus vituli in, on cattle 1137, by draining coastal swamps 1413 and its effects on marsh fauna and flora 1417 Lucilia sericata in 1145, 1555 fish for 1424 Melophagus ovinus in, on sheep 1144 mosquitos in 1741 Musca domestica in 1142 Musca autumnalis in, on cattle Opifex fuscus in 987 Simuliidae in 598 Periplaneta americana in 1140 Tabanus lineola in 627 P. australasiae in 1140 1136 T. nigrovittatus in 627 Pulex irritans in Wyeomyia spp. in 1425 Solenopotes capillatus in, on cattle 1137 New Mexico Stomoxys calcitrans in 1135 Xenopsylla cheopis in 1136 bubonic plague in 2274 Hybomitra spp. in 2188 Nexagan (see Bromophos-ethyl) New South Wales Nicaragua Anopheles annulipes in 730, 977 Anopheles albimanus in 1439 Damalinia bovis in, on cattle 353 Deinocerites pseudes in 2499 Haematopinus eurysternus in, on cattle Niclofolan (see 2,2'-Biphenyldiol, 5,5'dichloro-3,3'-dinitro-; or 3,3'-Dichloro-Linognathus vituli in, on cattle 353 5,5'-dinitro-*o*,*o*'-biphenol) myxomatosis in 730-731 Nicotine, in Musca domestica, mode of Spilopsyllus cuniculi in 730-731 action of 915 on rabbits 1403 nielseni, Aedes atropalpus New York State Nigella, extracts of, against, Culex pipiens Aedes canadensis in 578 1467 A. triseriatus in 2137 niger, Ceratophyllus Anopheles punctipennis in 2137 Niger Republic California encephalitis in 578 Culex pipiens in 1765 Coquillettidia perturbans in 711 Glossina morsitans in 422, 1821, Culex restuans in, viruses in 2517

| iger Republic contd. | Nitroxynil (see Benzonitrile, 4-hydroxy-3- |
|---|---|
| Glossina contd. | iodo-5-nitro-; or 3-Iodo-4-hydroxy-5- |
| Glossina tachinoides in 422, 1821, | nitrobenzonitrile) |
| 2156–2157 | nocturnus, Aedes |
| sleeping sickness in 895 | nodosa, Sarcophaga |
| igeria | Nonanoic acid |
| Aedes aegypti in 219, 393, 2290 | against, Aedes aegypti 1178 |
| Aedes africanus in 393, 2290 | ethyl ester |
| Aedes luteocephalus in 393, 2290 | against |
| A. simpsoni in 393 | Aedes aegypti 1178 |
| A. vittatus in 393 | Musca domestica 1179 |
| Amblyomma variegatum in, viruses from | methyl ester . |
| 843 | against |
| Amyrsidea powelli in, on fowls 1709 | Aedes aegypti 1178 |
| Anopheles funestus in 393 | Musca domestica 1179 |
| Anopheles gambiae in 219, 393, 955 | 2-Nonene, 6,7-epoxy-3,7-dimethyl-1-[3,4- |
| Boophilus annulatus in 843 | (methylenedioxy)phenoxy]- |
| B. decoloratus in, viruses from 843 | against |
| Cuclotogaster occidentalis in, on fowls | Aedes aegypti 1447 |
| 1709 | A. nigromaculis 400 |
| Culex pipiens in 219 | Anopheles albimanus 1447 A. stephensi 1447 |
| Glossina spp. in, control of 165 | Culex pipiens 400, 1447 |
| G. tachinoides in 249 | C. tarsalis 400 |
| Haemaphysalis hoodi in, on fowls 1914 | Damalinia bovis 2084 |
| Hyalomma rufipes in, viruses from 843 | (E)- |
| H. truncatum in, viruses from 843 | against |
| Laelaps spp. in 2230 | Aedes nigromaculis 2465 |
| L. litigiosa in, on rodents 854 | Culex pipiens 2464 |
| onchocerciasis in 1817 | Stomoxys calcitrans 829 |
| Simulium adersi in, in vehicles 245 | 2-Nonene, 6,7-epoxy-3-ethyl-7-methyl-1-[3,4 |
| S. damnosum in 1817 | (methylenedioxy)phenoxy]- |
| in vehicles 245 | determination of 2252 |
| ticks in, on cattle 1066 | stability of 2252 |
| yellow fever in 546, 761, 772, 2281, 2290 igerrimus, Anopheles hyrcanus | (E)-, against, Stomoxys calcitrans 829, |
| igra, Spalangia | 2-Nonene, 3,7,7-trimethyl-1-[3,4- |
| igra, Stomoxys | (methylenedioxy)phenoxy]-, (E)-, agains |
| igricornis, Hybomitra | Damalinia bovis 2084 |
| igripalpus, Culex | 2-Nonenoic acid |
| igripes, Aedes | (E)-, against, Aedes aegypti 1178 |
| igripes, Chrysops | methyl ester, (E)- |
| igripes, Prosimulium | against |
| igripes, Tabanus | Aedes aegypti 1178 |
| igritarsis, Simulium | Musca domestica 1179 |
| igroaenea, Spalangia | 2-Nonynoic acid, methyl ester, against, |
| igromaculis, Aedes | Aedes aegypti 1179 |
| igropunctatus, Culex igrovittatus, Tabanus | 5-Norbornene-2,3-dicarboximide, N-(2-ethylhexyl)- |
| ili, Anopheles | synergist for |
| ipponicus, Aedes | malathion 1553 |
| ipponii, Aedes vexans | trans-(+)-tetramethrin 321 |
| lissol (see Acetamide, 2-fluoro-N-methyl- | 2-Norbornene, 5-(bromomethyl)-1,2,3,4,7,7- |
| N-1-naphthyl-; or 2-Fluoro-N-methyl-N- | hexachloro- (see Bromocyclen) |
| 1-naphthylacetamide) | North Carolina |
| itens, Anocentor | Aedes sollicitans in 373 |
| itidifrons, Simulium | A. taeniorhynchus in 373 |
| (Odagmia) | Hippelates pusio in 823 |
| nitrobenzaldehyde, repellent for, | Periplaneta americana in, in sewage |
| Xenopsylla cheopis 203 | systems 1378 |
| litrochlorotoluene, against, Tyrophagus | Pselliopus barberi in, on man 1717 |
| putrescentiae 293 | Triatoma sanguisuga in, on man 1717 |

| | 01 1 1 11 11 / 01 11 \ |
|--|---|
| Vosema | Obuchovia albellum (see Simulium) |
| Anopheles quadrimaculatus, pathogenicity | Obuchovia galloprovinciale (see Simulium) |
| of, in 1979 | Obuchovia transcaspicum (see Simulium) |
| mosquitos, localisation of, in 2299 | occidentale, Simulium alcocki (see S. |
| review of 562 | garmsi) |
| | occidentalis, Anopheles |
| Nosema algerae | |
| Anopheles gambiae, in, in Tanzania 562 | occidentalis, Cuclotogaster |
| development in 562 | occidentalis, Dermacentor |
| Nosema stegomyiae | occidentis, Lutzomyia vexatrix |
| Aedes detritus, in, in France 228 | ochracea, Conquillettidia, (Mansonia) |
| Culex pipiens, pathogenicity of, for 2510 | ochraceum, Prosimulium |
| in, Culex pipiens, pathogenicity of 2510 | ochrescentipes, Simulium |
| mosquitos, biological control of, using | ochroptera, Theobaldia, (Culiseta) |
| 1436 | |
| Nosomma monstrosum, life-cycle of 1581 | Octachlorodipropyl ether |
| Nosopsyllus, in India 1405 | synergist for |
| | malathion 1553 |
| Nosopsyllus arcotus | pyrethroids 1054 |
| in India 532 | 2,6-Octadienal, 3,7-dimethyl-, against, Aed |
| on Funambulus palmarum, in India 532 | aegypti 1237 |
| on Mus platythrix, in India 532 | 2,6-Octadien-1-ol, 3,7-dimethyl-, (E)-, |
| Nosopsyllus consimilis, fertility in, effects of | against, Aedes aegypti 1237 |
| organofluorines on 2254 | |
| notata, Thaumatomyia | Octane, 6,7-epoxy-1-(p-ethylphenoxy)-3,7- |
| Nothobranchius guentheri, preying on, | dimethyl- |
| mosquitos, and biological control using | against |
| 1436 | Aedes aegypti 1447 |
| Notonecta, Dursban in, toxicity of 1075 | Anopheles albimanus 1447 |
| Notonecta undulata | A. stephensi 1447 |
| biology of 1457 | Culex pipiens 1447 |
| in USA 1457 | Octanoic acid |
| preying on | against, Aedes aegypti 1178 |
| Culex tarsalis 1457 | ethyl ester |
| | against |
| | |
| Notonecta unifasciata | Aedes aegypti 1178 |
| biology of 2460 | Musca domestica 1179 |
| in USA 2460 | methyl ester |
| preying on, mosquitos, in California | against |
| 2460 | Aedes aegypti 1178 |
| nova, Oppia | Musca domestica 1179 |
| noxius, Centruroides | 6-Octenal, 3,7-dimethyl-, against, Aedes |
| noxius, Tyrophagus | aegypti 1237 |
| NRDC-106 (see Pyresmethrin) | 2-Octene, 6,7-epoxy-3,7-dimethyl-1-[3,4- |
| NRDC-119 (see Resmethrin, cis-(+)-) | (methylenedioxy)phenoxy]-, (E)-, again: |
| nuda, Hybomitra | Stomoxys calcitrans 1874 |
| nuda, Trichomyia | 2-Octene, 6,7-epoxy-1-(p-ethylphenoxy)-3,7 |
| numidiana, Haemaphysalis | dimethyl- |
| nuneztovari, Anopheles | against |
| nuttalli, Dermacentor | Aedes aegypti 1447 |
| Nuvan (see Dichlorvos) | Anopheles albimanus 1447 |
| Nyando viruses, Anopheles gambiae, isolated | A. stephensi 1447 |
| from, in Nigeria 393 | Culex pipiens 958, 1447 |
| | |
| Nycticorax nycticorax, Culex nigripalpus | Simulium spp. 2521 |
| feeding on, defensive activity against | determination of 2252 |
| 206, 377 | stability of 2252 |
| Nyroca, Rhinonyssus rhinolethrum infesting, | (E)-, against, Stomoxys calcitrans 829, |
| in USSR 7 | 1551 |
| Nyroca nyroca, Rhinonyssus nyrocae | 2-Octenoic acid |
| infesting, in USSR 7 | (E)-, against, Aedes aegypti 1178 |
| nyrocae, Rhinonyssus | methyl ester, (E)- |
| oblongoguttatum, Amblyomma | against |
| obscura, Dixa | Aedes aegypti 1178 |
| obsoletus, Culicoides | Musca domestica 1179 |

| Octosporea carloschagasi | Oestrus ovis |
|---|---|
| sp. n., description of 1391 | control of 1685 |
| associated with Trypanosoma cruzi in | anthelminthics for 1861 |
| Panstrongylus megistus 1391 | trichlorphon tested for 611, 815 |
| Octyl butyrate, attractant for, Vespula | in India 610 |
| Ostmaio acid methyl ester against | in South Africa 1861 in USA 1530 |
| Octynoic acid, methyl ester, against, Aedes aegypti 1179 | in USSR 1685 |
| Odagmia (see Simulium) | life history of 1530 |
| Odagmia ferganicum (see Simulium) | on goats, in India 610 |
| Odagmia monticola (see Simulium) | on sheep |
| Odagmia nitidifrons (see Simulium) | in Illinois 1530 |
| Odagmia ornatum (see Simulium) | in Indiana 1530 |
| Odagmia pontinum (see Simulium) | in Kentucky 1530 |
| dibilis, Culicoides | in Kirgizia 1685 |
| Odocoileus hemionus, Dermacentor | in Ohio 1530 |
| andersoni infesting, in British Columbia | in South Africa 1861 |
| 2209 | Ohio |
| Odocoileus hemionus columbianus | Aedes spp. in 540 Anopheles spp. in 540 |
| Symphoromyia pachyceras feeding on, in | California encephalitis in 550 |
| California 443 | Coquillettidia perturbans in 540 |
| S. sackeni feeding on, in California 443 | Culex spp. in 540 |
| Odocoileus virginianus, Boophilus microplus | Culiseta spp. in 540 |
| infesting, in USA 667 | Musca domestica in 630 |
| Deciacus hirundinis | Oestrus ovis in, on sheep 1530 |
| control of, pyrethroids for 951 | Psorophora spp. in 540 |
| in UK 951 | Saint Louis encephalitis in 550 |
| on man, symptoms of bite by 951 Dedaleus abruptus, Ascaridia galli, | Oil, diesel, against, Culex pipiens 2097 Oil emulsions, against, Culex pipiens 2315 |
| development of, in 841 | Oil, petroleum (see also Flit MLO) |
| Dedemagena | against |
| host-parasite relations of 1634 | Aedes nigromaculis 2462-2463 |
| sense organs in, in larval cuticle 500 | Culex pipiens 2097, 2315, 2463 |
| Dedemagena tarandi | C. tarsalis 2462 |
| Brucella spp., isolated from, in USSR | Okinawa |
| 1865 | mosquitos in 387 effects of agricultural changes on 390 |
| control of, fenthion tested for 2166 in Alaska 1386 | effects of agricultural changes on 390 Oklahoma |
| in USSR 818, 1865, 2529, 2534 | Amblyomma americanum in 458 |
| larval development in, energy storage | Rhipicephalus sanguineus in 1349 |
| during 2357 | okumensis, Culicoides |
| on Rangifer tarandus granti, in Alaska | Olcella, in Florida 1286 |
| 1386 | olmeca, Lutzomyia |
| on reindeer | Omethoate, against, Musca domestica 1282 |
| damage caused by 818 distribution of larvae of 125 | OMS-14 (see Pichloryos) |
| in USSR 126, 818, 1865, 2529, 2534 | OMS-14 (see Dichlorvos) OMS-33 (see Propoxur) |
| localisation of 2529 | OMS-43 (see Fenitrothion) |
| Dedogonium inconspicuum, Simulium | OMS-187 (see Dimethrin) |
| hargreavesi feeding on, in Ghana 1513 | OMS-658 (see Bromophos) |
| Dedogonium moniliforme, Simulium | OMS-659 (see Bromophos-ethyl) |
| hargreavesi feeding on, in Ghana 1513 | OMS-708 (see Carbamic acid, methyl-, |
| Desophagostomum, Psychoda spp., | benzo[b]thien-4-yl ester; or |
| dispersing, in UK 2376 | Benzo[b]thien-4-yl methylcarbamate) |
| Desophagostomum radiatum, in cattle dung, effects of dung beetle activity on 2386 | OMS-1075 (see Phenthoate) |
| effects of dung beetle activity on 2386 Destridae | OMS-1075 (see Phenthoate) OMS-1155 (see Phosphorothioic acid, O,O |
| control of, insecticides tested for 2064 | dimethyl O(3,5,6-trichloro-2-pyridyl) |
| in Azerbaijan 2054 | ester or O,O-Dimethyl O-3,5,6-trichloro- |
| in Uzbekistan 936 | 2-pyridyl phosphorothioate) |
| Destrinae, in Africa 423 | OMS-1206 (see Resmethrin) |

| Onchocerca volvulus in Angola 892 in Guinea 900 | Ophyra leucostoma control of, in manure 2180 in USA 2180, 2532 |
|--|--|
| in Portuguese Guinea 892 in West Africa 896 | parasites of, and biological control using, in California 2532 |
| in Zaïre 899 | parasitised by, Figites scutellaris 1171 |
| man, in, in Zaïre 603 | Opifex fuscus |
| Simulium damnosum | in New Zealand 987 |
| isolated from, in Liberia 1814 | osmoregulation in 987 |
| transmission of, by 1177, 1257 | Opilioacarida, taxonomy of 1356 Opisocrostis hirsutus |
| transmitting in Cameroon 1257 | control of, carbaryl tested for 362 |
| in West Africa 896 | in USA 362 |
| Onchocerciasis | on Cynomys ludovicianus, in Colorado |
| in Ghana 1180 | 362 |
| in Nigeria 1817 | Pasteurella pestis, isolated from, in |
| in Sudan 1180 in Upper Volta 605 | Colorado 362 |
| in Zaïre 603 | Opossums |
| Oncopeltus fasciatus, juvenile hormone | Panstrongylus geniculatus feeding on, in Brazil 199 |
| analogues in, inhibited by organic acids | P. megistus feeding on, in Brazil 199 |
| 427 | parasites of 719 |
| Onitis philemon in India 1055 | Rhodnius neglectus feeding on, in Brazil |
| Spirocerca lupi, infectivity of, for 1055 | 199 |
| Ontario | Triatoma sordida feeding on, in Brazil |
| Aedes communis in 120 | 199 |
| Chaoboridae in 771 Culex pipiens in 986 | Oppia, in USSR 139 |
| C. restuans in 986 | Oppia nova, in USSR 139 |
| Culicidae in 771 | Oppia rossica, in USSR 139 Oregon |
| Dytiscidae in 770 | Culex pipiens in 515 |
| household pests in 1077 | Dermacentor andersoni in 515 |
| Ixodes cookei in, on Marmota monax | D. occidentalis in 515 |
| 2208 | Ixodes pacificus in 515 |
| livestock pests in 1077 Lutzomyia vexatrix in 594 | plague in 515 Vespula pensylvanica in 642 |
| Musca autumnalis in, natural enemies of | Organic phosphates |
| 1038, 2177 | in mammals, elimination of 1107 |
| Simuliidae in 1011 | metabolism of 1104 |
| Simulium rugglesi in 804 | modes of action of 1104 |
| S. venustum in 1012 Thelazia lacrymalis in, on horses 129 | resistance to, mechanisms of 1106 synergists for, 1,2,3-benzothiadiazoles as |
| Onthophagus | 320 |
| in cattle dung, effects on nematodes of | toxicity of 1104 |
| 2199 | Oribatei, in USSR 139 |
| infesting man 108 | Oribatida, taxonomy of 1356 |
| Onthophagus bonasus in India 1055 | Oribatidae in Azerbaijan 1961 |
| Spirocerca lupi, infectivity of, for 1055 | in Uzbekistan 856 |
| Onthophagus dama | in soil, and their role in its formation |
| in India 1055 | 855 |
| Spirocerca lupi, infectivity of, for 1055 | Moniezia spp., intermediate hosts of 856 |
| Onthophagus gazella | orientalis, Blatta |
| in India 1055 in cattle dung, effects on nematodes of | orientalis, Culex orientalis, Glossina morsitans (see G. m. |
| 2386 | morsitans) |
| Spirocerca lupi, infectivity of, for 1055 | orientalis, Hybosorus |
| Onthophagus mopsus | orientis, Ctenocephalides felis |
| in India 1055 Spirocerca lupi, infectivity of, for 1055 | Oriole, Baltimore (see Icterus galbula) |
| opaca, Wohlfahrtia | ornatum, Simulium (Odagmia) |
| | |

| Ornithodoros | Ornithodoros moubata contd. |
|---|---|
| control of, ecological 2032 | Rickettsia spp., localisation of, in 1574 |
| in Japan 13 | Trypanosoma cruzi |
| in Korea 13 | development of, in 1595-1596 |
| in Ryukyu Islands 13 | maintenance of, in 1595 |
| in Turkey 852 | Ornithodoros moubata porcinus, African |
| new species of 288 | swine fever, virus of, transmission of, by |
| Ornithodoros alactagalis | 1578 |
| | |
| crosses of, with other <i>Ornithodoros</i> spp. | Ornithodoros nereensis, crosses of, with |
| 646 | other <i>Ornithodoros</i> spp. 646 |
| hosts of, in Georgia (USSR) 334 | Ornithodoros papillipes (see O. tholozani) |
| in USSR 334 | Ornithodoros porcinus domesticus, proteins |
| Ornithodoros canestrinii, in Iran 1372 | in 8 |
| Ornithodoros coriaceus | Ornithodoros savignyi, haemolymph in, |
| Coxiella burneti, isolated from, in | sugars in 2219 |
| California 662 | Ornithodoros tartakovskyi |
| in USA 662 | Coxellia burneti, isolated from, in |
| Ornithodoros gurneyi, photoreceptors in | Tadzhikistan 153 |
| 1575 | crosses of, with other <i>Ornithodoros</i> spp. |
| Ornithodoros lahorensis | 646 |
| Bacterium tularense, persistence of, in | geographical strains of, genetic |
| 316 | compatibility between 61 |
| Brucella abortus, toxicity of gut and | hosts of, in Tadzhikistan 2429 |
| haemolymph extracts to 315 | in USSR 61, 153, 1083, 2428–2429 |
| control of, organic phosphates tested for | on Meriones libycus, in Tadzhikistan |
| 848 | 2428 |
| Corinebacterium diphtheriae, toxicity of | on Testudo horsfieldi, in Tadzhikistan |
| gut and haemolymph extracts to 316 | 2428 |
| Escherichia coli, toxicity of gut and | Ornithodoros tholozani |
| haemolymph extracts to 315 | autogeny in 2562 |
| foot and mouth disease, role of, in 1642 | Borrelia persica in, effects of host on |
| in Iran 1372 | 1633 |
| in Turkey 848 | control of, repellents tested for 301, 1911 |
| in USSR 85 | development in, repellent sensitivity |
| Leishmania tropica minor, haemolymph | during 301 |
| and organ extracts not toxic to 316 | electron-microscope studies on 1573 |
| Listeria monocytogenes, persistence of, in | proteins in 8 |
| 316 | Ornithodoros verrucosus |
| Mycobacterium bovis, transmission of, by | Borrelia caucasica in 1630 |
| 1062, 1129 | hosts of, in Georgia (USSR) 334 |
| Neisseria meningitidis, toxicity of gut and | in USSR 334 |
| haemolymph extracts to 316 | Ornithodorus moubata, spermatogenesis in |
| nitrogen in 134 | 1095 |
| phosphorus in 134 | Ornithonyssus sylviarum |
| proteins in 8 | control of, sulphaquinoxaline tested for |
| Rickettsia sibirica, detection of, in 311 | 1116 |
| Salmonella typhimurium, toxicity of gut | in USA 297 |
| and haemolymph extracts to 315 | on Sturnus vulgaris, in California 297 |
| seasonal abundance of, in Turkmenia 85 | ornithophilia, Cnephia |
| Staphylococcus aureus, toxicity of gut and | Orotic acid, 5-fluoro- |
| haemolymph extracts to 315 | 'sterilant for |
| Streptococcus pyogenes, toxicity of gut | Culex pipiens 2317 |
| and haemolymph extracts to 316 | Musca domestica 2317 |
| Ornithodoros moubata | Orthellia caesarion |
| Borrelia duttoni, development of, in | Heterotylenchus autumnalis in |
| 1595 | effects of 826 |
| chloride balance in 454 | immune reaction to 429 |
| haemolymph in, sugars in 2219 | Orthene (see Phosphoramidothioic acid, |
| ovocyte in 1623 | acetyl-, O,S-dimethyl ester; or O,S- |
| parenteral infection of 1572 | Dimethyl acetylphosphoramidothioate) |
| Pasteurella pseudotuberculosis, | Orthopodomyia signifera |
| development of, in 1912 | cell cycles in larval brain in 2129 |
| do to opinoni oi, in 1912 | con office in mi vai train in 2127 |

in Panama 1165

Orthopodomyia signifera contd. pachyceras, Symphoromyia diapause in 1760 Pachycrepoideus vindemmiae, parasitising, in USA 1760 Stomoxys spp., and biological control using, in Mauritius 2186 larval development in 1760 Orthoptera, Nematoda, intermediate hosts of Pachylister chinensis in Trinidad 2186 Orthotrichia preying on, Stomoxys spp., and biological control using, in Mauritius 2186 preving on Simulium garmsi, in Ghana 596 pacificus, Ixodes S. schoutedeni, in Ghana Pakistan Anopheles stephensi in 1437 Oryzomys, Leishmania mexicana amazonensis, in, in Brazil 802 Simuliidae in 807 Oryzomys capito, Leishmania mexicana, Trombiculidae in 465 isolated from, in Brazil 801 tsutsugamushi disease in 465 Pakistan, East (see Bangladesh) osburni, Hybomitra rhombica Ostertagia, Psychoda spp., dispersing, in Palaemonetes, insecticides in, toxicity of UK 2376 pallens, Culex pipiens Ostertagia ostertagi in USA 2199 pallescens, Phaenicia (see Lucilia cuprina) in cattle dung pallescens, Rhodnius effects of dung beetle activity on 2199 pallicera, Glossina in Georgia (USA) 2199 pallidescens, Tabanus Oswaldofilaria bacillaris, Anopheles pallidicornis, Culicoides stephensi, development of, in 1485 pallidipennis, Culicoides oswaldoi, Anopheles pallidipennis, Triatoma phyllosoma Otobius megnini pallidipes, Glossina identification of 1694 pallidum, Leptotrombidium pallipes, Aphaereta on cattle, symptoms of infestation with 1694 pallipes, Euoniticellus Otodectes cynotis pallipes, Hippelates palmatus, Scorpio maurus in Philippines 140 on cats, in Philippines 140 palpalis, Glossina on dogs, in Philippines paludicola, Simulium latizonum, otophila, Haemaphysalis (see H. parva) (Eusimulium) Panama ovatus, Aleuroglyphus ovatus, Ixodes Aedes aegypti in 780 ovazzae, Simulium Chagas' disease in 2270 ovillus, Linognathus Culex aikenii in 1751 ovinus, Melophagus Deinocerites pseudes in ovis, Damalinia Phlebotomidae in 1009 Triatominae in 1165, 2270 (Bovicola) Venezuelan equine encephalitis in 207 Panama Canal Zone ovis, Oestrus ovis, Psoroptes 2-Oxetanone, 4-pentyl-Anopheles albimanus in repellent for A. triannulatus in 974 Aedes aegypti 2316 pandellei, Hydrotaea Stomoxys calicitrans 2316 Pangonius micans Oxinothiophos (see Phosphonothioic acid, feeding on man 12 phenyl-, O-ethyl O-8-quinolyl ester; or in Spain 12 OEthyl Oquinol-8-yl Panstrongylus, cytogenetics of 1720 phenylphosphonothioate) Panstrongylus geniculatus Oxymycterus hispidus quaestor, habitats of 199 Trypanosoma cruzi, isolated from, in in Brazil 199, 1721 in Panama 1165, 2270 Brazil 1161 Oxysarcodexia, in Cuba 832 in dwellings, in Panama 1165, 2270 Oxytetracycline, effects of, on, Aedes on armadillos, in Brazil aegypti 1477 on opossums, in Brazil Ozone on rats, in Brazil effects of, on Trypanosoma cruzi Drosophila melanogaster 625 isolated from Musca domestica 625 in Brazil 199, 1721

Stomoxys calcitrans 625

| Panstrongylus geniculatus contd. | Paraoxon contd. |
|---|---|
| Trypanosoma cruzi contd. | synergists for, polychlorinated biphenyls |
| transmitted by, in Panama 2270 | as 1890 |
| Panstrongylus lignarius | |
| | Paraphaenocladius despectus |
| in Brazil 1721 | in Canada 1037 |
| Trypanosoma cruzi, isolated from, in | sex ratio in 1037 |
| Brazil 1721 | Paraphrissopoda, in Cuba 832 |
| Panstrongylus megistus | Parasarcophaga argyrostoma (see |
| control of, juvenile hormone analogues | Sarcophaga) |
| tested for 1855 | Parascaris equorum, in horses, in Sweden |
| habitats of 199 | 1527 |
| in Brazil 199, 1164, 1827 | |
| | parasiniferum, Spathosternum |
| in dwellings, in Brazil 1164 | parasitivorax, Cheyletiella |
| on bats, in Brazil 199 | Parathion |
| on birds, in Brazil 199, 1827 | against |
| on dogs, in Brazil 1827 | Aedes melanimon 752 |
| on man, in Brazil 1827 | A. nigromaculis 382 |
| on opossums, in Brazil 199 | A. vexans 752 |
| on rats, in Brazil 199 | Cimex lectularius 729 |
| Trypanosoma cruzi | Culex peus 767, 2458 |
| | |
| development of, in 1596 | Culex pipiens 767, 2306, 2458 |
| infectivity of, for 1158–1161, | Musca domestica 1535, 1890 |
| 2444-2445 | in sheep, residues of, in milk 885 |
| isolated from, in Brazil 199, 1827 | in water, residues of 2587 |
| Microsporidia associated with, in 1391 | resistance to, in |
| Panstrongylus rufotuberculatus | Aedes melanimon, in California 752 |
| in Panama 1165, 2270 | A. nigromaculis, in California 737 |
| in dwellings, in Panama 1165, 2270 | Anopheles albimanus |
| Trypanosoma cruzi, isolated from, in | |
| Panama 1165 | in Central America 1439 |
| | in El Salvador 233, 2511 |
| papatasi, Phlebotomus | Musca domestica, mechanism of 440, |
| papillipes, Alectorobius tholozani (see | 1106 |
| Ornithodoros tholozani) | selective toxicity of 1120 |
| papillipes, Ornithodoros (see O. tholozani) | specifications for 695 |
| Papua and New Guinea | synergists for, polychlorinated biphenyls |
| Amblyomma cyprium in, on pigs 1696 | as 1890 |
| Anopheles spp. in 1776 | Parathion-ethyl (see Parathion), |
| Anopheles farauti in 758, 960 | |
| Anopheles punctulatus in 758, 960 | Parathion-methyl (see Methyl-parathion) |
| Calliphoridae in 2371 | Paratyphoid, Anoplura, role of, in 2442 |
| Chrysomya bezziana in, on pigs 1696 | Paravespula germanica (see Vespula) |
| Cimex lectularius in 1776 | Paravespula vulgaris (see Vespula) |
| Ctenocephalides felis in | Pardosa sternalis |
| on goats 1134 | in USA 2485 |
| on pigs 1696 | preying on |
| domestic animals in, parasites of 1134 | Aedes dorsalis, in California 2485 |
| filariasis in 1776 | Ephydra riparia, in California 2485 |
| Haemaphysalis papuana in, on pigs 1696 | Trichocorixa reticulata, in California |
| Haematopinus suis in, on pigs 1696 | 2485 |
| Ixodidae in 1351 | paripes, Glyptotendipes |
| malaria in 1776 | Paris green |
| Myocoptes musculinus in, on mice 1584 | against |
| Sarcoptes scabiei in, on pigs 1696 | Ceratopogonidae 308 |
| | |
| papuana, Haemaphysalis | Culicidae 308 |
| paraensis, Lutzomyia, (Psychodopygus) | mosquitos 687 |
| Paraguay, Loxosceles rufescens in 1591 | Simuliidae 308 |
| paramorsitans, Simulium | parmata, Haemaphysalis |
| Paraoxon | particeps, Culiseta |
| against, Musca domestica 1890 | Partipalpiger, subgen. n., erected for Ixodes |
| resistance to, in, Musca domestica, | ovatus 2218 |
| mechanism of 505 | parva, Haemaphysalis |

| Passer domesticus | Pediculus humanus humanus contd. |
|--|--|
| Saint Louis encephalitis, virus of, isolated from, in Illinois 220 | control of <i>contd.</i> DDT for 110 |
| western equine encephalitis, role of, in | dichlorvos tested for 524 |
| 1770 | ethyl formate for 524 |
| passerinus, Dermanyssus | DDT resistance in, in Egypt 948 |
| Pasteurella pestis | identification of 523 |
| Monomorium pharaonis, persistence of, in | in Burundi 1388 |
| 335 | in Egypt 948 |
| Opisocrostis hirsutus, isolated from, in | in UK 1151 |
| Colorado 362 | in USA 687 |
| Xenopsylla astia, isolated from, in India 532 | insecticide susceptibility in, in Egypt 94 malathion resistance in |
| X. cheopis, effects of insecticides on, in 2253 | and cross-resistance 1388 in Burundi 1388 |
| X. gerbilli, effects of insecticides on, in | on laboratory animals 2077 |
| 2253 | on man, in UK 1151 |
| Pasteurella pseudotuberculosis, | pedifer, Phlebotomus |
| Ornithodoros moubata, development of, | penetrans, Tunga |
| in 1912 | penicilliger, Macrocheles |
| Pasteurella tularense (see Bacterium) patagonica, Triatoma | Penicillin, effects of, on, Aedes aegypti |
| pattoni, Wohlfahrtia | 1477 |
| paucicuspis, Simulium, (Eusimulium) | Penicillium lilacinum, Glossina fusca, in, in |
| paullusi, Aedes | Central African Republic 811 |
| pavlovskyi, Ixodes | peniculatus, Macrocheles |
| pavlovskyi, Laelaps | pennsylvanicus, Gryllus |
| paynei, Simulium | pensylvanica, Vespula |
| Peach, mosquitos feeding on spoiled fruit of | Pentadecanoic acid |
| 1420 | ethyl ester |
| pectinaria, Euchlaena pedalis, Linognathus | against Aedes aegypti 1178 |
| Pediculus humanus | Musca domestica 1179 |
| Borrelia persica, virulence not reduced by | Pentastomidae, infesting man 108 |
| passages through 478 | 4-Pentyl-2-oxetanone |
| control of | repellent for |
| DDT for 354 | Aedes aegypti 2316 |
| in USA 687 enzymes in 717 | Stomoxys calcitrans 2316 |
| | peregrina, Sarcophaga |
| in Czechoslovakia 2086 | (Boettcherisca) |
| in Uganda 354 | perichares, Aedes atropalpus |
| on man in Czechoslovakia 2086 | Periplaneta americana amino acids in |
| in Uganda 354 | in brain 940 |
| surveillance techniques for 512 | in haemolymph 940 |
| tissue cultures from, cultivation of | in ovaries 940 |
| pathogens in 881 | behaviour in, effects of ultrasound on |
| Pediculus humanus capitis | 941 |
| y BHC resistance in, in UK 1152 | central nervous connectives in, sodium |
| biology of 110, 523 | efflux from 2438 |
| control of 523 | control of 1379–1380 |
| DDT for 110 in USA 687 | baits for 352 |
| malathion tested for 1151–1152 | bioresmethrin tested as repellent for 322 |
| identification of 523 | bioresmethrin tested for 322 |
| in UK 1151–1152 | carbaryl tested for 193 |
| in USA 687 | dichlorvos tested for 193 |
| on man, in UK 1151-1152 | endrin tested for 193 |
| Pediculus humanus humanus | EPN tested for 193 |
| γ BHC resistance in, in Egypt 948 | fenitrothion tested for 193 |
| biology of 110, 523 | insecticides tested for 1602 |
| control of 523 | organic phosphates tested for 193 |

| 2 | |
|--|---|
| Periplaneta americana contd. | Periplaneta americana contd. |
| control of contd. | oxidative phosphorylation in, effects of |
| pyrethrins tested for 321–322, 913, | phenols on 1702 |
| 1378 | rearing of, techniques for 193 |
| pyrethroids tested for 1362 | serum hepatitis, role of, in 1704 |
| repellency of deodorants used in 349 | sex pheromone of 1149 |
| F | Spirocerca lupi, infectivity of, for 1055 |
| repellency of synergists used in 349 (+)-trans-tetramethrin tested for 321 | walking in 1707 |
| volcanic ash tested for 1101 | Periplaneta australasiae |
| corpora allata in, effects of dieldrin on | control of 1379 |
| 914 | in New Zealand 1140 |
| corpora cardiaca in, effects of dieldrin on | in USA 1379 |
| 521 | Periplaneta fuliginosa |
| cuticle in, sclerotisation of 517 | control of |
| DDT in | cyanophos tested for 1985 |
| enzyme induction by 1364 | poison baits tested for 109 |
| protein synthesis and 1364 | development in, effects of temperature on 1382 |
| development in, effects of temperature on | in Japan 109 |
| 1382 | Periplaneta japonica |
| dieldrin in | development in, effects of temperature on |
| effects of 914 | 1382 |
| transport of 323 | in Japan 350 |
| enzymes in, able to degrade organic | overwintering in, in Japan 350 |
| phosphates 196 | perniciosus, Tyrophagus |
| fat-body in, lipids in 721 fenitrothion susceptibility in, effects of | Peromyscus leucopus, Dermacentor variabilis infesting, in Virginia 2204 |
| rearing conditions on 1699 | perplexens, Anopheles |
| glycogen metabolism in 2441 | persica, Metacnephia |
| haemocytes in 1358 | persicus, Argas |
| haemocytic disorder in 2265 | persulcatus, Ixodes |
| haemolymph in, lipids in 721 | pertinax, Simulium |
| Hammerschmidtiella diesingi in, effects of | perturbans, Coquillettidia |
| nutrition on 943 | (<i>Mansonia</i>) Peru |
| heart function in, effects of Latrodectus mactans venom on 50 | Rhodnius ecuadoriensis in, in dwellings |
| heart in, effects of segmental nerve | 1392–1393 |
| stimulation on 34 | yellow fever in 772 |
| hyperglycaemia in | pessoai, Lutzomyia, (Pintomyia) |
| induced by anaesthesia 1701 | pessoana, Lutzomyia |
| induced by handling 1701 | Pest control |
| in India 347, 1055, 2415 | double translocations for, computer |
| in New Zealand 1140 in Philippines 1885 | simulation of use of 1618 effects of insecticide resistance on 2002, |
| in UK 1380 | 2063 |
| in USA 1378–1379 | reproductive value for evaluating 2088 |
| in sewage systems, in North Carolina | Pesticides |
| 1378 | in feedstuffs, residues of 1108 |
| intracellular bacteroids in 2267 | in foodstuffs, residues of 1108-1109 |
| Leidynema appendiculata in, effects of | in mammals |
| nutrition on 943 | effects on reproduction of 1113 |
| lipids in 2439 Malpighian tubules in 194 | toxicity of, determination of 1110 in man |
| Moniliformis spp., isolated from, in India | symptoms of poisoning with 1114 |
| 347 | toxicity of 1111 |
| Moniliformis dubius | treatment of poisoning with 1114 |
| development of, in 720, 1703 | use of |
| intermediate host of 1374 | in Canada, restrictions on 1108, 1123 |
| morphology of, in 1374 | in Germany, restrictions on 1108 |
| muscle in, anaerobic glycolysis in 32 on man, allergic reaction to 2415 | in Netherlands, restrictions on 1108 in USA, restrictions on 1108 |
| On seems, divigio i curviou to 2 113 | Obtai restrictions on a rott |

on, Aedes aegypti 1477

petiolatus, Tabanus Phenthoate Petkolin A, against, Musca domestica 490 against petragnanii, Anopheles Coquillettidia richiardii 785 petrochii. Triatoma Culex pipiens 2306 peus, Culex Pherbellia biology of 635 Phaenicia cuprina (see Lucilia) Phaenicia pallescens (see Lucilia cuprina) descriptions of 635 Phaenicia sericata (see Lucilia) keys to 635 phalaenoides, Psychoda Philander opossum quica, Trypanosoma cruzi, isolated from, in Brazil 1159 Phanaeus carnifex in USA 2199 philemon, Onitis **Philippines** in cattle dung, effects on nematodes of Aedes albopictus in 1221 Phanaeus igneus A. alcasidi in 1221 in USA 2199 A. paullusi in 1221 Anopheles litoralis in 2515 in cattle dung, effects on nematodes of Ctenocephalides felis in Phanaeus vindex (see P. carnifex) on cats 536 pharaonis, Monomorium on dogs 536 pharoensis, Anopheles Diplonychus rusticus in filariasis in 1788, 2107, 2516 Pheasants, eastern equine encephalitis, in, in New Jersey 1410 Gasterophilus nasalis in, on horses 127 Pheidole, Raillietina tetragona, intermediate mosquitos in 1788, 2107, 2516 host of, in Kerala 1906 Musca domestica in, viruses in Pheidologeton, Raillietina echinobothrida, Otodectes cynotis in intermediate host of, in Kerala 1906 on cats 140 Phenacaspis pinifoliae in USA 2468 on dogs 140 Periplaneta americana in, viruses in 1885 on Pinus, in California 2468 Philonthus cruentatus, preying on, Musca autumnalis 1284 Phenethyl alcohol, p-chloro-α-isopropyl-, repellent for, Ornithodoros tholozani Philonthus rectangulus, preying on, Musca autumnalis 1284 Phenol, against, Tyrophagus putrescentiae Phlebotomidae biology of 1671 cave-dwelling species of Phenol, 4-allyl-2-methoxy-, against, Aedes biology of 414 aegypti 1237 Phenol, 2-(2-butenyl)-4-methoxy-, repellent in Africa 414 development in 2038 for, Ornithodoros tholozani 1911 in Americas 2520 Phenol, 2,6-di-tert-butyl-4- $(\alpha,\alpha$ dimethylbenzyl)in Brazil 2149 in Morocco 1253 against Aedes aegypti 1447, 1498 in Panama 1009 A. nigromaculis 400, 2465 in Rumania 2258 Anopheles albimanus 1447 in Turkmenia 537 in Uzbekistan 1506 in Venezuela 1251 A. stephensi 1447 Culex pipiens 400, 1447 C. tarsalis 400 in soil, collection of 2519 Psorophora confinnis 378 population dynamics of, effects of Simuliid in rice-fields, non-target effects of 378 control on 1688 rearing of apparatus for 104 techniques for 1811 Phenothiazine sampling populations of 492 against 1810 Sporozoa in Aedes aegypti 506 surveillance of, methods for 512, 783 A. nigromaculis 746 2343 traps for Anopheles stephensi 506 visceral leishmaniasis, role of, in 2073 Culex pipiens 746 Phlebotomus C. tarsalis 746 in Iran 803 Phenothiazine, 10-(2-chloroethyl)-, effects of, in Tunisia 592

in Turkey 1247

| Phlebotomus contd. | Phlebotomus gigas |
|---|--|
| population dynamics of, effects of rat | descriptions of 414 |
| control on 1639 | in Congo 414 |
| seasonal abundance of, in Iraq 1006 | Phlebotomus grekovi (see Sergentomyia) |
| Phlebotomus affinis (see Sergentomyia) | Phlebotomus intermedia (see Lutzomyia) |
| Phlebotomus africana (see Sergentomyia) | Phlebotomus kandelakii |
| | |
| Phlebotomus alexandri | development in, duration of 1087 |
| breeding places of 1368 | in USSR 336 |
| control of | Phlebotomus lewisi (see Sergentomyia) |
| BHC tested for 155 | Phlebotomus longicuspis , |
| chloropicrin tested for 155 | in Morocco 1253 |
| in French Territory of the Afars and the | in Tunisia 592 |
| Issas 586 | Phlebotomus longipes |
| in Turkey 1247 | cutaneous leishmaniasis, role of, in, in |
| in USSR 155, 183, 1368, 1506 | Ethiopia 591 |
| Phlebotomus andrejevi | feeding behaviour in, in Ethiopia 590 |
| in USSR 183, 1506 | in Ethiopia 590–591, 1010 |
| on Rhombomys opimus, in USSR 183 | Lankesteria spp. in, in Ethiopia 591 |
| Phlebotomus ansarii, in Iran 1008 | taxonomy of, Phlebotomus pedifer |
| Phlebotomus argentipes | described from specimens formerly |
| hosts of, in India 587 | regarded as 1010 |
| in India 587 | Phlebotomus major, in Rumania 589, 1328 |
| Phlebotomus ariasi | Phlebotomus mirabilis (see Sergentomyia) |
| canine leishmaniasis, infection of, with | Phlebotomus mongolensis |
| 1255 | control of |
| in France 121, 1254 | BHC tested for 155 |
| Leishmania donovani, infectivity of, for | chloropicrin tested for 155 |
| 1248 | cutaneous leishmaniasis, role of, in, in |
| vertical distribution of 121 | Kazakhstan 2236 |
| visceral leishmaniasis, infection of, with | development in, duration of 1087 |
| . 1254 | flagellates, isolated from, in Turkmenia |
| Phlebotomus bergeroti (see P. papatasi | 2345 |
| bergeroti) | in USSR 147, 155, 183, 1506, 2236, 2345 |
| Phlebotomus caucasicus . | Leishmania tropica major, isolated from, |
| control of | in Turkmenia 147 |
| BHC tested for 155 | on Rhombomys opimus, in Turkmenia |
| chloropicrin tested for 155 | 147 |
| development in, duration of 1087 | Phlebotomus multidens (see Sergentomyia) |
| in Iran 1008 | Phlebotomus papatasi |
| in USSR 155, 183, 336, 482, 1506 | activity in, effects of temperature on |
| Leishmania tropica major, transmitted by, | 1007 |
| in Turkmenia 482 | autogeny in, in Egypt 415 |
| on Rhombomys opimus, in USSR 183 | breeding places of 1368 |
| Phlebotomus chinensis | control of |
| control of | BHC tested for 155 |
| BHC tested for 155 | chloropicrin tested for 155 |
| chloropicrin tested for 155 | development in, duration of 1087 |
| in USSR 155, 336 | flagellates, isolated from, in Turkmenia |
| Phlebotomus chinensis balcanicus, in | 2345 |
| Rumania 589, 1328 | habitats of 77–78 |
| Phlebotomus chinensis simici, development | morphometric differences associated |
| in, duration of 1087 | with 309 |
| Phlebotomus chinensis tauriae, in USSR | hosts of, in India 587 |
| 338 | in Egypt 415 |
| Phlebotomus christophersi (see | in India 587 |
| | in Iran 803, 1008 |
| Sergentomyia) Phlebotomus clydei (see Sergentomyia) | |
| Phlebotomus dolichopus (see Sergentomyia) | in Morocco 1253 in Tunisia 1007 |
| | in USSR 77–78, 155, 183, 309, 482, |
| Phlebotomus duboscqi | 1368, 1506, 2345 |
| biology of 1252 | |
| in Upper Volta 1252 | Leishmania tropica major, transmitted by |

| Philabotomus nanatasi contd | Phosmet |
|--|---|
| Phlebotomus papatasi contd. | |
| on Rhombomys opimus | against |
| in Turkmenia 78 | Amblyomma americanum 1302 |
| in USSR 183 | A. maculatum 1302 |
| Phlebotomus papatasi bergeroti | Anocentor nitens 1291 |
| biology of 1252 | Boophilus annulatus 850 |
| in French Territory of the Afars and the | Boophilus microplus 850, 1301 |
| Issas 586 | Dermacentor variabilis 1302 |
| in Upper Volta 1252 | Dermanyssus gallinae 680 |
| Phlebotomus pedifer | Goniocotes gallinae 680 |
| sp. n., description of, from specimens | Haematobia irritans 817, 1868 |
| formerly regarded as P. longipes | Hypoderma bovis 2356 |
| 1010 | Hypoderma lineatum 817, 2356 |
| in Ethiopia 1010 | Ixodes ricinus 1294 |
| in Kenya 1010 | Menacanthus stramineus 680 |
| in Sudan 1010 | Psoroptes ovis 474 |
| Phlebotomus perniciosus | in cattle, toxicity of 306 |
| Adelina spp. in, in Corsica 1810 | in rabbits, toxicity of 306 |
| in Corsica 1810 | resistance to, in, Musca domestica 314 |
| Phlebotomus rodhaini, in South-West Africa | Phosphamide (see Dimethoate) |
| 239 | Phosphimide (see Phosphinic amide, P,P- |
| Phlebotomus schwetzi (see Sergentomyia) | bis(1-aziridinyl)-N-2-pyrimidinyl-; or |
| Phlebotomus sergenti | P,P-Bis(1-aziridinyl)-N-2- |
| control of | pyrimidinylphosphinic amide) |
| BHC tested for 155 | Phosphine oxide, 1,4-piperazinediylbis[bis(1- |
| chloropicrin tested for 155 | aziridinyl)- |
| descriptions of 589 | sterilant for |
| development in, duration of 1087 | Musca domestica 1536 |
| in Corsica 241 | synanthropic flies 1536 |
| in Iran 803 | Phosphine oxide, tris(1-aziridinyl)- (see |
| in Morocco 1253 | Tepa) Phasehine swide twis(2 methyd 1 sairidinul) |
| in Rumania 589, 1328 | Phosphine oxide, tris(2-methyl-1-aziridinyl)- (see Metepa) |
| in USSR 155, 183, 336, 1506 | Phosphine sulfide, bis(1-aziridinyl)ethyl- |
| Phlebotomus smirnovi, in USSR 183 | sterilant for |
| Phlebotomus tiberiadis (see Sergentomyia) | Musca domestica 1536 |
| Phlebotomus tobbi, development in, duration | synanthropic flies 1536 |
| of 1087 | Phosphine sulfide, bis(1-aziridinyl)methyl- |
| Phlebotomus townsendi (see Lutzomyia) | in Drosophila melanogaster, mutagenic |
| Phlebotomus vexator (see Lutzomyia | effects of 1536 |
| vexatrix) | sterilant for |
| Phlebotomus yencannensis (see Lutzomyia) | Musca domestica 1536 |
| phoeniciae, Aedes | synanthropic flies 1536 |
| Phoneutria, biting man, in Costa Rica 295 | Phosphine sulfide, 1,4- |
| Phoresy, new definition of 1887 | piperazinediylbis[bis(1-aziridinyl)- |
| Phormia regina chemoreception in 1889 | sterilant for |
| chemoreception in 1889 control of, insecticides tested for 1609 | Calliphora vicina 317 Musca domestica 317, 1536 |
| Entomophthora muscae in, pathogenicity | Protophormia terraenovae 317 |
| of 2374 | synanthropic flies 1536 |
| flight in 2193 | Phosphine sulfide, tris(1-aziridinyl)- (see |
| in USA 274 | Thiotepa) |
| mitochondria in, localisation of enzymes | Phosphine sulfide, tris(2-methyl-1- |
| in 1272 | aziridinyl)- (see Methiotepa) |
| overwintering in, in Indiana 274 | Phosphinic acid, bis(1-aziridinyl)- |
| phospholipid ethanolamine biosynthesis in | butyl ester, sterilant for, Culex pipiens |
| 1533 | 793 |
| vitellogenesis in 2533 | ethyl ester, sterilant for, Culex pipiens |
| Phormia terraenovae (see Protophormia) | 793 |
| Phosalone, resistance to, in, Musca domestica 314 | isopropyl ester, sterilant for, Culex pipiens 793 |
| | |

Phosphinic acid, bis(1-aziridinyl)- contd. methyl ester, sterilant for, Culex pipiens

propyl ester, sterilant for, Culex pipiens

Phosphinic amide, P.P. bis(1-aziridinyl)-Nethvl-

sterilant for

Culex pipiens 2317 Musca domestica 2317

Phosphinic amide, P,P-bis(1-aziridinyl)-Nhexyl-

sterilant for

Culex pipiens 2317 Musca domestica 2317

Phosphinic amide, P,P-bis(1-aziridinyl)-Nmethyl-, sterilant for, Musca domestica 2169

Phosphinic amide, P.P.bis(1-aziridinyl)- N-(6morpholino-4-pyrimidinyl)-

sterilant for

Musca domestica 1536 synanthropic flies 1536

Phosphinic amide, P.P-bis(1-aziridinyl)-N-(6piperidino-4-pyrimidinyl)-

sterilant for

Musca domestica 1536 1536 synanthropic flies

Phosphinic amide, P,P-bis(1-aziridinyl)-N-2pyrimidinyl-

sterilant for

Musca domestica 1536 synanthropic flies 1536

Phosphinodithioic acid, bis(1-aziridinyl)-, ethyl ester, sterilant for, Musca domestica 2170

Phosphinothioic amide, P,P-bis(1-aziridinyl)sterilant for

Calliphora vicina 317 Musca domestica 317, 1536

Protophormia terraenovae 317 synanthropic flies 1536

Phosphinothioic amide, P.P.bis(1-aziridinyl)-Nethyl-, sterilant for, Anopheles albimanus 2106

Phosphinothioic amide, P,P-bis(1-aziridinyl)-N-(3-methoxypropyl)-, sterilant for, Musca domestica

Phosphinothioic amide, P,P-bis(1-aziridinyl)-N-methyl-

sterilant for

Anopheles albimanus 2106

Musca domestica 2169 Phosphinothioic amide, P,P-bis(1-aziridinyl)-N-propyl-, sterilant for, Musca domestica 2170

Phosphinothioic amide, N.N-diallyl-P-(1aziridinyl)-P-(2-methyl-1-aziridinyl)-, sterilant for, Musca domestica 2170

Phosphonic acid, butyl-, dibutyl ester, repellent for, Ornithodoros tholozani 1911

Phosphonic acid, (2,2,2-trichloro-1hvdroxvethyl)-

dimethyl ester (see Trichlorphon) dimethyl ester, butyrate (see Butonate)

Phosphonodithioic acid, ethyl-, S-(pchlorophenyl) Oethyl ester, against,

Simulium pictipes 599

Phosphonodithioic acid, methyl-, O-methyl ester, S-ester with methyl (mercaptoacetyl)methylcarbamate,

against, Aedes taeniorhynchus 379

Phosphonothioic acid, ethyl-O-ethyl S-phenyl ester

against, Musca domestica 1890 synergists for, polychlorinated biphenyls 1890 as

Phosphonothioic acid, phenyl-

O(4-bromo-2,5-dichlorophenyl) O-methyl ester, against, Culex spp. 2492

Oethyl O-8-quinolyl ester against

Amblyomma variegatum 284 Boophilus microplus 284, 1928

Melophagus ovinus 848 Ornithodoros lahorensis 848 Rhipicephalus bursa 848

R. sanguineus 848 in cattle, effects of 284

Phosphoramides, sterilants for, Culex pipiens

Phosphoramidic acid, diethyl-

butyl 1-cyclohexen-1-yl ester repellent for

Aedes spp. 161 Ceratophyllus tesquorum 161

Musca domestica 161 1-cyclohexen-1-yl isobutyl ester

repellent for Aedes spp. 161

Ceratophyllus tesquorum 161 Musca domestica 161

Phosphoramidic acid, methyl-, 4-tert-butyl-2-

chlorophenyl methyl ester (see Crufomate)

Phosphoramidothioic acid, O.S. dimethyl ester, against, Musca domestica 1030

Phosphoramidothioic acid, acetyl-O.S-dimethyl ester

against

Blattella germanica 1147 Musca domestica 1030

Phosphoric acid

1-(2-bromo-4,5-dichlorophenyl)-2chlorovinyl dimethyl ester

Boophilus annulatus 850 B. microplus 850

2-bromo-1-(2,4-dichlorophenyl)vinyl dimethyl ester

against

Boophilus annulatus 850 B. microplus 850

Phosphoric acid contd.

2-chloro-1-(2,4-dichlorophenyl)vinyl diethyl ester (see Chlorfenvinphos) 2-chloro-1-(2,4-dichlorophenyl)vinyl

dimethyl ester

against

Chrysomya megacephala 2174 Fannia pusio 2174

Musca domestica 2174

Sarcophaga argyrostoma 2174 S. peregrina 2174

2-chloro-1-(2,5-dichlorophenyl)vinyl dimethyl ester

against

Anopheles quadrimaculatus 1739 Chrysomya megacephala 2174 Fannia pusio 2174 Musca domestica 2174

Sarcophaga argyrostoma 2174 S. peregrina 2174

2-chloro-1-(2,4,5-trichlorophenyl)vinyl diethyl ester

against

Boophilus annulatus 2206 B. microplus 2206

2-chloro-1-(2,4,5-trichlorophenyl)vinyl dimethyl ester, (Z)- (see Tetrachlorvinphos (stereochemistry confirmed by Shell))

1,2-dibromo-2,2-dichloroethyl dimethyl

ester (see Naled)

2,2-dichlorovinyl dimethyl ester (see Dichlorvos)

diethyl ester, ester with 3-chloro-7hydroxy-4-methylcoumarin, against, Boophilus microplus 2394

diethyl 2-isopropyl-6-methyl-4-pyrimidinyl

against, Musca domestica 1890 in Musca domestica, metabolism of

resistance to, in, Musca domestica, mechanism of 440

synergists for, polychlorinated biphenyls as 1890

diethyl p-nitrophenyl ester (see Paraoxon) diethyl 3,5,6-trichloro-2-pyridyl ester, in cattle, residues of 1317

dimethyl 2,4,5-trichlorophenyl ester, in cattle, determination of 2426

dimethyl 3,5,6-trichloro-2-pyridyl ester, against, Blattella germanica 1147 tri-o-tolyl ester, synergist for, malathion

Phosphoric triamide, hexamethyl (see Hempa)

Phosphorodithioic acid

S(p-chloro-a-phenylbenzyl) O.O-diethyl ester, in cattle, metabolism of 2238 Phosphorodithioic acid contd.

O.O-diethyl ester, S-ester with N-(2cyanoethyl)-2-mercaptoacetanilide

Boophilus microplus 850 B. annulatus 850

O.O-dimethyl ester. S-ester with 2mercapto-N-methylacetamide (see Dimethoate)

O, O-dimethyl ester, S-ester with 2-[(2mercaptoethyl)thio]-N,2dimethylpropionamide

against

Hypoderma lineatum 1119 H. bovis 1119

S,S'-methylene O,O,O',O'-tetraethyl ester (see Ethion)

S,S'-p-dioxane-2,3-diyl O,O,O',O'tetraethyl ester (see Dioxathion)

Phosphorothioic acid

O-(4-bromo-2,5-dichlorophenyl) O,Odiethyl ester (see Bromophos-ethyl)

O.O-diethyl ester. O-ester with 3-chloro-7hydroxy-4-methylcoumarin (see Coumaphos)

O, O-diethyl O (2-isopropyl-6-methyl-4pyrimidinyl) ester (see Diazinon)

O, O-diethyl O-(p-nitrophenyl) ester (see Parathion)

O, O-diethyl O (5-phenyl-3-isoxazolyl) ester, against, Periplaneta americana 193

O, O-diethyl O(3,5,6-trichloro-2-pyridyl) ester (see Dursban)

O,O dimethyl ester, O ester with p hydroxybenzonitrile (see Cyanophos)

O, O-dimethyl ester, O-ester with phydroxy-N,N-dimethylbenzenesulfonamide

against

Cuterebra spp. 425 Anocentor nitens 1291 Dermacentor variabilis 1302 Ambiyomma maculatum 1302

A. americanum 1302 in cattle, toxicity of 691 in mice, systemic activity of 425

O, O-dimethyl ester, S-ester with 3-(mercaptomethyl)-1,2,3-benzotriazin-4(3H)-one

against, Musca domestica 1890 synergists for, polychlorinated biphenyls as 1890

O, O-dimethyl O-[4-(methylthio)-m-tolyl] ester (see Fenthion)

O, O-dimethyl O-(4-nitro-m-tolyl) ester (see Fenitrothion)

O, O-dimethyl O-(2,4,5-trichlorophenyl) ester (see Fenchlorphos)

| Phosphorothioic acid contd. | Phosphorothioic acid contd. |
|--|--|
| O,O-dimethyl O(3,5,6-trichloro-2-pyridyl) | O,O'-(thiodi-p-phenylene) O,O,O',O'- |
| ester | tetramethyl ester contd. |
| against | against contd. |
| Achaearanea tepidariorum 1984 | mosquitos 1440, 1736 |
| Aedes melanimon 2457 | Psorophora confinnis 2327 |
| A. nigromaculis 2457 | Simuliidae 308, 602 |
| A. taeniorhynchus 379 | Simulium congareenarum 2347 |
| Blattella germanica 1147, 1984 | S. damnosum 2154 |
| Culex pipiens 2457 | S. slossonae 2347 |
| C. tarsalis 2457 | Tabanus lineola 2148 |
| Musca domestica 1984 | T. nigrovittatus 2148 |
| Simuliidae 244 | Tanypus spp. 1870 |
| Simulium damnosum 244 | in Aedes aegypti |
| S. griseicollis 244 | absorption of 917 |
| Vespula spp. 1984 O-[2-(dimethylamino)-6-methyl-4- | metabolism of 917 |
| pyrimidinyl] O,O-diethyl ester, against, | in Musca domestica |
| Boophilus microplus 2394 | absorption of 917 |
| O,O'-(dithiodi-p-phenylene) O,O,O',O'- | metabolism of 917 |
| tetramethyl ester | in salt marshes, non-target effects of |
| against | 1740 2148 |
| Boophilus annulatus 850 | |
| B. microplus 850 | · xx |
| Oethyl Omethyl O(2,4,5- | in <i>Uca</i> spp., toxicity of 503 |
| trichlorophenyl) ester | resistance to, in |
| against | Chironomus attenuatus, in California |
| Aedes spp. 160 | 1275 |
| Dermanyssus gallinae 2203 Ixodidae 2203 | Musca domestica 175 |
| Wohlfahrtia magnifica 1036 | specifications for 695, 1986 |
| O,O'-(thiodi-p-phenylene) O,O,O',O'- | Phosphorothioic triamide, hexamethyl- |
| tetramethyl ester | repellency of, to <i>Musca domestica</i> 2183 sterilant for, <i>Musca domestica</i> 2169 |
| against | Phosvel (see Phosphonothioic acid, phenyl-, |
| Aedes spp. 2117 | O(4-bromo-2,5-dichlorophenyl) O |
| Aedes aegypti 215, 734, 1185, 1499, | methyl ester; or O-(4-Bromo-2,5- |
| 1766, 2289 | dichlorophenyl) O-methyl |
| A. canadensis 1738 | phenylphosphonothioate) |
| A. melanimon 752 | Photoperiod |
| A. sierrensis 2474 | effects of, on |
| A. sollicitans 374 A. taeniorhynchus 374 | Aedes sierrensis 2471 |
| Aedes vexans 752, 1740 | A. triseriatus 65 |
| Anopheles labranchiae 557, 1329, | A. vexans 1235 |
| 2260 | Chaoborus americanus 433 |
| A. maculipennis 2260 | Culex pipiens 1493 |
| Armigeres subalbatus 982 | C. restuans 209 |
| Ceratopogonidae 308 | C. salinarius 209 |
| Chironomus spp. 1870 | Ixodes ricinus 889, 2399 |
| C. attenuatus 1275 | I. texanus 1910 |
| Coquillettidia richiardii 785 | Musca domestica 1545 |
| Cricotopus spp. 1870 | Orthopodomyia signifera 1760 |
| Culex nigripalpus 374 | Sarcophaga argyrostoma 428 |
| Culex pipiers 767, 2458 | S. bullata 428 |
| Culex pipiens 767, 982, 1740, 2117, 2306, 2458 | S. crassipalpis 428 S. peregrina 2361 |
| C. restuans 374 | Wyeomyia smithii 1451 |
| Culex salinarius 374, 1740 | Phoxim |
| C. tarsalis 767 | against |
| Culicidae 308 | |
| | Aedes vexans 1421 |
| Culicoides furens 2148 | Aedes vexans 1421 Anopheles quadrimaculatus 1739 |

| Phthalic acid | Pigs contd. |
|---|---|
| dimethyl ester | Dursban in, toxicity of 676 |
| persistence of 304 | ectoparasites of 2433 |
| repellent for | Haemaphysalis papuana infesting, in |
| Aedes spp. 161 | Papua and New Guinea 1696 |
| Aedes aegypti 788, 2316 | Haematopinus suis infesting |
| Ceratophyllus tesquorum 161 | in Papua and New Guinea 1696 |
| Musca domestica 161 | in USA 346 |
| Stomoxys calcitrans 2316 | Japanese encephalitis |
| Phthalophos (see Phosmet) | immunisation of, against 2295 |
| Phthalthrin (see Tetramethrin) | virus of, in, in Japan 1449 |
| Phthirus pubis | mosquitos feeding on, in Czechoslovakia |
| biology of 110, 523 control of 523, 1387 | 992, 1758 |
| | Pulex irritans infesting, in Czechoslovakia |
| DDT for 110 | 1167 |
| in USA 687 | Sarcoptes scablel infesting, in Papua and |
| identification of 523 in Chad 111 | New Guinea 1696 S. suis infesting |
| in UK 1151 | in Ireland 468 |
| in USA 687 | in Western Australia 857 |
| life history of 1387 | trichlorphon in, residues of 163 |
| on man | Trypanosoma simiae, in, in Mozambique |
| iń Chad 111 | 2159 |
| in UK 1151 | pilosa, Cavernicola |
| Phtirus inguinalis (see Phthirus pubis) | pilosus, Culex |
| Phygadeuon, parasitising, Musca domestica, | pilosus, Ixodes |
| in Denmark 1027 | pilularius, Canthon |
| phylloides, Demodex | Pimephales promelas |
| phyllosoma, Triatoma | in Manitoba 1219 |
| Physa integra, preyed on by, Sepedon | preying on, Aedes aegypti 1219 |
| fuscipennis, in New York 1866 piceus, Alphitobius (see A. laevigatus) | pinguis, Chrysomya pinifoliae, Phenacaspis |
| pictipes, Rhodnius | Pintomyia pessoai (see Lutzomyia) |
| pictipes, Simulium | Pinus, Phenacaspis pinifoliae on, in |
| pictum, Simulium | California 2468 |
| pictus, Dermacentor | pionips, Aedes |
| picus, Halyomorpha | Piophila casei |
| Pig, wild (see Sus verrucosus) | parasitised by, Kleidotoma marshalli |
| Pigs | 1171 |
| Amblyomma cyprium infesting, in Papua | rearing of, techniques for 447 |
| and New Guinea 1696 | Piophilidae, parasitised by, Cynipoidea |
| Anopheles hyrcanus feeding on, in Japan 1449 | 1171 Pinar pagrulaides |
| butonate in, residues of 163 | Piper peepuloides extract of |
| Chrysomya bezziana infesting, in Papua | against |
| and New Guinea 1696 | Aedes aegypti 1278 |
| Ctenocephalides felis infesting, in Papua | Musca domestica 1278 |
| and New Guinea 1696 | 1,4-Piperazinediylbis(bis(1- |
| Culex pseudovishnui feeding on, in Japan | aziridinyl)phosphine oxide), sterilant for |
| 2275 | synanthropic flies 1536 |
| Culex tritaeniorhynchus feeding on, in | 1,4-Piperazinediylbis(bis(1- |
| Japan 1449, 2275 | aziridinyl)phosphine sulphide) |
| Culiseta melanura feeding on, in | sterilant for |
| Maryland 1767 | Calliphora vicina 317 |
| Demodex phylloides infesting | Musca domestica 317 |
| in Western Australia 857 | Protophormia terraenovae 317 |
| symptoms resulting from 678 demodicosis in 294 | piperi, Simulium Piperidine, 1,1'-carbonyldi-, repellent for, |
| Dermacentor variabilis infesting, in USA | Ornithodoros tholozani 1911 |
| 346 | Piperidine, 1-m-toluoyl- |
| dichlorvos in, residues of 163 | repellent for |
| dimethoate in, residues of 163 | Hyalomma asiaticum 1577 |

| 20,000 2110011 | 005 |
|--|--|
| Piperidine, 1-m-toluoyl- contd. | Plague contd. |
| repellent for contd. | in Vietnam 1354 |
| Hyalomma contd. | Xenopsylla skrjabini, role of, in 93 |
| H. detritum 1577 | Plague, bubonic, in USA 2274 |
| H. dromedarii 1577 | planiceps, Musca |
| Rhipicephalus turanicus 1577 | Plasmodium berghei, Anopheles stephensi, |
| Piperonal bis[2-(2-butoxyethoxy)ethyl] acetal | development of, in 2513 Plasmodium berghei yoelii, Anopheles |
| synergist for | stephensi, transmission of, by, effects of |
| pyrethrins 1046–1047, 1600–1602 | mosquito virus on 212 |
| trans-(+)-tetramethrin 321 | Plasmodium cynomolgi, Anopheles spp., |
| Piperonyl alcohol, a-tert-butyl-, repellent | transmission of, by 552 |
| for, Ornithodoros tholozani 1911 | Plasmodium falciparum |
| Piperonyl butoxide | Anopheles gambiae, infectivity of, for |
| effects of, on, Galecron toxicity 1610 in man, toxicology of 1316 | A. vagus, development of, in 1500 |
| in small mammals, toxicology of 1316 | A. vagus, development of, in 1500 Plasmodium fieldi |
| synergist for | Anopheles freeborni, infectivity of, for |
| allethrin 1054 | 1495 |
| (+)-trans-allethrin 1600–1602 | Macaca mulatta, effects of splenectomy |
| Galecron 2171 | on, in 1495 |
| malathion 1553 pyrethrins 258, 321, 379, 607, 913, | Plasmodium gallinaceum Aedes aegypti, development of, in 1763 |
| 1046–1047, 1054, 1321, 1378, 2083, | Anopheles stephensi, infectivity of, for |
| 2466, 2492 | 564 |
| tetramethrin 1054, 1321 | Plasmodium juxtanucleare |
| (+)-trans-tetramethrin 321 | Aedes aegypti, infectivity of, for 1774 |
| Piperonylic acid | A. albopictus, infectivity of, for 1774 |
| 2-(2-butoxyethoxy)ethyl ester synergist for | Culex pipiens, transmission of, by 1774 Plasmodium paddae, Culex pipiens, |
| pyrethrins 1321 | sporogonic cycle of, in 2307 |
| tetramethrin 1321 | Plasmodium simium |
| Piperonylic acid, 6-propyl- | Anopheles freeborni, infectivity of, for |
| esters | 1496 |
| synergists for pyrethrins 1321 | Aotus trivirgatus, effects of splenectomy on, in 1496 |
| tetramethrin 1321 | Plasmodium subpraecox |
| pipiens, Culex | Aedes aegypti, susceptibility to, in 2305 |
| Pipilo erythrophthalmus, eastern equine | Anopheles stephensi, susceptibility to, in |
| encephalitis, virus of, isolated from, in | 2305 |
| New York 2517 | Culex pipiens, susceptibility to, in 2305 |
| Pirimide (see Phosphinic amide, P,P-bis(1-aziridinyl)-N-(6-piperidino-4- | Plasmodium vivax Anopheles pseudopunctipennis, |
| pyrimidinyl)-) | transmitting, in Texas 1792 |
| Pirimiphos-methyl | A. stephensi, transmission of, by 573 |
| against | platura, Hylemya, (Delia) |
| Aedes taeniorhynchus 379 | Plecoptera, nymphs of, dispersal of 1993 |
| Anopheles quadrimaculatus 1739 Piroplasmosis, Ixodidae, role of, in 2043 | Plistophora, in Simulium ornatum 2525 Plistophora culicis |
| Piry virus | Anopheles spp., infectivity of, for 965 |
| characterisation of 1597 | Culex spp., infectivity of, for 965 |
| Matachirops opossum, isolated from, in | C. pipiens, introduced against, in Nauru |
| Brazil 1597 | 397 |
| pithecius, Catharsius | Culiseta spp., infectivity of, for 965 |
| Plague control of, in USA 687 | C. longiareolata, in, in Italy 965 mosquitos, biological control of, using |
| Ctenophthalmus wladimiri, role of, in 93 | 1436 |
| fleas, role of, in 1353-1354 | taxonomy of, Plistophora culisetae as |
| in Himachal Pradesh 1405 | synonym of 965 |
| in India 532 | Plistophora culisetae, taxonomy of, synonym |
| in Indonesia 893 in Oregon 515 | of P. culicis 965 plumbeus, Anopheles |
| III OTOGOR 313 | pramocus, Anopueres |

| plumosus, Chironomus | Porfiromycin |
|--|---|
| Pluronic L-101, in ponds, non-target effects | sterilant for |
| of 640 | Culex pipiens 2317 |
| Pluronic L-121 | Musca domestica 2317 |
| against | portentosa, Gromphadorhina |
| Culex tarsalis 757 | portesi, Culex |
| Culiseta inornata 757 | Portuguese Guinea |
| in ponds, non-target effects of 640, 757 | malaria in 892 |
| pluvialis, Haematopota | Onchocerca volvulus in 892 |
| Pneumonyssus, on Macaca mulatta, effects | sleeping sickness in 892 |
| of infestation with 1306 | Wuchereria bancrofti in 892 |
| Pneumonyssus caninum | yellow fever in 892 |
| in Sweden 1966 | Potamidae, Simulium ovazzae, associated |
| on dogs | with 1508 |
| in Sweden 1966 | powelli, Amyrsidea |
| symptoms of infestation with 1966 | PP-511 (see Pirimiphos-methyl) |
| Podocarpus hallii, extracts of, toxic to | pratensis, Formica |
| Musca domestica 918 | Presbytis entellus |
| Podocarpus nivalis, extracts of, toxic to | Haemaphysalis spinigera infesting, in |
| Musca domestica 918 | India 281 |
| Poecilia reticulata | H. turturis infesting, in India 281 |
| insecticides in, toxicity of 1453 | Primaquine (see Quinoline, 8-[(4-amino-1- |
| minimum oxygen threshold of 2490 | methylbutyl)amino]-6-methoxy-; or 8-((4 |
| | Amino-1-methylbutyl)amino)-6- |
| preying on Culex pipiens | methoxyquinoline) |
| and biological control using | Príncipe, malaria in 892 Procladius culiciformis |
| in Burma 214 | in Canada 1037 |
| in Taiwan 214 | sex ratio in 1037° |
| in Thailand 214 | Procladius dentus |
| midges 2483 | in Canada 1037 |
| mosquitos 2483 | sex ratio in 1037 |
| and biological control using 1436 | Proechimys, Leishmania mexicana |
| poicilia, Aedes | amazonensis, in, in Brazil 802 |
| Poland | Proechimys semispinosus, Trypanosoma |
| Anopheles claviger in 775 | cruzi, isolated from, in Panama 2270 |
| A. labranchiae in 1187 | Prolate (see Phosmet) |
| entomology in 1619 | prolixus, Rhodnius |
| Ixodes ricinus in, on birds 133 | 1,3-Propanediol |
| Simulium costatum in 1813 | dimethanesulfonate |
| Polistes, on man, allergic reaction to 2415 | in Culex pipiens |
| Pollenia | effects of 2104 |
| control of 1407 | toxicity of 2104 |
| in dwellings, in UK 1407 | sterilant for, Culex pipiens 67 |
| Pollenia rudis chorion in 903 | 1-Propanol, 3-(p-chlorophenyl)-, repellent |
| control of 821 | for, Xenopsylla cheopis 203 2-Propanone, 1,3-dihydroxy-, derivatives of |
| eggs of 903 | repellency of 2237 |
| Entomophthora muscae in, pathogenicity | Proparthrin (see Chrysanthemic acid, [2- |
| of 2374 | methyl-5-(2-propynyl)-3-furyl]methyl |
| in dwellings 821 | ester or 2-Methyl-5-(2-propynyl)-3- |
| Polychlorinated biphenyls, synergists for, | furylmethyl chrysanthemate) |
| carbaryl 507 | Propionic acid, 2-bromo-, attractant for, |
| Polynesia, Culicoides spp. in 2147 | Aedes aegypti 2276 |
| polynesiae, Culicoides | Propionic acid, 2-chloro-, attractant for, |
| polynesiensis, Aedes | Aedes aegypti 2276 |
| Pomoxis nigromaculatus, Dursban in, | Propionic acid, 2-mercapto-, attractant for, |
| residues of 1870 | Aedes aegypti 2276 |
| pontinum, Simulium, (Odagmia) | Propionic acid, 3-mercapto-, attractant for, |
| porcelli, Gliricola | Aedes aegypti 2276 |
| vorcinus, Ornithodoros vorcinus, Ornithodoros moubata | N-propionyl-1,2,3,4-tetrahydroquinoline, |
| orthus, Ormanouros mounta | repellent for, Xenopsylla cheopis 203 |

| Propoxur | 5-(2-Propynyl)furfuryl chrysanthemate |
|--|---|
| against | against |
| Aedes aegypti 1601 | Aedes aegypti 1361 |
| Aedes melanimon 751, 2457 | |
| | Culex pipiens 2099 |
| Aedes nigromaculis 382, 736–737, | Dipterous larvae 1053 |
| 2457 | Musca domestica 1361, 2099 |
| A. sierrensis 2474 | insecticidal activity of 1362 |
| A. vexans 1421 | Prosimulium |
| Amblyomma americanum 2050 | Caudospora simulii in, in Canada 1014 |
| Anopheles albimanus 1441, 1601, 2122 | in Ontario 1011 |
| A. quadrimaculatus 1601 | Prosimulium fulvum (see P. ochraceum) |
| A. stephensi 768 | Prosimulium hirtipes, in Italy 1514 |
| Blattella germanica 192, 1147–1148, | Prosimulium multidentatum, phylogeny of, |
| 1602, 1985, 2083 | DNA-RNA hybridisation related to |
| Ceratophyllus gallinae 1955 | 122 |
| Chorioptes spp. 2226 | Prosimulium nigripes, in Czechoslovakia |
| Chrysomya megacephala 1280 | 1509 . |
| Cimex lectularius 530, 1602 | Prosimulium ochraceum, in Greenland |
| Culex pipiens 1421, 2457 | 1080 |
| Culex tarsalis 751, 2457 | Prosimulium rufipes, in Italy 1514 |
| Dermanyssus gallinae 1955 | Prosthogonimus cuneatus, Odonata, isolated |
| fleas 686, 1965, 2448 | from, in Byelorussia 2555 |
| fruit-flies 1955 | Prothrin (see Chrysanthemic acid, 5-(2- |
| Glossina austeni 248 | propynyl)furfuryl ester; or 5-(2- |
| insects in aircraft 1600 | Propynyl)furfuryl chrysanthemate) |
| Leptoconops kerteszi 800 | Protophormia terraenovae |
| Loxosceles reclusa 476 | control of |
| Lucilia cuprina 1280 | aziridine derivatives tested as sterilants |
| Menopon gallinae 1955 | for 317, 1536 |
| mosquitos 1440, 2110–2111 | baits for 51 |
| Musca domestica 1535, 1601, 1985 | trichlorphon tested for 51 |
| Muscidae 1955 | DDT resistance in 1668 |
| Periplaneta americana 1602 | in USSR 2534 |
| P. fuliginosa 1985 | on reindeer, in USSR 126, 2534 |
| Rhipicephalus evertsi 686 | tarsi in, effectiveness of monosaccharides |
| Rhodnius prolixus 1601 | for stimulating 39 |
| Sarcoptes canis 1965 | protracta, Triatoma |
| S. suis 1965 | pruna, Musca |
| ticks 686 | Przhevalskiana, sense organs in, in larval |
| Triatoma infestans 725, 1601 | cuticle 500 |
| Vespula germanica 643 | Przhevalskiana silenus |
| V. vulgaris 643 | control of, trichlorphon tested for 1020 |
| Xenopsylla cheopis 1601–1602 | in Turkey 1020 |
| in dogs, effects of 1965 | on goats, in Turkey 1020 salivary glands in 21 |
| in <i>Poecilia reticulata</i> , toxicity of 1453 | |
| resistance to, in Aedes nigromaculis, in California 744 | Psammolestes coreodes habitats of 199 |
| | in Brazil 199 |
| Anopheles albimanus in Central America 1439 | on birds, in Brazil 199 |
| in El Salvador 233, 1441, 2511 | Pselliopus barberi |
| Blattella germanica 1383 | in USA 1717 |
| specifications for 695, 1986 | on man, in North Carolina 1717 |
| Propyl isome | pseudaxis, Demodex (see D. cervi) |
| synergist for | pseudes, Deinocerites |
| malathion 1553 | Pseudomonas aeruginosa, Monomorium |
| (+)-trans-tetramethrin 321 | pharaonis, isolated from, in UK 838 |
| Propyl 3-methylcinchoninate | pseudopunctipennis, Anopheles |
| repellent for | pseudoscutellaris, Aedes |
| Aedes aegypti 2316 | pseudovishnui, Culex |
| Stomoxys calcitrans 2316 | Psorergates simplex |
| 6-Propylpiperonylic acid, esters of, as | in mice, pathogenic effects of 294 |
| synergist for pyrethroids 1321 | life-cycle of 294 |

| Psorergates simplex contd. | Psorophora ferox contd. |
|---|---|
| morphology of 294 | on man, in Mexico 1468 |
| Psorophora | Psorophora howardii |
| feeding behaviour in, on fruit 1420 | host preferences of 2125 |
| in Mississippi 924 | in USA 2125 |
| Venezuelan equine encephalitis, virus of, | Psoroptes |
| isolated from, in Texas 2451 | on cattle, symptoms of infestation with |
| Psorophora ciliata | 1694 |
| in Mexico 1468 | taxonomy of 2058 |
| Venezuelan equine encephalitis, virus of, | Psoroptes bovis (see P. ovis) |
| isolated from, in Mexico 1468 | Psoroptes cuniculi |
| Psorophora cilipes | control of |
| in Guatemala 777 | crotoxyphos tested for 2574 |
| Venezuelan equine encephalitis, virus of, | tetrachlorvinphos tested for 2574 |
| isolated from, in Guatemala 777 | on rabbits, antibodies to 1069 |
| Psorophora confinnis | Psoroptes ovis |
| control of | control of |
| Dursban tested for 386 | γ BHC for 2221 |
| juvenile hormone mimics tested for | γ BHC tested for 859 |
| 378 | chlorfenvinphos tested for 2060 |
| malathion tested for 375, 386 naled tested for 375, 386 | crotoxyphos tested for 474, 859 diazinon tested for 859 |
| flight activity in, effects of larval crowding | Dursban tested for 676 |
| on 1475 | phosmet tested for 474 |
| host preferences of 2125 | toxaphene tested for 859 |
| in Guatemala 777 | trichlorphon tested for 474 |
| in Mexico 1468 | on sheep, antibodies to 1069 |
| in USA 375, 378, 386, 795, 970, 1469, | Psychoda grisescens |
| 2125, 2450, 2453 | in UK 2376 |
| Venezuelan equine encephalitis | Oesophagostomum spp., attached to, in |
| attenuated virus of, not transmitted by | UK 2376 |
| 1469 | Ostertagia spp., attached to, in UK 237 |
| control of, and, in Texas 375 | Psychoda phalaenoides |
| virus of | in UK 2376 |
| infectivity of, for 577 | Oesophagostomum spp., attached to, in |
| isolated from | UK 2376 |
| in Guatemala 777 in Louisiana 795 | Ostertagia spp., attached to, in Uk 2376 |
| in Mexico 1468 | Psychodidae |
| in Texas 2453 | feeding behaviour in 70 in Brazil 538 |
| transmission of, by 577 | Psychodopygus amazonensis (see |
| transmitted by, in Guatemala 777 | Lutzomyia) |
| Psorophora cyanescens | Psychodopygus arthuri (see Lutzomyia) |
| in Mexico 1468 | Psychodopygus intermedia (see Lutzomyia) |
| Venezuelan equine encephalitis, virus of, | Psychodopygus paraensis (see Lutzomyia) |
| isolated from, in Mexico 1468 | Psychodopygus squamiventris (see |
| Psorophora discolor | Lutzomyia) |
| control of | Psychodopygus wellcomei (see Lutzomyia) |
| malathion for 375 | pteronyssinus, Dermatophagoides |
| naled for 375 | pubis, Phthirus |
| in Mexico 1468 | pugetense, Simulium |
| in USA 375 | pulcherrimus, Anopheles |
| Venezuelan equine encephalitis | Pulex irritans |
| control of, and, in Texas 375 virus of, isolated from, in Mexico | control of fenitrothion for 1167 |
| 1468 | in USA 687 |
| Psorophora ferox | on pigs 2433 |
| hog cholera, virus of, not transmitted by | DDT resistance in, in Czechoslovakia |
| 1869 | 1167 |
| hosts of, in Maryland 1796 | dieldrin resistance in, in Czechoslovakia |
| in Mexico 1468 | 1167 |
| in USA 924 1796 | in Cane Verde Islands 112 |

| Pulex irritans contd. | Pyrethrin II contd. |
|---|---|
| in Czechoslovakia 1167 | against contd. |
| in Finland 716 | Anopheles gambiae 1757 |
| in Ireland 1724 | Culex pipiens 2099 |
| in New Zealand 1136 | Musca domestica 2099 |
| in USA 687 | repellent for, Anopheles gambiae 1757 |
| in dwellings, in Finland 716 | Pyrethrins |
| | |
| on dogs, in Ireland 1724 | against 222 1046 1047 1052 |
| on pigs, in Czechoslovakia 1167 | Aedes aegypti 322, 1046–1047, 1053, |
| pulicaris, Culicoides | 1209, 1361, 1601 |
| Pulicidae, distribution of, literature on 952 | Aedes nigromaculis 736, 2492 |
| pumilio, Rhipicephalus | A. taeniorhynchus 379 |
| punctaleachi, Haemaphysalis | A. vexans 2466 |
| punctata, Haemaphysalis | Anopheles albimanus 1046–1047, 1601 |
| (Aboimisalis) | A. gambiae 1757 |
| punctatus, Culicoides | Anopheles quadrimaculatus |
| puncticollis, Culicoides | 1046–1047, 1601 |
| punctimacula, Anopheles | Blattella germanica 322, 1321, 1602, |
| punctipennis, Anopheles | 2083, 2436 |
| punctor, Aedes | Cimex lectularius 1602 |
| punctulatus, Anopheles | Culex pipiens 1046–1047, 1053, 1462, |
| pungens, Tabanus | 2099, 2466 |
| Pungitius pungitius, preying on, mosquito | Glossina pallidipes 607, 1819 |
| larvae, and biological control using, in | Glossina swynnertoni 607, 1819 |
| New Jersey 1424 | insects in aircraft 1600 |
| punjabensis, Sergentomyia | Lucilia cuprina 1053 |
| pusillus, Culex | Musca autumnalis 1046–1047 |
| pusillus, Culicoides | Musca domestica 322, 618, 913, |
| pusio, Fannia | 1046–1047, 1053–1054, 1321, 1361, |
| pusio, Hippelates | 1563, 1601, 2099 |
| putoria, Chrysomya | Periplaneta americana 322, 913, 1378, |
| putrescentiae, Tyrophagus | 1602 |
| pycnostictus, Culicoides | Rhodnius prolixus 1601 |
| Pyemotes boylei | Sarcophaga peregrina 1053 |
| effects of fumigation against hosts on | Stomoxys calcitrans 1046–1047 |
| 2410 | Telmatoscopus`albipunctatus 1053 |
| parasitising, Cryptotermes brevis 2410 | Triatoma infestans 1601 |
| Pyemotes ventricosus, on man, literature on | Wohlfahrtia magnifica 258 |
| 2 Hayron 6 conhavella coid 2.4 dibydro 2.2 | Xenopsylla cheopis 1601–1602 |
| 2H-pyran-6-carboxylic acid, 3,4-dihydro-2,2- | in Ephemeroptera, toxicity of 2492 |
| dimethyl-4-oxo-, butyl ester, repellent | in fogging machines, losses of 697 |
| for, Aedes aegypti 788 Pyresmethrin | in mammals, metabolism of 1363 in <i>Musca domestica</i> , effects of 1044 |
| against | repellent for |
| Aedes aegypti 1361 | Anopheles gambiae 1210, 1757 |
| Musca domestica 1361 | Culex pipiens 322, 1210 |
| Pyrethric acid | Mansonia uniformis 1210 |
| (5-benzyl-3-furyl)methyl ester, trans(+)- | Ornithodoros tholozani 1911 |
| (see Pyresmethrin) | resistance to, in |
| ester with 4-hydroxy-3-methyl-2-(2,4- | Blattella germanica 1383 |
| pentadienyl)-2-cyclopenten-1-one (see | inheritance of 2082 |
| Pyrethrin II) | Cimex lectularius, in Libya 729 |
| Pyrethrin I | specifications for 1986 |
| against | synergists for 320, 913, 1054, 1321, 1563 |
| Aedes aegypti 1209 | piperonyl butoxide as 2083, 2466, |
| Anopheles gambiae 1757 | 2492 |
| Culex pipiens 2099 | toxicity of, temperature coefficient of |
| Musca domestica 2099 | 1992 |
| repellent for, Anopheles gambiae 1757 | Pyrethroids |
| Pyrethrin II | against, Oeciacus hirundinis 951 |
| against | selective toxicity of 1120 |
| Ander angunti 1200 | Dyrathrum (see Dyrathrins) |

in Kerala 1906

ester)

R-20458 (see 2-Octene, 6,7-epoxy-1-(p-2-Pyridinol, 3,5,6-trichloro-, in turkeys, residues of 2589 ethylphenoxy)-3,7-dimethyl-; or 6,7-Pyrimide (see Phosphinic amide, P,P-bis(1-Epoxy-1-(p-ethylphenoxy)-3,7-dimethyl-2aziridinyl)-N-(6-piperidino-4octene) pyrimidinyl)-; or P,P-Bis(1-aziridinyl)-N-Rabbits (6-piperidino-4-pyrimidinyl)phosphinic Cheyletiella parasitivorax infesting, in Cuba 2434 amide) Pyroglyphidae, review of 1969 crufomate in, residues of 692 Pyrrhocoridae, control of, juvenile hormone dimethoate in, effects of 2588 analogues tested for 1855 Listrophorus gibbus infesting, in Cuba O fever in Califormia 662 mosquitos feeding on, in Czechoslovakia in Czechoslovakia 135 1758 in USSR 153 parasites of 719 quadrimaculatus, Anopheles phosmet in, toxicity of 306 quadripertusus, Haematopinus Psoroptes cuniculi infesting, antibodies to quanzensis, Glossina fuscipes Quaranfil virus, Argas reflexus, isolated Rhipicephalus sanguineus feeding on, from, in Afghanistan 844 immune reaction to 326 Quebec, Dermatophagoides farinae in, in Spilopsyllus cuniculi infesting, in New house dust 475 South Wales 1403 Oueensland trichlorphon in, effects of 2588 Boophilus microplus in Rabon (see Tetrachlorvinphos) on cattle 519 Rabond (see Tetrachlorvinphos) on horses 1072 Raccoons, Culiseta melanura feeding on, in Chorioptes bovis in, on horses 1072 1072 Maryland 1767 Culicoides spp. in, on horses Haematopinus asini in, on horses 1072 Radar, for detecting and tracking insect swarms 710, 1412 Musca vetustissima in 264 on horses 1072 Radiation, gamma Raillietia auris in, on cattle 1068 effects of, on Rhipicephalus sanguineus in, on dogs Aedes aegypti 403 464 Argas persicus 2560 Stomoxys calcitrans in Culex pipiens 791 on cattle 623 including sterilisation 1773 on horses 1072 Glossina morsitans, including Quinoline, 1-acetyl-1,2,3,4-tetrahydrosterilisation 871, 2527 repellent for G. tachinoides, including sterilisation Hyalomma asiaticum 1577 H. detrirum 1577 Musca domestica 626 H. dromedarii 1577 including sterilisation Rhipicephalus turanicus 1577 Rhipicephalus sanguineus, including sterilisation 486 Quinoline, 8-[(4-amino-1methylbutyl)amino]-6-methoxy-, effects Rhodnius prolixus, including of, on, Aedes aegypti 1477 sterilisation 1156 Quinoline, 1-propionyl-1,2,3,4-tetrahydro-, Simulium venustum 806 repellent for, Xenopsylla cheopis 203 radiatus, Argas quinquefasciatus, Culex pipiens radicum, Hylemya quinquestriatus, Leiurus Rafoxanide (see Salicylanilide, 3'-chloro-4'-(p-chlorophenoxy)-3,5-diiodo-; or 3,5quinquevittatus, Eretmapodites Diiodo-3'-chloro-4'-(pquinquevittatus, Tabanus Quintiofos (see Phosphonothioic acid, chlorophenoxy)salicylanilide) phenyl-, Oethyl O8-quinolyl ester) Raillietia auris in Australia quintus, Dermanyssus 1068 R-2 (see Benzamide, N, N-diethyl-; or N, Non cattle Diethylbenzamide) in Queensland .1068 R-203 (see Acetamide, N, N-diethyl-2in Victoria 1068 Raillietina cesticillus, Dermestes ater, phenoxy-) R-228 (see Piperidine, 1-m-toluoyl-) intermediate host of 1314 R-3828 (see Phosphorodithioic acid, S(p-Raillietina echinobothrida chloro-a-phenylbenzyl) O,O-diethyl Pheidologeton spp., intermediate host of,

Raillietina echinobothrida contd.

Tetramorium spp., intermediate host of, in Kerala 1906

Raillietina tetragona

Pheidole spp., intermediate host of, in Kerala 1906

Tetramorium spp., intermediate host of, in Kerala 1906

Rana tigrina

Chrysomya megacephala infesting 2550 Hemipyrellia ligurriens infesting

Rangifer tarandus granti

Oedemagena tarandi infesting, in Alaska 1386

Solenopotes tarandi infesting, in Alaska

Rangifer tarandus tarandus (see Reindeer) Ranide (see Salicylanilide, 3'-chloro-4'-(pchlorophenoxy)-3,5-diiodo-)

raptor, Muscidifurax

Ratindan-2, sterilant for, Xenopsylla cheopis

Rats

carbamates in, toxicity of 177 formetanate in, toxicity of 177

Panstrongylus geniculatus feeding on, in Brazil 199

P. megistus feeding on, in Brazil 199 parasites of 719

Triatoma sordida feeding on, in Brazil

Xenopsylla astia infesting, in Cambodia

X. cheopis infesting, in Cambodia X. vexabilis infesting, in Cambodia Rattus meltada meltada

Stivalius aporus infesting, in India 532 Xenopsylla astia infesting, in India 532 Rattus moi, Rickettsia orientalis, isolated

from, in Vietnam 1967

Rattus norvegicus Ctenocephalides felis infesting in Cambodia 1166

in Egypt 1170

Xenopsylla cheopis infesting, in Egypt

Rattus rattus

Ctenocephalides canis infesting, in India

C. felis infesting, in India 533

Leptotrombidium akamashi infesting, in India 291

L. deliense infesting, in India 291 Rickettsia orientalis, isolated from, in

Vietnam 1967 Stivalius aporus infesting, in India 533 Trombicula spp. infesting, in Vietnam

1967

Trypanosoma cruzi, isolated from, in Panama 2270

Rattus rattus contd.

Xenopsylla astia infesting

in India 113, 533

in Lucknow 1373

X. brasiliensis infesting, in India 533

Xenopsylla cheopis infesting in India 113, 533

in Lucknow 1373

Rattus rattus alexandrinus, Xenopsylla cheopis infesting, in Egypt 1170

Rattus rattus frugivorus

Ctenocephalides felis infesting, in Egypt

Xenopsylla cheopis infesting, in Egypt

Rattus sabanus

Rickettsia orientalis, isolated from, in Vietnam 1967

Trombicula spp. infesting, in Vietnam 1967

Ravinia striata

helminths, eggs of, in faeces and regurgitations of 184

in USSR 92

parasitised by, Aleochara bipustulata, in USSR

Ravinia sueta in USA 620

in dog faeces, in California 620 RC-28 (see Valeramide, N,N-dibutyl- or

N, N-Dibutylpentanamide)

RE-5305 (see Carbamic acid, methyl-, mseo-butylphenyl ester or 3-s-Butylphenyl methylcarbamate)

RE-5353 (see Carbamic acid, methyl-, m-(1ethylpropyl)phenyl ester and m-(1methylbutyl)phenyl ester or 3-(1-Ethylpropyl)phenyl methylcarbamate and

3-(1-Methylbutyl)phenyl methylcarbamate)

RE-11775 (see Carbamic acid. methyl(phenylthio)-, m-sec-butylphenyl ester; or m-s-Butylphenyl methyl(phenylthio)carbamate)

Rearing techniques

Aedes aegypti 1789 A. atropalpus 1789 A. sierrensis 741

Anopheles albimanus 1211

A. annulipes 976 Blattella germanica 195

Buenoa scimitra 277

Columbicola columbae 1708

Culex pipiens 1789 C. territans 1415

Culiseta incidens 2127 357 Damalinia spp.

Dermatophagoides farinae 1587

D. pteronyssinus 1587

fleas 1355

Glossina spp. 123, 1017

G. austeni 871

| earing techniques contd. | Resmethrin |
|---|---|
| Glossina contd. | against |
| G. fuscipes 871 | Aedes spp. 392 |
| Glossina morsitans 871, 1828 | Aedes aegypti 1046-1047, 1053, 1365 |
| G. pallidipes 1016 | 1423, 1601, 1737–1738 |
| G. tachinoides 871 | A. canadensis 1738 |
| Haematobia irritans 2181 | A. nigromaculis 2492 |
| Lucilia sericata 1555 | A. taeniorhynchus 376 |
| Lutzomyia trinidadensis 242 | Anopheles spp. 392 |
| L. vespertilionis 242 | Anopheles albimanus 1046-1047, 166 |
| mosquitos 873 | Anopheles quadrimaculatus |
| Periplaneta americana 193 | 1046-1047, 1601 |
| Phlebotomidae 104, 1811 | Blattella germanica 322, 1602 |
| Piophila casei 447 | Chrysops spp. 1737 |
| Reesimermis nielseni 1478 | Cimex lectularius 1602 |
| Sarcophaga ruficornis 1895 | Culex spp. 392 |
| Simuliidae 604 | C. nigripalpus 376 |
| Simulium adersi 1515 | Culex pipiens 1046-1047, 1053, 1737 |
| S. damnosum 1515 | 2099 |
| Trombiculidae 102 | Glossina austeni 248 |
| Wohlfahrtia pattoni 263 | insects in aircraft 1600 |
| Xenopsylla cheopis 732 | Loxosceles reclusa 862 |
| eclusa, Loxosceles | Lucilia cuprina 1053 |
| ectangulus, Philonthus | Musca autumnalis 1046–1047 |
| edikorzevi, Ixodes | Musca domestica 1046-1047, 1053, |
| Redunca redunca, Trypanosoma rhodesiense, | 1361, 1601, 1737, 2099 |
| isolated from, in Kenya 1522 | Periplaneta americana 1602 |
| Reesimermis nielseni | Rhodnius prolixus 1601 |
| Anopheles crucians, biological control of, | Sarcophaga peregrina 1053 |
| using, in Louisiana 372 | Simulium damnosum 244 |
| A. freeborni, biological control of, using, | Stomoxys calcitrans 1046-1047 |
| in California 966 | Tabanus spp. 1737 |
| A. quadrimaculatus, biological control of, | Telmatoscopus albipunctatus 1053 |
| using, in Louisiana 372 | Triatoma infestans 1601 |
| Culex tarsalis, biological control of, using, | Xenopsylla cheopis 1601-1602 |
| in California 966 | in Ephemeroptera, toxicity of 2492 |
| mosquitos, biological control of, using | in fish, toxicity of 244 |
| 1436, 2324 | cis-(+)- |
| rearing of, techniques for 1478 | against |
| reflexus, Argas | Aedes aegypti 1361 |
| regina, Phormia | Musca domestica 1361 |
| Regular mosquito iridescent virus, Aedes | trans-(+)- (see Bioresmethrin) |
| taeniorhynchus, effects of, in 2300 | restuans, Culex |
| reicherti, Chrysops flavidus | reticulata, Trichocorixa |
| Reindeer | reticulatus, Dermacentor |
| Oedemagena tarandi infesting 125 | Reviews |
| in USSR 126, 818, 1865, 2529, 2534 | Flynn, R.J., Parasites of laboratory |
| Protophormia terraenovae infesting, in | animals 2080 |
| USSR 126, 2534 | Frazier, C.A., Insect allergy: allergic and |
| Relapsing fever, tick-borne, man, treatment | toxic reactions to insects and other |
| of, in 478 | arthropods. 1071 |
| relictus, Chrysops | Gunther, F.A.; Gunther, J.D. (Edicors), |
| Penni, Culicoides | Residue Reviews (vol. 44) 1318 |
| Repellents activity of | Macdonald, G., Dynamics of Tropical |
| related to physical properties 303 | Disease. 790 |
| related to physical properties 303 | Mack, R., Russian-English veterinary |
| specifications for 1986 | dictionary 1078 |
| test methods for 98, 709 | Mosquito control. Some perspectives for |
| rontane Simulium | developing countries 2224 |

Reviews contd.

Owen, D.F., Man's environmental predicament. An introduction to human ecology in tropical Africa

Pifano, C.F., Some aspects of the ecology and epidemiology of the endemic diseases with natural foci in the tropics, especially in Venezuela

Smith, R.F.; Mittler, R.E.; Smith, C.N. (Editors), Annual Review of Entomology (vol. 18) 1325

Sultanov, M.A. (Editor), The parasitic arthropods of the Ferghana Valley. 928

Taylor, A.E.R.; Muller, R. (Editors), Chemotherapeutic agents in the study of parasites 1982

Vinogradskaya, O.N. (Editor), Guide to the control of insects and Acarina that are carriers of the agents of diseases of man 2584

West, L.S.; Peters, O.B., An annotated bibliography of Musca domestica Linnaeus 1884

Wigglesworth, V.B., The principles of insect physiology (ed. 7) 1613

World Health Organisation

Manual of planning for malaria eradication and malaria control programmes 1753

Specifications for pesticides used in public health (ed. 4) 1986

World Health Organization, Health hazards of the human environment. 497

Yermolenko, V.M.; Klyuchko, Z.F., Diagnostic keys to insects 1614 Zumpt, F., The Stomoxyine biting flies of

the world 1547 Rhantus binotatus

in Canada 770

preying on, mosquitos, in Ontario 770 Rhinichthys atratulus, preying on, mosquito larvae, and biological control using, in New Jersey 1424

rhinolethrum, Rhinonyssus rhinolophi, Myotrombicula

Rhinonyssidae, on Anseriformes, in USSR

Rhinonyssus levinseni in USSR

on Somateria spp., in USSR 7

Rhinonyssus nyrocae, sp. n., described from Nyroca nyroca in USSR 7

Rhinonyssus rhinolethrum

in Rumania 6 in USSR

on Anser anser 6

taxonomy of, variation in 6

Rhinonyssus rhinolethrum anatidae, subsp. n., described from Anas and Nyroca spp. in USSR

Rhinonyssus rhinolethrum rhinolethrum, on Anser spp., in USSR 7

Rhinonyssus subrhinolethrum, sp. n., described from Anas spp. in USSR Rhipicephalus

in British Honduras 1576

in Japan 13 in Korea 13

in Ryukyu Islands 13

in Saudi Arabia 136 in Turkey 852

on sheep, in Iraq 2212

proteins in, taxonomic differences in 8

Rhipicephalus appendiculatus

acaricide resistance in, in southern Africa

Babesia bigemina, transmission of, by

B. microti, not transmitted by 1067 control of

acaricides tested for 1099 chlorfenvinphos for 650 dioxathion for 650

development in 2567 feeding behaviour in 2211

in Rhodesia 650

marking of, radioisotopes for 1925 Theileria spp., transmission of, by 1915 T. mutans, transmission of, by 283

T. parva

detection of, in 2210 development of, in 1945

toxaphene resistance in, in Rhodesia 650

Rhipicephalus bursa

Babesia ovis development of, in 1931-1932

morphology of, in 1311 transmission of, by 1930, 1948

control of

dimethoate tested for 1944 malathion tested for 1944

organic phosphates tested for trichlorphon tested for 1944

in Iran 1372 in Israel 658

in Italy 2103, 2217

in Sicily 653

in Turkey 848, 1292

in USSR 85

on goats, in Israel 658 seasonal abundance of, in Turkmenia 85 Theileria ovis, transmission of, by 1916 viruses, isolated from, in Sicily 2103

Rhipicephalus capensis

caseous lymphadenitis, role of, in

in South Africa 1923 on sheep, in South Africa 1923

Rhipicephalus sanguineus contd. Rhipicephalus evertsi acaricide resistance in, in southern Africa spermatogenesis in, effects of y-irradiation on 486 Rhipicephalus schulzei control of in USSR 17, 1083 acaricides tested for 1099 propoxur tested for 686 tularaemia, role of, in, in USSR distribution of, related to vegetation 460 Rhipicephalus simus in Rhodesia 650 Rickettsia prowazekii, infectivity of, for in South Africa 460 Rickettsia prowazekii, infectivity of, for Theileria spp., transmission of, by 1915 Rhipicephalus theileri distribution of 1917 Theileria parva, transmission of, by 283 toxaphene resistance in, in Rhodesia 650 life-cycle of 1917 Rhipicephalus turanicus Rhipicephalus evertsi evertsi control of, repellents tested for 1577 in South Africa 1916 in USSR 85 Theileria ovis, transmitted by, in South Leishmania donovani, infectivity of, for Africa 1916 Rhipicephalus evertsi mimeticus, Theileria seasonal abundance of, in Turkmenia 85 ovis, transmission of, by 1916 Rhizoglyphus echinopus, on man, literature Rhipicephalus leporis, in USSR 1083 on 150 Rhipicephalus pumilio Rhodesia in USSR 94 Boophilus decoloratus in 650-651 tularaemia, agent of, isolated from, in cattle trypanosomiasis in 1018–1019 USSR 94 Glossina morsitans in 246, 1019 Rhipicephalus rossicus natural enemies of 1262, 1516, 2353 Glossina pallidipes in 1018-1019 natural enemies of 1262 in USSR 17 tularaemia, role of, in, in USSR 17 Rhipicephalus sanguineus Haemaphysalis aciculifer in Babesia canis, transmitted by, in Rhipicephalus appendiculatus in 650 Queensland 464 R. evertsi in 650 chromosomes in 486 sleeping sickness in 2160 control of 464 rhodesiensis, Anopheles acaricides tested for 1984 Rhodnius brethesi, in Brazil 1721 coumaphos tested for 1943 Rhodnius ecuadoriensis dioxathion tested for 1943 in Peru 1392-1393 in USA 687 in dwellings, in Peru 1392-1393 organic phosphates tested for Trypanosoma cruzi, isolated from, in Peru diapause in effects of ecdysones on 66 T. rangeli effects of juvenile hormone analogues development of, in 526 on 66 isolated from, in Peru 1392-1393 Rhodnius neglectus habitats of 199, 1154–1155 egg shell in, amino acids in 1920 Ehrlichia canis, transmitted by, in 1349 hosts of 1155 Oklahoma in Australia 464 in Brazil 199, 1154-1155 in Fiji 1755 on bats, in Brazil 199 in Iran 1372 on birds, in Brazil 199 in Italy 2103, 2217 on opossums, in Brazil 199 in Saudi Arabia 136 Trypanosoma cruzi infectivity of, for 1158-1161, in Sicily 653 in Turkey 848 in USA 687, 1349 in USSR 85 2444-2445 isolated from, in Brazil 199, 1154 T. rangeli, infectivity of, for 197 life-cycle of 464 Rhodnius pallescens in Panama 1165, 2270 life history of effects of humidity on 1289 in dwellings, in Panama 1165 effects of temperature on 1289 Trypanosoma cruzi on dogs, in Queensland 464 isolated from, in Panama 1165 on guineapig, immune reaction to 326 transmitted by, in Panama 2270 on rabbits, immune reaction to 326 T. rangeli seasonal abundance of, in Turkmenia 85 isolated from, in Panama 1165

| Subject Thues | 073 |
|--|--|
| Rhodnius pallescens contd. | Rhombomys opimus contd. |
| Trypanosoma rangeli contd. | Leishmania tropica major, persistence of, |
| transmitted by, in Panama 2270 | in 480 |
| Rhodnius pictipes | Phlebotomus andrejevi feeding on, in |
| habitats of 199 | USSR 183 |
| in Brazil 199, 1721 | P. caucasicus feeding on, in USSR 183 |
| on bats, in Brazil 199 | P. mongolensis feeding on, in USSR 147 |
| on birds, in Brazil 199 | Phlebotomus papatasi feeding on, in |
| Trypanosoma cruzi, isolated from, in | USSR 78, 183 |
| Brazil 199, 1721 | Sergentomyia arpaklensis feeding on, in USSR 78 |
| Rhodnius prolixus antigonadotropin in 1718 | Rice-fields, mosquito control in 217 |
| biology of 1156 | richiardii, Coquillettidia, (Mansonia) |
| Brindley's scent glands in, secretion of | richteri, Solenopsis |
| 949 | ricinus, Ixodes |
| control of | Rickettsia |
| dieldrin tested for 54 | Hyalomma dromedarii, reservoir of, in |
| fenthion tested for 54 | Turkmenia 1636 |
| insecticides tested for 1601 | Ornithodoros moubata, localisation of, in 1574 |
| juvenile hormone analogues tested for | staining of, in sections of tick ovary 106 |
| 1855 | Rickettsia burneti (see Coxiella) |
| malathion tested for 54 | Rickettsia orientalis (see also Scrub typhus) |
| metepa tested as sterilant for 1390, | mammals, isolated from, in Vietnam |
| 1396 | 1967 |
| corpus allatum in 2090–2092 | transmission of 1344 |
| cytogenetics of 1720 | Trombicula spp., isolated from, in |
| dieldrin resistance in, in Venezuela 723 enzymes in 717 | Vietnam 1967 Rickettsia prowazekii |
| habitats of, in Venezuela 1153 | cultures of, effects of long-term storage on |
| in Venezuela 723, 1153, 1156, 1324, | 479 |
| 1714 | electron microscopy of 1711 |
| mating competitiveness in | lice, development of, in 1629 |
| effects of γ -irradiation on 1156 effects of X-irradiation on 1156 | man, antibodies to, in, in Uganda 354 |
| | reservoirs of 1665 |
| oocyte differentiation in 2271 oogenesis in 2090–2092 | ticks, infectivity of, for 851 |
| rearing of, techniques for, mass feeding | Rickettsia rickettsi, Ixodes pacificus, isolated from, in Oregon 515 |
| 1719 | Rickettsia sibirica |
| spermatogenesis in 1854 | Dermacentor marginatus, isolated from, in |
| sterilisation of | USSR 148 |
| γ-irradiation for 1156 | D. pictus |
| X-irradiation for 1156 | detection of, in 97 |
| Trypanosoma cruzi | effects of immune bodies on, in 2024 |
| infectivity of, for 2444 isolated from, in Venezuela 1153, 1714 | Haemaphysalis punctata, transmitting, in Czechoslovakia 63 |
| transmission of, by 1852–1853 | Ornithodoros lahorensis, detection of, in |
| xenodiagnosis of, using 1715 | 311 |
| Trypanosoma rangeli | Rickettsia tsutsugamushi (see R. orientalis) |
| effects of, in 726–727 | Rickettsiae |
| infectivity of, for 197 | arthropods, relation of, and 938 |
| isolated from, in Venezuela 1714 | Ixodidae, relation of, and 880 |
| localisation of, in 726 rhombica, Hybomitra | ticks detection of, in 1937 |
| Rhombomys opimus | relation of, and 1689 |
| Bacillus anthracis, isolated from, in USSR | Rickettsiosis, tick-borne |
| 1579 | Dermacentor nuttalli, role of, in, in USSR |
| burrows of, as breeding places for | 657 |
| Phlebotomidae 1368 | in USSR 656-657 |
| cutaneous leishmaniasis, reservoir of, in | riethi, Culicoides |
| USSR 2236 | Rift Valley fever, virus of, mosquitos, |
| fleas infesting, in USSR 93 | transmission of, by 2323 |

rufipes, Anopheles riparia, Ephydra rufipes, Hyalomma riparius, Aedes rufipes, Prosimulium riparius, Chironomus Ro 20-3600 (see 2-Nonene, 6,7-epoxy-3,7rufotuberculatus, Panstrongylus dimethyl-1-[3,4-(methylenedioxy)phenoxrugglesi, Simulium y]-, (E)-; or (E)-4-((6,7-Epoxy-3,7rugosa, Haemaphysalis dimethyl-2-nonenyl)oxy)-1,2-(methylenedioxy)benzene) Anopheles hyrcanus in 1328, 2258 Roan antelope (see Hippotragus equinus) A. maculipennis in 557 Anophelines in 1329 robertsi, Argas Ceratopogonidae in 2 Rocky Mountain spotted fever Cimex lectularius in 530, 2263 Amblyomma americanum, role of, in, in Culex pipiens in 557 USA 1942 Dermacentor variabilis, role of, in, in Haematobia irritans in 2190 USA 1942 Ixodidae in 1679 1942 Lucilia sericata in 2190 in USA Rodenticides, specifications for 1986 Musca domestica in 1329, 2190 Phlebotomidae in 2258 control of, in USA 687 Phlebotomus chinensis in 589, 1328 hypopae in hair follicles of 1674 Phlebotomus major in 589, 1328 rodhaini, Phlebotomus Phlebotomus sergenti in 589, 1328 Rhinonyssus rhinolethrum in, on Anser rodionovi, Caloglyphus Rogor (see Dimethoate) anser 6 rohdendorfi, Bellieria Sergentomyia minuta in 589, 1328 romanicus, Ceratopogon Stomoxys calcitrans in 2190 Ronnel (see Fenchlorphos) rupestris, Hybomitra rossica, Oppia rusticus, Diplonychus rossicus, Aedes ryckmani, Triatoma rossicus, Rhipicephalus Ryukyu Islands, Ixodidae in 13 Rotenone S-421 (see Ether, bis(2,3,3,3tetrachloropropyl) or Octachlorodipropyl against Hypoderma bovis 1119 ether) H. lineatum 1119 Sabah Royal Farm virus, Argas reflexus, isolated Aedes spp. in 210 from, in Afghanistan 844 A: aegypti in 210 RP-13072 (see Phosphorodithioic acid, O,Osachalinensis, Ixodes dimethyl ester, S-ester with 2-[(2sacharovi, Anopheles mercaptoethyl)thio]-N,2sackeni, Symphoromyia dimethylpropionamide or O,O-Dimethyl saduski, Gahrliepia phosphorodithioate S-ester with 2-((2-Salicylanilide, 3'-chloro-4'-(pmercaptoethyl)thio)- N,2chlorophenoxy)-3,5-diiodo-, against, Oestrus ovis 1861 dimethylpropionamide) RU-11679 (see Cyclopropanecarboxylic acid, Salicylic acid, isopropyl ester, O-ester with 3-(cyclopentylidenemethyl)-2,2-dimethyl-, Oethyl phosphoramidothioate, against, (5-benzyl-3-furyl)methyl ester, trans-(+)-; or (5-Benzyl-3-furyl)methyl (+)-trans-Anopheles quadrimaculatus 1739 salinarius, Culex ethanochrysanthemate) Salmonella RU-12061 (see Pyresmethrin) Calliphora vicina, transmission of, by RU-12063 (see Resmethrin, cis-(+)-) rubicundus, Ixodes Lucilia caesar, transmission of, by 2369 rubiginosum, Simulium Monomorium pharaonis, isolated from, in rubithoracis, Culex UK 838 rubrofasciata, Triatoma Salmonella typhimurium rubrovaria, Triatoma Argas persicus, transmission of, by 1947 rudis. Pollenia Lucilia sericata, transmission-of, by 614 Ruelene (see Crufomate) Musca domestica rufescens, Loxosceles survival of, on tarsi of 2175 ruficornis, Sarcophaga transmission of, by 614 rufidens, Tabanus Ornithodoros lahorensis, toxicity of gut rufifacies, Chrysomya and haemolymph extracts to 315 rufiferacis, Crysomyia (see Chrysomya salomonis, Monomorium rufifacies) salopiense, Simulium (see S. lineatum)

| ubject maex | 8// |
|--|---|
| alopiense, Wilhelmia (see Simulium | Sarcophaga haemorrhoidalis contd. |
| lineatum) | helminths, eggs of, in faeces and |
| alutaris, Thyridanthrax | regurgitations of 184 |
| amoa | in Hungary 2544 |
| Culicoides polynesiae in 2147 | in markets, in Hungary 2544 |
| C. samoensis in 2147 | Sarcophaga nodosa, proline dehydrogenase |
| amoensis, Culicoides | in 250 |
| anchezi, Argas | Sarcophaga peregrina |
| angrensis, Simulium, (Wilhelmia) | control of |
| anguinaria, Lutzomyia | diazinon tested for 1053 |
| anguineus, Allodermanyssus | organic phosphates tested for 2174 |
| | pyrethroids tested for 1053 |
| anguineus, Rhipicephalus | diapause in 2361 |
| anguisuga, Culicoides | ecdysone in 2361 |
| anguisuga, Triatoma | in Japan 86, 1875 |
| ão Tomé, malaria in 892 | in cattle bones, in Japan 1875 |
| apphirina, Uranotaenia | labellar sugar receptors in 35 |
| arawak | pupation in 1031 |
| A cocyntiin 210 | Sarcophaga ruficornis |
| A. aegypti in 210 Sarcodexia, in Cuba 832 | life history of 1895 neurosecretory system in 1800 |
| Farcodexiopsis, in Cuba 832 | rearing of, techniques for 1895 |
| Sarcophaga | reproductive organs in 1896 |
| control of 1407 | Sarcophagidae |
| in dwellings, in UK 1407 | control of, biological 2539 |
| parasitised by, Figites anthomyiarum | helminths, eggs of, in faeces and |
| 1171 | regurgitations of 184 |
| stigmata in 9 | in Europe 1556 |
| Sarcophaga argyrostoma | in Hungary 613 |
| control of, organic phosphates tested for | Sarcophagula, in Cuba 832 |
| . 2174 | Sarcopromusca arcuata (see Musca pruna) |
| diapause in | Sarcoptes, on cattle, symptoms of infestation |
| effects of photoperiod on 428 | with 1694 |
| effects of temperature on 428 oxygen consumption during 49 | Sarcoptes canis, control of, propoxur tested for 1965 |
| oxygen consumption during 49 larval development in | Sarcoptes scabiei |
| effects of ecdysterone on 448 | control of, indigenous remedies tested for |
| effects of starvation on 448 | 860 |
| post-emergence growth in 43 | in Czechoslovakia 2086, 2229 |
| post-metamorphic growth in 310 | in India 860 |
| Sarcophaga bullata | in Papua and New Guinea 1696 |
| ammonia in, excretion of 1093 | in Trinidad and Tobago 2227 |
| cuticle in 2363 | on buffalo, in India 860 |
| diapause in | on dogs, in Trinidad 2227 |
| effects of photoperiod on 428 | on man |
| effects of temperature on 428 | associated with acute glomerulonephritis |
| oxygen consumption during 49 | 2227 |
| isoprenols in 1562 | diagnosis of 1954 |
| mevalonate biosynthesis in 2383 mid-gut in, effects of ecdysterone on | in Czechoslovakia 2086, 2229 in Trinidad 2227 |
| 2543 | on pigs, in Papua and New Guinea 1696 |
| mid-gut protease activity in 2362 | Sarcoptes scabiei var. suis (see S. suis) |
| puparium formation in 621 | Sarcoptes suis |
| Sarcophaga crassipalpis | control of, propoxur tested for 1965 |
| diapause in | in Australia 857 |
| effects of photoperiod on 428 | in Ireland 468 |
| effects of temperature on 428 | on pigs |
| oxygen' consumption during 49 | in Ireland 468 |
| Sarcophaga falculata (see S. argyrostoma) | in Western Australia 857 |
| Sarcophaga haemorrhoidalis | Saudi Arabia |
| control of, aziridine derivatives tested as | Amblyomma spp. in 136 |
| sterilants for 1536. | Anopheles gambiae complex in 955 |

Saudi Arabia contd. Schoutedenichia unicolor, in USSR 173 Argas spp. in 136 schulzei, Culicoides Boophilus spp. in 136 schulzei, Hyalomma Hyalomma spp. in 136 schulzei, Rhipicephalus Rhipicephalus spp. in 136 schwetzi, Sergentomyia, (Phlebotomus) savignyi, Ornithodoros scimitra. Buenoa SBP-1382 (see Resmethrin) Sciomyzidae, population dynamics of 1866 SBP-1390 (see Bioresmethrin) sciurorum, Ceratophyllus scabiei, Sarcoptes Sciurus aestuans ingrami, Trypanosoma scalaris, Fannia cruzi, isolated from, in Brazil 2445 Sciurus carolinensis, Aedes triseriatus scapularis, Aedes feeding on 205 Scarabaeidae Scolopendra subspinipes, in Hawaii 1594 Scorpio maurus palmatus, venom of, toxic Ascaris spp., role of, in epidemiology of, in Iran 839 effects of 1070 Trichuris spp., role of, in epidemiology of, Scorpions in Iran 839 adaptation in 861 scarabaeoides, Sphaeridium biology of 2234 control of 2234 Scarites indus in USA 687 in India Spirocerca lupi, infectivity of, for 1055 in Mexico 2234 in South Africa 861 Scenopinus fenestralis in ÚSA 128 in USA 2234 venom of 2233 infesting man, in Minnesota 128 Scheloribates, Moniezia spp., isolated from, scotti, Menida in Uzbekistan 856 Scrub typhus (see also Rickettsia orientalis Scheloribates fimbriatus, Moniezia and Tsutsugamushi disease) ecology of 1339 benedeni, intermediate host of 856 in USSR 856 role of birds in 1347 endemicity of 1340 Scheloribates laevigatus in USSR 139, 856, 1961 in Japan 1342, 1345 Moniezia spp. seroepidemiology of zoogeography of 1339 intermediate host of, in Azerbaijan 1961 sculptilis, Colymbetes isolated from, in Uzbekistan 856 sculpturatus, Centruroides Scheloribates latipes scupense, Hyalomma in USSR 139, 856, 1961 scutellaris, Aedes scutellaris, Figites Moniezia spp. intermediate host of, in Azerbaijan Scutovertex minutus 1961 in USSR 1961 isolated from, in Uzbekistan 856 Moniezia spp., intermediate host of, in M. benedeni, intermediate host of 856 Azerbaijan 1961 M. latipes, intermediate host of 856 SD-4294 (see Crotoxyphos) SD-7859 (see Chlorfenvinphos) Scheloribates semidesertus in USSR 856 SD-8211 (see Phosphoric acid, 2-chloro-1-Moniezia spp., isolated from, in (2,5-dichlorophenyl)vinyl dimethyl ester Uzbekistan 856 or Dimethyl 1-(2,5-dichlorophenyl)-2-M. benedeni, intermediate host of 856 chlorovinyl phosphate) M. expansa, intermediate host of 856 SD-8280 (see Phosphoric acid, 2-chloro-1-(2,4-dichlorophenyl)vinyl dimethyl ester; schineri, Hybomitra Schistocerca gregaria, proline dehydrogenase or Dimethyl 1-(2,4-dichlorophenyl)-2-250 chlorovinyl phosphate) Schistosomiasis, in Japan 1213 SD-8447 (see Tetrachlorvinphos) Schizotrypanum cruzi (see Trypanosoma) SD-8448 (see Phosphoric acid, 2-chloro-1schmuteri, Euschoengastia, (Brunehaldia) (2,4,5-trichlorophenyl)vinyl diethyl ester; or Diethyl 1-(2,4,5-trichlorophenyl)-2-Schoenbaueria (see Simulium) schoutedeni, Histiostoma chlorovinyl phosphate) schoutedeni, Simulium SD-8949 (see Phosphoric acid, 1-(2-bromo-Schoutedenichia dogieli, sp. n., described 4,5-dichlorophenyl)-2-chlorovinyl from USSR dimethyl ester or Dimethyl 1-(2-bromo-Schoutedenichia montchadskyi, sp. n., 4,5-dichlorophenyl)-2-chlorovinyl described from USSR 3

phosphate)

| Subject Index | 0/7 |
|--|---|
| SD-8988 (see Phosphoric acid, 2-bromo-1- | Sergentomyia christophersi |
| (2,4-dichlorophenyl)vinyl dimethyl ester | in French Territory of the Afars and the |
| or Dimethyl 2-bromo-1-(2,4- | Issas 586 |
| dichlorophenyl)vinyl phosphate) | in Tunisia 592 |
| secundus, Culex | Sergentomyia clydei |
| Semicarbazide, thio- | biology of 1252 |
| against | in French Territory of the Afars and the |
| Aedes aegypti 506 | Issas 586 |
| Anopheles stephensi 506 | in Tunisia 592 |
| semidesertus, Scheloribates | in Upper Volta 1252 |
| semisulcatus, Acilius | Sergentomyia dentata, in Turkey 1247 |
| semura, Frontopsylla | Sergentomyia dolichopus, in French |
| Senegal | Territory of the Afars and the Issas 586 |
| Amblyomma spp. in 1919 | Sergentomyia fallax, in French Territory of |
| Anopheles gambiae in 1488 | the Afars and the Issas 586 |
| Culex pipiens in 1765 | Sergentomyia grekovi |
| Culicoides similis group in 236 | control of |
| Glossina longipalpis in 809 | BHC tested for 155 |
| G. morsitans in 809 | chloropicrin tested for 155 development in, duration of 1087 |
| G. palpalis in 809 | flagellates, isolated from, in Turkmenia |
| Haemaphysalis moreli in 1064 | 2345 |
| H. rugosa in 462 | in USSR 155, 183, 1506, 2345 |
| Hyalomma spp. in 1919 | Sergentomyia lewisi, in Morocco 1253 |
| sleeping sickness in 895 | Sergentomyia minuta |
| yellow fever in 546, 2281 | descriptions of 589 |
| Sepedon fuscipennis | in Rumania 589, 1328 |
| biology of 1866 | Sergentomyia minuta minuta |
| in USA 1866 | Adelina spp. in, in Corsica 1810 |
| Sepsidae, parasitised by, Cynipoidea 1171 | in Corsica 1810 |
| sepulchralis, Chrysops | Sergentomyia minuta parroti, in Morocco |
| serdjukovae, Haemogamasus | 1253 |
| sergenti, Phlebotomus | Sergentomyia mirabilis |
| sergentii, Anopheles | descriptions of 414 |
| Sergentomyia in Iran 803 | in Congo 414 Sergentomyia multidens, in French Territory |
| in South-West Africa 239 | of the Afars and the Issas 586 |
| in Tunisia 592 | Sergentomyia punjabensis, in India 587 |
| in Turkey 1247 | Sergentomyia schwetzi |
| population dynamics of, effects of rat | biology of 1252 |
| control on 1639 | in Upper Volta 1252 |
| Sergentomyia affinis, in Ethiopia 240 | Sergentomyia sintoni, in Iran 803, 1008 |
| Sergentomyia africana asiatica | Sergentomyia sogdiana |
| in Morocco 1253 | control of |
| taxonomy of, Sergentomyia africana | BHC tested for 155 |
| cherifiana as synonym of 1253 | chloropicrin tested for 155 |
| Sergentomyia africana cherifiana, taxonomy | in USSR 155, 1506 |
| of, synonym of S. a. asiatica 1253 | Sergentomyia squamipleuris, in India 587 |
| Sergentomyia arpaklensis | Sergentomyia tiberiadis, in French Territory |
| breeding places of 1368 control of | of the Afars and the Issas 586 sericata, Lucilia |
| BHC tested for 155 | (Phaenicia) |
| chloropicrin tested for 155 | sericatum, Simulium, (Boophthora) |
| development in, duration of 1087 | serrata, Linguatula |
| flagellates, isolated from, in Turkmenia | serratus, Aedes |
| 2345 | Serum hepatitis |
| habitats of 78 | Culex pipiens, transmitting antigen related |
| in USSR 78, 155, 183, 1368, 1506, 2345 | to 218 |
| on Rhombomys opimus, in Turkmenia | Periplaneta americana, role of, in 1704 |
| 78 | servalina, Congovidia |
| Sergentomyia babu, in India 587 | Setaria cervi, Haematobia stimulans, |
| Sergentomyia bailyi, in India 587 | development of, in 1130 |

Sheep contd. Setaria labiatopapillosa Oestrus ovis infesting contd. Aedes aegypti in Ohio 1530 infection of, with 1752 transmission of, by 1177 in South Africa 1861 setosa, Neopsylla Ornithodoros lahorensis infesting, in setosus, Culicoides parathion in, residues of, in milk 885 Sevin (see Carbaryl) Sewage systems, Periplaneta americana in, pest control on 2431 in North Carolina 1378 Psoroptes ovis infesting, antibodies to sexlineatus, Aedes shannoni, Lutzomyia Rhipicephalus spp. infesting, in Iraq Sharjah State, Wohlfahrtia pattoni in 1548 R. capensis infesting, in South Africa Anaplasma spp., in, in Turkey 852 1923 Theileria ovis, in, in Turkey 852 Babesia ovis development of, in 1931-1932 ticks infesting, in Turkey 852 in, in Turkey 852 Wohlfahrtia magnifica infesting in Israel 258 γ BHC in, effects of 1603 Boophilus annulatus infesting, in Iraq in USSR 1036 xylene in, effects of 1603 Shelfordella tartara Chorioptes bovis infesting habitats of, in Uzbekistan 179 in USSR 179 in New Zealand 472 in UK 469 Culicoides pallidipennis feeding on, in sherlocki, Lutzomyia South Africa 1808 shintienensis, Aedes (see A. japonicus) Damalinia ovis infesting Shop typhus (see Endemic typhus) in New Zealand 1138 Shunsennia major (see Chatia) in South Africa Siberian tick typhus, causal agent of, Demodex spp. infesting, in Sudan 2223 Ixodoidea, localisation of, in 2026 demodicosis in 294 sibirica, Lasiohelea sibiricus, Culicoides Dermacentor marginatus infesting, in Bulgaria 663 Sicily mosquitos in 2103 dichlorvos in, toxicity of 2240 Dursban in, toxicity of 676 ticks in 653, 2103 Haemaphysalis punctata infesting, in Side resistance, proposed as term to describe development of resistance only to Bulgaria 663 Hyalomma anatolicum infesting, in Iraq pesticides not being used 162 Sierra Leone H. asiaticum infesting, in USSR 1127 Anopheles spp. in 1189 H. marginatum infesting Culex pipiens in 1189 in Iraq 2212 malaria in 1189 in Madras 1571 sierrensis, Aedes signifera, Orthopodomyia H. truncatum infesting, in South Africa Sikkim, Ixodes ovatus in 2218 Ixodes ovatus infesting, in Nepal 2218 silacea, Haemaphysalis I. rubicundus infesting, in South Africa silaceus, Chrysops silenus, Przhevalskiana Linognathus ovillus infesting, in New silvarum, Dermacentor Zealand 1138 silvestris, Culiseta L. pedalis infesting, in New Zealand Silvius zaitzevi descriptions of 74 Lucilia cuprina infesting, in Western in USSR 74 Australia 261-262 simici, Phlebotomus chinensis L. sericata infesting, in Netherlands 636 similis, Charitopes Melophagus ovinus infesting similis, Culicoides in Bulgaria 1902 simillimum, Tetramorium in New Zealand simplex, Psorergates simplicissima, Morellia Oestrus ovis infesting in Illinois 1530 simpsoni, Aedes in Indiana1530 Simuliidae in Kentucky 1530 control of 1326 in Kirgizia 1685 biological · 308

| <i>J</i> | |
|---|---|
| Simuliidae contd. | Simulium arcticum |
| control of contd. | control of, juvenile hormone analogues |
| N,N-diethylbenzamide tested as | tested for 2521 |
| repellent for 304 | in Canada 2521 |
| non-target effects of 1688 | Simulium argus, in USA 602 |
| organic phosphates for 308 | Simulium aureum |
| Paris Green for 308 | in Austria 1081 |
| flight activity in, apparatus for studying | in Italy 1514 |
| 2432 in Alabama 606 | in USA 602 |
| in Brazil 538 | in USSR 84 Simulium berneri |
| in Cameroon 1681 | attached to, Ephemeroptera, in Liberia |
| in Costa Rica 600 | 1815 |
| in Czechoslovakia 1509 | in Liberia 1815 |
| in Georgia (USSR) 2040 | Simulium bezzii |
| in Mongolia 2523 | biology of 2350 |
| in New Jersey 598 | in Italy 1514, 2350 |
| in Pakistan 807 | Simulium bicoloratum, in Andes 1 Simulium callidum |
| in Siberia 2044, 2351 | feeding behaviour in, in Colombia 417 |
| in USSR 87, 2011 | in Colombia 417, 2094 |
| in Uzbekistan 932 | Venezuelan equine encephalitis, virus of, |
| larval migration in 805 | isolated from, in Colombia 2094 |
| life-cycle of 1326 phylogeny of, DNA-RNA hybridisation | Simulium canadense |
| related to 122 | control of, juvenile hormone analogues |
| population dynamics of 1684 | tested for 2521 in Canada 2521 |
| preyed on by, Trichoptera 596 | in USA 602 |
| resting places of 2351 | Simulium chaquensis |
| surveillance techniques for 512 | sp. n., description of 1818 |
| taxonomy of, described by N. Baranov | in Argentina 1818 |
| 419 | Simulium coarctatum, Trypanosoma avium, |
| traps for 1514 Simulium | susceptibility to, in 2349 Simulium colombaschense, in Austria 1081 |
| control of, repellents tested for 302 | Simulium columbaczense (see S. |
| cytogenetics of 2062 | colombaschense) |
| genetics of 877 | Simulium congareenarum |
| in Cameroon 2524 | control of, insecticides tested for 2347 |
| in Ontario 1011 | in USA 1258, 2347 |
| larvae of, dispersal of 1993 Simulium adersi | Leucocytozoon smithi, transmitted by, in South Carolina 1258, 2347 |
| in Ghana 601 | Simulium cormonsi, sp. n., described from |
| in Nigeria 245 | the Andes 1 |
| in Tanzania 1515 | Simulium costatum |
| pupae of, attached to nymphs of Zygonyx | biology of 1813 |
| torrida in Ghana 601 | in Poland 1813 |
| rearing of, techniques for 1515 | Simulium crassifilum, in USSR 1082 Simulium cryophilum, in Tunisia 420 |
| Simulium alajensis in USSR 1082 | Simulium cryophilum, in Tunisia 420 Simulium damnosum |
| Trypanosoma avium, susceptibility to, in | aerobic bacteria in, in Ghana 2153 |
| 2349 | control of |
| Simulium albellum, Trypanosoma avium, | carbamates tested for 244 |
| susceptibility to, in 2349 | in Nigeria 1817 |
| Simulium alcocki occidentale (see S. garmsi) | insecticides tested for 2154 organic phosphates tested for 244 |
| Simulium amazonicum, taxonomy of, characters distinguishing S. chaquensis | organic phosphates tested for 244 resmethrin tested for 244 |
| and 1818 | filariae, isolated from, in Liberia 1814 |
| Simulium angustipes (see S. aureum) | in Cameroon 1257 |
| Simulium angustitarse | in Ghana 596, 1180, 2153 |
| in Austria 1081 | in Ivory Coast 2154 |
| in Italy 1514 | in Liberia 1814 |
| in USSR, 84 | in Nigeria 245, 1817 |

| Simulium damnosum contd. | Simulium exiguum contd. |
|--|--|
| in Sudan 1180 | Venezuelan equine encephalitis, virus of, |
| in Tanzania 1515 | isolated from, in Colombia 2094 |
| in Upper Volta 244, 605 | Simulium ferganicum |
| in West Africa 2070 | in USSR 1082 |
| in Zaïre 603 | Trypanosoma avium, susceptibility to, in |
| larval migration in 805 | 2349 |
| on man, in Cameroon 1257 | Simulium flavicans, in USSR 1082 |
| Onchocerca volvulus | Simulium flavidum, in USSR 1082 |
| isolated from, in Liberia 1814 | Simulium fucense, in Italy 1514 |
| transmission of, by 1177, 1257 | Simulium galeratum, in USSR 87 |
| | Simulium galloprovinciale, in Italy 1514 |
| transmitted by | Simulium garmsi |
| in Cameroon 1257 | in Ghana 596 |
| in West Africa 896 | preyed on by, Orthotrichia spp., in Ghan |
| preyed on by, Trichoptera 596 | 596 |
| rearing of, techniques for 1515 | Simulium griseicollis tridens |
| Simulium decorum | control of, organic phosphates tested for |
| control of, juvenile hormone analogues | 244 |
| tested for 2521 | in Upper Volta 244 |
| in Canada 2521 | Simulium hargreavesi |
| Simulium delponteianum, taxonomy of, | control of, carbamates tested for 244 |
| characters distinguishing S. chaquensis | in Ghana 601, 1513 |
| and 1818 | on Oedogonium, in Ghana 1513 |
| Simulium desertorum, in USSR 1082 | pupae of, attached to nymphs of Zygony |
| Simulium dorieri, in Austria 1081 | torrida in Ghana 601 |
| Simulium equinum | Simulium hispaniola, in Italy 1514 |
| biology of 2348, 2350 | Simulium hunteri |
| in Austria 1081 | control of, juvenile hormone analogues |
| in Czechoslovakia 2522 | tested for 2521 |
| in Hungary 1126 | in Canada 2521 |
| in Italy 1510, 1514, 2350 in UK 2348 | Simulium ignescens, in Andes 1 |
| in UK 2348 | Simulium indicum |
| on horses, in Czechoslovakia 2522 | descriptions of 807 |
| swarming in, prevention of 1126 | in Nepal 1511 |
| group of | in Pakistan 807 |
| in Italy 1510 | on man |
| keys to 1510 | in Nepal 1511 |
| Simulium equinum mediterraneum (see S. | in Pakistan 807 |
| mediterraneum) | Simulium innocens |
| Simulium erythrocephalum | in USA 604 |
| control of, dichlorvos tested for 298 | Leucocytozoon simondi, transmission of, |
| dispersal of 595 | by 604 |
| in Czechoslovakia 2522 | on birds, in Michigan 604 |
| in Germany 418, 595, 1816 | rearing of, techniques for, feeding adults |
| in Hungary 298, 1126 in USSR 59, 84 | of 604 |
| | Simulium jaimeramirezi, sp. n., described |
| life history of 1816 | from the Andes 1 |
| on cattle, in Germany 418 on horses, in Czechoslovakia 2522 | Simulium karzhantavicum, in USSR 1082 |
| on man, in Hungary 298 | Simulium kenyae |
| swarming in, prevention of 1126 | filariae, isolated from, in Liberia 1814 in Liberia 1814 |
| Simulium escomeli, in Andes 1 | Simulium latigonium, in Italy 1514 |
| Simulium euryadminiculum | Simulium latinum |
| in USA 604 | biology of 2350 |
| rearing of, techniques for, feeding adults | in Italy 2350 |
| of 604 | in Tunisia 420 |
| Simulium exiguum | Simulium latipes |
| feeding behaviour in, in Colombia 417 | habitats of, suitability of streams as 51. |
| in Colombia 417, 2094 | in Austria 1081 |
| taxonomy of, characters distinguishing S. | in Italy 1514 |
| chaquensis and 1818 | in USSR 511 |

| Subject thaex | 00. |
|---|---|
| Simulium latipes contd. | Simulium ornatum contd. |
| taxonomy of, Simulium subexcisum as | Thelohania spp. in, morphology of 2525 |
| synonym of 2152 | Trypanosoma avium, susceptibility to, in |
| Simulium latipes auct. nec Mg., taxonomy | 2349 |
| of, Simulium vernum Macq. proposed as | Simulium ovazzae |
| name for 2152 | crabs, associated with 1508 |
| Simulium latizonum paludicola, in Italy | in Liberia 1815 |
| 1514 | Liberonautes latidactylus, associated with, |
| Simulium lineatum (see also S. salopiense) | in Liberia 1815 |
| in Austria 1081 | on man, in Liberia 1815 |
| in Italy 1510, 1514 | Simulium paramorsitans, in Italy 1514 |
| taxonomy of, Simulium salopiense as | Simulium paucicuspis, in USSR 1082 |
| synonym of 2152 | Simulium paynei |
| Simulium lumbwanum | feeding behaviour in, in Colombia 417 |
| attached to, Ephemeroptera, in Liberia | in Colombia 417, 2094 |
| 1815 | Venezuelan equine encephalitis, virus of, |
| in Liberia 1815 | isolated from, in Colombia 2094 |
| Simulium mediterraneum | Simulium pertinax, taxonomy of, characters |
| biology of 2350 | distinguishing S. chaquensis and 1818 |
| in Italy 1510, 1514, 2350 | Simulium pictipes, control of, insecticides |
| in Pakistan 807 | tested for 599 |
| in Tunisia 420 . | Simulium pictum, in Italy 1514 |
| in USSR 1082 | Simulium piperi, in USA 602 |
| Simulium metallicum feeding behaviour in, in Colombia 417 | Simulium pontinum, in Italy 1514 Simulium pugetense |
| in Andes 1 | control of, juvenile hormone analogues |
| in Colombia '417, 2094 | tested for 2521 |
| taxonomy of, Simulium riveti as synonym | in Canada 2521 |
| of 1 | Simulium reptans' |
| Venezuelan equine encephalitis, virus of, | in Austria 1081 |
| isolated from, in Colombia 2094 | in Czechoslovakia 1509, 2522 |
| Simulium mexicanum | on horses, in Czechoslovakia 2522 |
| feeding behaviour in, in Colombia 417 | taxonomy of, possible misidentification of |
| in Colombia 417, 2094 | S. nitidifrons as, in Tunisia 420 |
| Venezuelan equine encephalitis, virus of, | Simulium riveti, taxonomy of, synonym of |
| isolated from, in Colombia 2094 | Simulium metallicum 1 |
| Simulium monticola, in Italy 1514 | Simulium rubiginosum |
| Simulium neireti | in Argentina 1 |
| descriptions of 243 | in Bolivia 1 |
| habitats of 243 | on mule 1 |
| in Malagasy Republic 243 | Simulium rugglesi |
| on cattle, in Malagasy Republic 243 | in Canada 804 |
| on man, in Malagasy Republic 243 | in USA 604 |
| Simulium nigritarsis | larval development in 804 |
| biology of 1256 in South Africa 1256 | Leucocytozoon simondi, transmission of, |
| Simulium nitidifrons | by 604 on birds, in Michigan 604 |
| | rearing of, techniques for, feeding adults |
| biology of 2350 in Austria 1081 | of 604 |
| in Italy 1514, 2350 | Simulium salopiense |
| in Tunisia 420 | in Austria 1081 |
| Simulium ochrescentipes, in USSR 1082 | in Italy 1514 |
| Simulium ornatum | taxonomy of, synonym of S. lineatum |
| biology of . 2348, 2350 | 2152 |
| habitats of, suitability of streams as 511 | Simulium sangrensis, in Italy 1510 |
| in Austria 1081 | Simulium schoutedeni |
| in Czechoslovakia 1509, 2522 | in Ghana 596 |
| in Italy 1514, 2350 | preyed on by, Orthotrichia spp., in Ghana |
| in UK 2348 | 596 |
| in USSR 511, 1082 | Simulium sericatum |
| on horses, in Czechoslovakia 2522 | in Czechoslovakia 2522 |
| Plistophora spp. in, morphology of 2525 | on horses, in Czechoslovakia 2522 |

Simulium slossonae Siphonaptera contd. control of, insecticides tested for 2347 in Ukraine 2012 in USA 1258, 2347 on man, symptoms of feeding by Leucocytozoon smithi, transmitted by, in siro, Acarus South Carolina 1258, 2347 (Tyroglyphus) Simulium spinosum, in Austria 1081 sitiens. Culex Simulium subexcisum, taxonomy of, skrjabini, Xenopsylla synonym of S. latipes 2152 skrjabini, Zvgoribatula Simulium subgriseum, in USSR 1082 Sleeping sickness Simulium tescorum, in USA 602 Glossina tachinoides, role of, in, in Simulium transcaspicum, in USSR 1082 Nigeria 249 Simulium tuberosum, phylogeny of, DNAin Africa 891, 894 RNA hybridisation related to 122 in Angola 892 in Botswana 251 in Dahomey 895 Simulium turgaicum, in USSR 1082 Simulium unicornutum, larval migration in in East Africa 898 Simulium veltistshevi, in USSR 1082 in Ethiopia 1263 Simulium venustum in Ivory Coast 895 control of, juvenile hormone analogues in Kenya 1519-1522 tested for 2521 in Malawi 2160 in Canada 1011-1012, 2521 in Mali 895 in USSR 87 in Mozambique 892, 2160 orientation in 1012 in Niger Republic 895 phylogeny of, DNA-RNA hybridisation in Nigeria 249 related to 122 in Portuguese Guinea 892 sterilisation of, y-irradiation for 806 in Rhodesia 2160 visual responses in 1013 in Senegal 895 Simulium vernum, taxonomy of, proposed as in Tanzania 1260, 2160 name for S. latipes auct. nec Mg. 2152 in Togo 895 Simulium virgatum, in USA 602 in Upper Volta 895 Simulium vittatum in West Africa 897 in USA 602 in Zambia 808, 2160 phylogeny of, DNA-RNA hybridisation slossonae, Simulium, 1258 smithi, Brachypelma related to 122 Thelohania bracteata in, effects of smithii, Wyeomyia 2416 Society Islands, Culicoides belkini in 2147 Simulium vulgare, in Czechoslovakia 1509 simus, Rhipicephalus Sodium arsenate, against, Musca domestica, Sinai Peninsula, mosquitos in resulting in DDT resistance 162 sinaiticus, Culex Sodium arsenite, against, Ixodidae 2203 Sindbis virus Sodium fluoroacetate Aedes aegypti, transmission of, by 2297 in Nosopsyllus consimilis, effects on Culex theileri, transmission of, by 401 fertility of 2254 Sinella curviseta, Trombiculidae fed on eggs in Xenopsylla cheopis, effects on fertility of 102 of 2254 sinensis, Anopheles hyrcanus Sodium methanearsonate, in Cochliomyia sinensis, Culex hominivorax, toxicity of 1863 Singapore Anopheles kochi in 2145 carbophenothion in, mobility of 696 A. maculatus in 2145 chlorfenvinphos in, mobility of 696 2108 Culex pipiens in DDT in filariasis in 2108 malaria in 2145 inactivation of 1218 residues of 1218 Sturnophagoides halterophilus in, in house dichlofenthion in, mobility of 696 dust 1956 dioxathion in, mobility of 696 sintoni, Sergentomyia Oribatidae in, and their role in its Siphlonurus formation 855 Dursban in, toxicity of 1075 Solenopotes capillatus in rice-fields, in California 2488 control of Siphona irritans (see Haematobia) diazinon for 355 Siphonaptera malathion for 355 identification of 1694 host specificity in 2013 in Florida 2273 in Australia 355

| Solenopotes capillatus contd. | South-West Africa contd. |
|---|---|
| in Germany 937 | Phlebotomus rodhaini in 239 |
| in New Zealand 1137 | Sergentomyia spp. in 239 |
| on cattle | Spain |
| in Germany 937 | Hermetia illucens in 2536 |
| | |
| in New Zealand 1137 | mites in, in house dust 1971 |
| in Tasmania 355 | Pangonius micans in 12 |
| symptoms of infestation with 1694 | Tabanidae in 11–12 |
| Solenopotes tarandi | Tabanus spodopteroides in 12 |
| descriptions of 1386 | Tyroglyphidae in, in house dust 858 |
| in Alaska 1386 | Spalangia, parasitising, Stomoxys spp., and |
| on Rangifer tarandus granti, in Alaska | biological control using, in Mauritius |
| 1386 | 2186 |
| Solenopsis, on man, symptoms of sting by | |
| 1071 | Spalangia cameroni |
| Solenopsis aurea, venom of 2556 | fatty acids in, effects of host on 513 |
| | in Denmark 1027 |
| Solenopsis richteri | parasitising |
| in USA 2198 | Musca domestica 513, 833 |
| on man | in Denmark 1027 |
| in USA 2198 | preyed on by, Muscidifurax zaraptor 833 |
| symptoms of sting by 2198 | Spalangia endius |
| solida, Laelaps echidnina | in USA 2532 |
| sollicitans, Aedes | |
| Solomon Islands | parasitising, dung-breeding flies, and |
| Aedes hoguei in, on man 2322 | biological control using, in California |
| A. horotoi in 368 | 2532 |
| Anopheles farauti in 2314 | Spalangia nigra |
| malaria in 2314 | in Canada 2177 |
| Somateria, Rhinonyssus levinseni infesting, | parasitising, Musca autumnalis, in Ontario |
| in USSR 7 | 2177 |
| sorbens, Musca | Spalangia nigroaenea |
| sordida, Triatoma | descriptions of 64 |
| sordidellus, Culicoides | in USSR 64 |
| South Africa ' | parasitising |
| Amblyomma hebraeum in 460 | Musca domestica 91 |
| Argas spp. in, on fowls 1918 | Musca domestica, in Uzbekistan 64 |
| Boophilus decoloratus in 460 | Stomoxys calcitrans, in Uzbekistan 64 |
| Cordylobia anthropophaga in, on Cynictis | spanius, Deinocerites |
| penicillata 1881 | Sparrow, house (see Passer domesticus) |
| Culex pipiens in 1207 | Sparrow, white-throated (see Zonotrichia |
| C. theileri in 1207 | albicollis) |
| C. univittatus in 1207 | Spathosternum parasiniferum, Ascaridia |
| Culicoides spp. in 1808 | galli, development of, in 841 |
| Damalinia ovis in, on sheep 358 | Spelaeophlebotomus gigas (see Phlebotomus) |
| Haemaphysalis silacea in 460 | spencerii, Aedes |
| Hyalomma truncatum in, on sheep 1923 | Sphaeridium bipustulatum, not preying on |
| Ixodes pilosus in 460 | Musca autumnalis 1284 |
| | |
| I. rubicundus in, on sheep 1923 | Sphaeridium lunatum, not preying on Musca |
| Oestrus ovis in, on sheep 1861 | autumnalis 1284 |
| Rhipicephalus capensis in, on sheep 1923 | Sphaeridium scarabaeoides, not preying on |
| R. evertsi in 460 | Musca autumnalis 1284 |
| scorpions in 861 | sphagnumensis, Culicoides |
| Simulium nigritarsis in 1256 | Sphegigaster, parasitising, Stomoxys spp., |
| South Carolina | and biological control using, in Mauritius |
| Simulium congareenarum in 2347 | 2186 |
| on turkeys 1258 | Spiders |
| S. slossonae in 2347 | control of, in USA 687 |
| on turkeys 1258 | preying on, Anopheles gambiae, in Kenya |
| South Dakota, Musca autumnalis in; natural | 706 |
| enemies of 1284 | Spilopsyllus cuniculi |
| South-West Africa | in Australia 730–731, 1403 |
| cutaneous leishmaniasis in 239 | in UK 1403 |
| | |

Spilopsyllus cuniculi contd. Sterile-insect release myxoma virus, transmitted by, in New against South Wales 730-731, 1403 Anopheles spp. 1435 on rabbits, in Australia 1403 Culex spp. 1435 spinigera. Haemaphysalis C. pipiens 1435 spinosifrons, Leptoconops, (Styloconops) Glossina tachinoides 2526 spinosum, Simulium Stomoxys calcitrans 260 sternalis, Pardosa spinosus, Ceratophyllus Spirocerca lupi sticticus, Aedes development in 1055 Stictochironomus unguiculatus intermediate hosts of 1055 in Canada 1037 sex ratio in 1037 Spirochaetosis, in Georgia (USSR) 1691 Spirochaetosis, tick-borne, in USSR 330, Stigmaeus youngi, descriptions of 2384 2428-2429 stimulans, Aedes stimulans, Haematobia splendidus, Anopheles Stirofos (see Tetrachlorvinphos) spodopteroides, Tabanus Stivalius aporus sponsa, Lestes in India 532-533 Sprays on Mus platythrix, in India 532 economics of nozzle wear and insecticide on Rattus meltada, in India 532 wastage 187 on Rattus rattus, in India 533 equipment for on Tatera indica, in India 532 aircraft-applied ULV 2495 Stomatoceras micans setting output of aerosol dispensers in Rhodesia 1262 339 parasitising, Glossina pallidipes, in ULV hand applicator 185 Rhodesia 1262 techniques for Stomoxvinae solid ULV 2469 books on 1547 ULV 1442 in Zaïre 276 measurement of droplet size in 921 Stomoxys control of 1407 squamiger, Aedes squamipleuris, Sergentomyia in USA 687 squamiventris, Lutzomyia, (Psychodopygus) in dwellings, in UK 1407 squamosus, Anopheles Stomoxys calcitrans Squirrels, eastern equine encephalitis, virus baits for 1549 biology of 2186 of, isolated from, in New Jersey 1410 control of 2433 Sri Lanka, Cimex hemipterus in 361 biological 2186 stabulans, Muscina (Musca) in dairy barns 435 stabularis, Eulaelaps insecticides tested for 1609 staegeri, Chironomus juvenile hormone analogues tested for Staphylinidae, preying on, Haematobia 828-829, 1285, 1551, 1874 irritans, in Missouri 273 pyrethroids tested for 1046-1047 repellents tested for 2316 Staphylococcus, Monomorium pharaonis, isolated from, in UK 838 sterile-insect release for 260 trichlorphon for 2190 Staphylococcus aureus, Ornithodoros lahorensis, toxicity of gut and descriptions of 2186 haemolymph extracts to 315 dispersal of 2184 Stegomyia aegypti (see Aedes) egg-hatch in, effects of ozone on 625 Steinernematidae, insects, role in natural fecundity in, effects of ozone on control of, in 514 flight activity in 2184 Stempellia magna, Aedes detritus, in, in helminths, eggs of, in faeces and France 228 regurgitations of 184 identification of 1694 Stempellia tuzetae, sp. n., described from in Australia 623, 1072 in Mauritius 2186 Aedes detritus in France 228 Stephanofilaria, Musca autumnalis, isolated from, in Uttar Pradesh 1271 in New Zealand 1135 Stephanofilaria zaheeri in Rumania 2190 life history of 2189 in USA 260, 435, 1551, 2532 Musca planiceps, intermediate host of in USSR 64 2189 on cattle stephensi, Anopheles effects of 2382

| Stomoxys calcitrans contd. | Succinic acid, mercapto- |
|---|--|
| on cattle <i>contd</i> . | diethyl ester, Sester with O,O-diethyl |
| in Queensland 623 | phosphorothioate, resistance to, in, |
| symptoms of feeding by 623, 1694 | Musca domestica 2179 |
| on horses | diethyl ester, S-ester with O,O-dimethyl |
| in Queensland 1072 | phosphorodithioate (see Malathion) |
| symptoms of feeding by 1072 | diethyl ester, Sester with O,O-dimethyl |
| on pigs 2433 | phosphorothioate (see Malaoxon) |
| parasites of, and biological control using, | Sucrose, against, Musca domestica 438 |
| in California 2532 | Sudan |
| parasitised by, Spalangia nigroaenea, in | Anopheles gambiae in 1180, 1488 |
| Uzbekistan 64 | Demodex spp. in |
| Stomoxys nigra | on cattle 2223 |
| biology of 2186 | on sheep 2223 |
| control of, biological 2186 | |
| descriptions of 2186 | Haemaphysalis rugosa in 462 malaria in 1180 |
| | onchocerciasis in 1180 |
| in Mauritius 2186 | |
| stramineus, Menacanthus | Phlebotomus pedifer in 1010 |
| Streptococcus, Monomorium pharaonis, | Simulium damnosum in 1180 |
| isolated from, in UK 838 | sueta, Ravinia |
| Streptococcus pyogenes | suffusus, Centruroides |
| Musca domestica, survival of, on tarsi of | sugiharai, Mackiena |
| 2175 | suis, Haematopinus |
| Ornithodoros lahorensis, toxicity of gut | suis, Sarcoptes |
| and haemolymph extracts to 316 | sulcata, Haemaphysalis |
| Streptomyces exfoliatus var. echinosporus | sulcifrons, Tabanus |
| var. n., description of 1607 | Sulfanilamide, N-(5,6-dimethoxy-4- |
| MYC 8005 from, insecticidal activity of | pyrimidinyl)- |
| 1607 | against |
| striata, Ravinia | Aedes aegypti 1116 |
| Strongylopsalis mathurinii, Hymenolepis | Anopheles stephensi 1116 |
| diminuta, intermediate host of 2195 | Sulfanilamide, N-(2,6-dimethyl-4- |
| Sturnophagoides halterophilus | pyrimidinyl)- |
| sp. n., description of 1956 | against 1116 |
| in Singapore 1956 | Aedes aegypti 1116 |
| in house dust, in Singapore 1956 | Dermanyssus gallinae 1116 Sulfanilamide, N-(4,6-dimethyl-2- |
| Sturnus vulgaris, parasites of, in California | pyrimidinyl)- |
| 297 | against |
| Styloconops spinosifrons (see Leptoconops) | Aedes aegypti 506 |
| subalbatus, Armigeres | Anopheles stephensi 506 |
| subdentata, Crematogaster | Sulfanilamide, N-2-quinoxalinyl- |
| subexcisum, Simulium (see S. latipes) | against |
| subgriseum, Simulium, (Eusimulium) | Aedes aegypti 506, 1116 |
| submorsitans, Glossina morsitans | Anopheles stephensi 506, 1116 |
| subpictus, Anopheles | Ornithonyssus sylviarum 1116 |
| subrhinolethrum, Rhinonyssus | Sulfide, bis(diethylthiocarbamoyl), against, |
| subsimilis, Tabanus | Myocoptes musculinus 1584 |
| subspinipes, Scolopendra | Sulfonamides |
| Subulura suctoria, Alphitobius diaperinus, | acaricidal activity of 1116 |
| intermediate host of 1313 | insecticidal activity of 1116 |
| Succinic acid | Sulfoxide |
| dibutyl ester | synergist for |
| in cattle, toxicity of 2141 | malathion 1553 |
| repellent for | pyrethrum 1600, 1602 |
| Aedes communis 2141 | (+)-trans-tetramethrin 321 |
| A. punctor 2141 | Sulfur, against, Sarcoptes scablei 860 |
| Hyalomma asiaticum 1577 | Sulfuryl fluoride, against, Cryptotermes |
| H. detritum 1577 H. dromedarii 1577 | brevis 2410 Sulphacetamida (see Acetamida N |
| | Sulphacetamide (see Acetamide, N-sulfanilyl-) |
| Rhipicephalus turanicus 1577 | Sunamys-) |

| Sulphacetamide contd. | sylviarum, Ornithonyssus |
|--|---|
| against | Sympetrum vulgatum |
| Aedes aegypti 506 | in USSR 2555 |
| Anopheles stephensi 506 | trematodes, isolated from, in Byelorussia |
| Sulphadimethoxine (see Sulfanilamide, N- | 2555 |
| (2,6-dimethyl-4-pyrimidinyl)-) | Symphoromyia pachyceras |
| against | in USA 443 |
| Aedes aegypti 1116 | on Odocoileus hemionus, in California |
| Dermanyssus gallinae 1116 | 443 |
| Sulphadimidine (see Sulfanilamide, N-(4,6- | traps for 443 |
| dimethyl-2-pyrimidinyl)-) | Symphoromyia sackeni |
| against | in USA 443 |
| Aedes aegypti 506 | on Odocoileus hemionus, in California |
| Anopheles stephensi 506 | 443 |
| Sulphaquinoxaline (see Sulfanilamide, N-2- | traps for 443 |
| quinoxalinyl-) | Synanthropy 2075 |
| against | |
| Aedes aegypti 506, 1116 | Syncerus caffer, Arcyophora zanderi feeding on, in Zaïre 2196 |
| Anopheles stephensi 506, 1116 | |
| Ornithonyssus sylviarum 1116 | Synergists |
| Sulphormethoxine (see Sulfanilamide, N- | design of 2250 |
| (5,6-dimethoxy-4-pyrimidinyl)-) | modes of action of 504, 2249 |
| against | repellency of, to cockroaches 349 |
| Aedes aegypti 1116 | safety of 504 |
| Anopheles stephensi 1116 | Syntomosphyrum albiclavus |
| Sumithion (see Fenitrothion) | in Rhodesia 1262 |
| summorosus, Culex tritaeniorhynchus | parasitising, Glossina pallidipes, in |
| Suncus murinus | Rhodesia 1262 |
| Chrysomya megacephala infesting 2550 | Syria |
| Hemipyrellia ligurriens infesting 2550 | Anopheles sacharovi in 231 |
| Xenopsylla cheopis infesting, in Cambodia | malaria in, control of 231 |
| 1166 Supella langingling | Syringophilidae, taxonomy of 2575 |
| Supella longipalpa control of 1379 | Syringophilus bipectinatus in India 1303 |
| bioresmethrin tested as repellent for | on Gallus, in Assam 1303 |
| 322 | Tabanidae |
| in Netherlands 2437 | chromosome numbers in 431 |
| in USA 1379 | control of |
| in dwellings, in Netherlands 2437 | dichlorvos tested for 1035 |
| Supella supellectilium (see S. longipalpa) | N, N-diethylbenzamide tested as |
| supellectilium, Supella (see S. longipalpa) | repellent for 304 |
| superpictus, Anopheles | repellents for 2009, 2074 |
| (Myzomyia) | dermatophilosis, role of, in 1570 |
| Supona (see Chlorfenvinphos) | in Andorra 11 |
| suppressalis, Chilo | in Byelorussia 1660 |
| Surfactants, repellency of, to cockroaches | in Cameroon 446 |
| 349 | in Daghestan 2007 |
| Surinam | in Europe 1033 |
| dengue in 893 | in Kirgizia 1686 |
| malaria in 893 | in Maritime USSR 1900 |
| Wuchereria bancrofti in 893 | in Mississippi 924 |
| yellow fever in 893 | in Spain 11–12 |
| Sus verrucosus, Haemaphysalis celebensis | in Turkmenia 537 in Ukraine 1643 |
| infesting, in Indonesia 2570 Sweden | in USSR 87, 836, 2039 |
| fleas in 953 | in Uzbekistan 929–930, 2014 |
| Gasterophilus spp. in, on horses 1527 | keys to, in USA 822 |
| Pneumonyssus caninum in, on dogs 1966 | larvae of, collection of 637 |
| Swine fever, African, virus of, Ornithodoros | on cattle, in USSR 1035 |
| moubata, transmission of, by 1578 | on flowers, in USA 1032 |
| Switzerland, Ixodes ricinus in 1059 | pollen grains in, in Louisiana 1540 |
| swynnertoni, Glossina | traps for 924 |

| <i>Sabanus</i> | Tabanus pallidescens contd. |
|--|---|
| control of | flight activity in 624 |
| (+)-trans-allethrin tested for 1737 | life-span in 624 |
| biological 2539 | Tabanus petiolatus |
| resmethrin tested for 1737 | dispersal of 624 |
| Tabanus calens, hog cholera, virus of, | flight activity in 624 |
| | |
| transmission of, by 1869 | life-span in 624 |
| abanus chrysurus | Tabanus pungens |
| feeding behaviour in 2360 | in Colombia 1045 |
| in Japan 2360 | on cattle, in Colombia 1045 |
| Sabanus claripennis | Tabanus quinquevittatus, hog cholera, virus |
| Crithidia spp., isolated from, in Colombia | of, transmission of, by 1869 |
| 1045 | Tabanus rufidens |
| in Colombia 1045 | feeding behaviour in 2360 |
| on cattle, in Colombia 1045 | in Japan 2360 |
| Trypanosoma theileri, isolated from, in | Tabanus spodopteroides, in Spain 12 |
| Colombia 1045 | Tabanus subsimilis, in USA 924 |
| Cabanus fulvulus | Tabanus sulcifrons, hog cholera, virus of, |
| dispersal of 624 | transmission of, by 1869 |
| flight activity in 624 | Tabanus taeniola |
| life-span in 624 | biology of 2001 |
| Sabanus geminus | in Egypt 2001 |
| in USSR 2367 | Tabanus trigonus |
| larvae of 2367 | feeding behaviour in 2360 |
| pupae of 2367 | in Japan 2360 |
| Sabanus iyoensis | Tabavon (see Adipic acid, dibutyl ester; |
| autogeny in, in Japan 619 | glutaric acid, dibutyl ester; and Succinic |
| biology of 1542 | acid, dibutyl ester; or Butyl adipate, |
| control of, insecticides tested for 439 | Butyl glutarate, and Butyl succinate) |
| , | Tachinaephagus zealandicus |
| in Japan 619 1542 | parasitising |
| Sabanus lineola | dung-breeding flies, and biological |
| collection of 627 | control using, in California 2532 |
| control of, insecticides tested for 2148 | Stomoxys spp., and biological control |
| dispersal of 624 | using, in Mauritius 2186 |
| flight activity in 624 | tachinoides, Glossina |
| hog cholera, virus of, transmission of, by | taeniola, Tabanus |
| 1869 | taeniopus, Culex |
| in USA 627, 924, 2148 | taeniorhynchus, Aedes |
| life-span in 624 | Tahiti, Culicoides belkini in 2147 |
| Tabanus mandarinus | Ťahyňa virus |
| feeding behaviour in 2360 | Aedes caspius, isolated from, in Austria |
| in Japan 2360 | 221 |
| Fabanus melanocerus | A. dorsalis, isolated from, in Austria 22 |
| dispersal of 624 | A. vexans, seasonal incidence of, in, in |
| flight activity in 624 | Czechoslovakia 580 |
| life-span in 624 | Culiseta annulata |
| Tabanus nebulosus | seasonal incidence of, in, in |
| in Colombia 1045 | Cashadayakia 590 |
| | Czechoslovakia 580 transmission of, by 1204 |
| | |
| Tabanus nigripes | in Czechoslovakia 1203 Taiwan |
| dispersal of 624 | |
| flight activity in 624 | A toggin 1777 |
| life-span in 624 | A. togoi in 1777 |
| Tabanus nigrovittatus | Anopheles balabacensis in 413 |
| collection of 627 | A. hyrcanus in 2298 |
| control of | A. maculatus in 413 |
| insecticides tested for 2148 | Armigeres subalbatus in 982 |
| traps for 825 | Culex pipiens in 214, 982, 2298 C. pseudovishnui in 2109 |
| in USA 627, 825, 2148 | |
| Tabanus pallidescens | C. tritaeniorhynchus in 2298 |
| dispersal of 624 | C. vishnui in, viruses in 2298 |

M. peniculatus 853

Taiwan contd. Tatera indica contel. Culicoides spp. in 413 Stivalius aporus infesting, in India 532 Ixodes ovatus in 2218 Xenopsylla astia infesting, in India 532 Xenopsylla cheopis infesting, in India Talonat (see Malonamide, N.N'-bis[2-(1aziridinyl)ethyll- or N.N'-Bis(2-(1-532 aziridinyl)ethyl)malonamide) tauriae. Phlebotomus chinensis tamerlani. Haematopota Taurotragus oryx antisera to 1617 Tamias striatus griseus, Aedes triseriatus East Coast fever, role of, in 1915 feeding on 205 tamulus, Buthus tavlori, Aedes TD-8550 (see Carbamic acid, Tanypus, control of, insecticides tested for (mercaptoacetyl)methyl-, methyl ester, & 1870 **Tanytarsus** ester with O-methyl in Canada 1037 methylphosphonodithioate or S-(N-Methoxycarbonyl-Nsex ratio in 1037 methylcarbamoylmethyl) O-methyl Tanzania Aedes aegypti in 556, 733, 792, 1205 methylphosphonodithioate) A. luteocephalus in 733 Techniques A. metallicus in 733 for embedding in epoxide resins 107 Aedes simpsoni in 213, 556, 733, for identifying mosquito blood-meals 1190-1191 A. vittatus in 733 A. woodi in 213 Telenomus fariai parasitising, Triatoma phyllosoma 201 population dynamics of 201 Anopheles funestus in 570 T426 Telmatoscopus albipunctatus Anopheles gambiae in 562, 570, 1210, control of 1426, 1757 diazinon tested for 1053 pyrethroids tested for 1053 Culex pipiens in 396, 1210 Telmatoscopus meridionalis, DNA in, Demodex bovis in, on cattle 471 Glossina morsitans in 246, 1259-1260, related to taxonomy 1079 1834 Temephos (see Phosphorothioic acid, O,O'-Glossina pallidipes in 607, 1819, 1822 (thiodi-p-phenylene) O,O,O',O'-Glossina swynnertoni in 607, 1819, 1822, tetramethyl ester) 1824, 1858, 2158 Temik (see Aldicarb) Hippobosca longipennis in 2158 Temperature malaria in 570 effects of, on Aedes geniculatus 1657 Mansonia uniformis in 1210 Simulium adersi in 1515 A. rossicus 1657 S. damnosum in 1515 A. sollicitans 2120 sleeping sickness in 1260, 2160 A. sticticus 1615 A. stimulans 2146 Tar oil, against, Sarcoptes scabiei 860 A. taeniorhynchus 1088 tarandi, Hybomitra tarandi, Oedemagena Aedes triseriatus 65, 2120 A. vexans 1235 (Hypoderma) tarandi, Solenopotes Anopheles albimanus 2120 Tarantulas, on man, allergic reaction to A. pharoensis 2095 A. quadrimaculatus 2120 tarsalis, Culex Blattella germanica 1382 Tarsonemida, taxonomy of 1356 Chironomus plumosus 2368 Cochliomyia hominivorax 2359 tartakovskyi, Ornithodoros (Alectorobius) Ctenophthalmus dolichus 1401 tartara, Shelfordella Culex pipiens 1466, 1472, 1493, 2120 Culex restuans 209, 2120 Culex salinarius 209, 2120 Damalinia bovis in, on cattle 355 C. tritaeniorhynchus 1492 Haematopinus eurysternus in, on cattle Culiseta inornata 2120 insect pests in 190-191 Dermatophagoides farinae 475 Linognathus vituli in, on cattle 355 Glyptotendipes paripes 2368 Haematobia irritans 1899 Solenoptotes capillatus in, on cattle 355 Macrocheles muscaedomesticae 853 Tatera indica Ctenocephalides felis infesting, in India M. penicilliger 853

| Tommovature contd | Tatracklerringhes contd |
|--|--|
| Temperature contd. | Tetrachlorvinphos contd. |
| effects of, on contd. | against contd. |
| mosquitos 1658 | Hippelates pusio 823 |
| Musca domestica 853, 1044, 1534, | insects in aircraft 1600 |
| 2172 | Musca domestica 436, 630, 1601, 2173 |
| M. vetustissima 430 | Periplaneta americana 1602 |
| Orthopodomyia signifera 1760 | Psoroptes cuniculi 2574 |
| Periplaneta americana 1382, 1703 | Rhodnius prolixus 1601 |
| P. fuliginosa 1382 | Simulium pictipes 599 |
| P. japonica 1382 | Triatoma infestans 1601 |
| Phlebotomus papatasi 1007 | Xenopsylla cheopis 1601–1602 |
| Phormia regina 1889 | in cattle, residues of 2173 |
| Rhipicephalus appendiculatus 2567 | in <i>Musca domestica</i> , penetration of 1025 |
| R. sanguineus 1289 | Tetradecanoic acid (see Myristic acid) |
| Sarcophaga argyrostoma 428 | Tetraethylthiuram monosulphide, against, |
| S. bullata 428 | Myocoptes musculinus 1584 |
| S. crassialpis 49 | tetraginata, Metacnephia |
| S. crassipalpis 428 | Tetrahymena, Aedes sierrensis, in, in |
| Toxorhynchites brevipalpis 572 | California 2472 |
| Tribolium confusum 2200 | Tetramethrin |
| Wyeomyia smithii 1451 | against |
| Tenebrio, infesting man 108 | Aedes aegypti 1046,1047 1053, 1361 |
| | Acues acgypii 1040,1047, 1055, 1501 |
| Tenebrionidae, helminths of vertebrates, relation of, and 1677 | Anopheles albimanus 1046–1047 |
| Tennessee | Anopheles quadrimaculatus 1046–1047 Anopheles quadrimaculatus 1046–1047 |
| Demodex spp. in, on captive Cricetus | Blattella germanica 1321 |
| auratus 2228 | |
| | Culex pipiens 1046–1047, 1053, 2099 |
| mosquito control in, environmental effects of 543 | Lucilia cuprina 1053 Musca autumnalis 1046–1047 |
| _ | |
| Tepa determination of 2326 | Musca domestica 1046–1047, |
| repellency of, to Musca domestica 2183 | 1053–1054, 1321, 1361, 2099 Sarganhaga paragrina, 1053 |
| sterilant for | Sarcophaga peregrina 1053 Stomoxys calcitrans 1046–1047 |
| Anopheles albimanus 2326 | Telmatoscopus albipunctatus 1053 |
| Culex pipiens 402, 542, 793, 1435, | |
| 2317 | in fogging machines, losses of 697 synergists for 1054, 1321 |
| Monomorium pharaonis 1566 | trans-(+)- |
| Musca domestica 2169, 2317 | against |
| tepidariorum, Achaearanea | Aedes aegypti 321, 1361 |
| teres, Ctenophthalmus | Blattella germanica 321 |
| terraenovae, Protophormia | Musca autumnalis 321 |
| (Phormia) | Musca domestica 321, 1361 |
| territans, Culex | Periplaneta americana 321 |
| tescorum, Simulium | repellent for |
| tesquorum, Ceratophyllus | Blattella germanica 321 |
| tessellatus, Anopheles | Periplaneta americana 321 |
| Testudo horsfieldi, Ornithodoros | synergists for 321 |
| tartakovskyi infesting, in USSR 2428 | O,O,O',O'-tetramethyl O,O'-thiodi-p- |
| Tetisimulium alajensis (see Simulium) | phenylene diphosphorothioate |
| Tetisimulium bezzii (see Simulium) | against |
| Tetisimulium coarctatum (see Simulium) | Aedes spp. 2117 |
| Tetisimulium desertorum (see Simulium) | Aedes aegypti 215, 734, 917, 1185, |
| Tetrachlorvinphos | 1766, 2289 |
| against | A. canadensis 1738 |
| Aedes aegypti 1601, 2289 | A. melanimon 752 |
| Anopheles albimanus 1601 | A. sierrensis 2474 |
| A. quadrimaculatus 1601 | A. sollicitans 374 |
| Blattella germanica 1602 | A. taeniorhynchus 374 |
| Boophilus annulatus 850 | A. vexans 752 |
| B. microplus 850 | Anopheles labranchiae 557, 1329, |
| Cimex lectularius 1602 | 2260 |
| Glossina austeni 248 | A. maculipennis 2260 |
| | |

transmission of, by 283

murine typhus in

365

Q.Q.Q'.Q'-tetramethyl Q.Q'-thiodi-p-Texas contd. phenylene diphosphorothioate contd. Neoschoengastia americana in, on turkevs against contd. Armigeres subalbatus 982 Psorophora confinnis in 375 biting flies 308 viruses in 2453 P. discolor in 375 Coquillettidia richiardii 785 Culex spp. 767 Saint Louis encephalitis in 961 C. nigripalpus 374 Venezuelan equine encephalitis in 375. C. peus 2458 2450-2452 Culex pipiens 982, 2117, 2306, 2458 western equine encephalitis in 961, 1770 C. restuans 374 Xenopsylla cheopis in 365 C. salinarius 374 Thailand midges 1870 Aedes aegypti in 211, 215, 1185, 1499, 2500 mosquitos 1440, 1736, 1740 Musca domestica 917 Culex fuscocephalus in 1181 C. gelidus in, viruses in Psorophora confinnis 2327 C. pipiens in 214 Simuliidae 602 C. tritaeniorhynchus in 1786 Simulium congareenarum 2347 viruses in 1775 S. damnosum 2154 Ixodes ovatus in 2218 S. slossonae 2347 Japanese encephalitis in 1181, 1786 Tabanidae 2148 Musca domestica in 257, 1886 in Uca spp., toxicity of 503 thalassius, Culex resistance to, in thalictri. Calne Chironomus attenuatus, in California Thalidomide, sterilant for, Culex pipiens molestus 67 Musca domestica 175 Thanite specifications for 695, 1986 synergist for carbamates 1563 1,1,5,5-Tetramethyl-2,4-dithiobiuret, carbaryl 1563 degradation products of 1287 N.N'-tetramethylenebis(1malathion 1553 pyrethrins 913 aziridinecarboxamide) sterilant for trichlorphon 1563 Cochliomyia hominivorax 1279, 1872 Zectran 1563 Culex pipiens 542 Thaumatomvia notata Tetramorium control of 821 Raillietina echinobothrida, intermediate in dwellings 821 host of, in Kerala 1906 Thaumetopoea wilkinsoni, toxin from poison R. tetragona, intermediate host of, in hairs of 1909 Kerala 1906 theileri, Amblyomma (see A. hebraeum) Tetramorium simillimum theileri, Culex in India 1906 theileri, Rhipicephalus Raillietina tetragona, intermediate host of, Theileria in Kerala 1906 Rhipicephalus appendiculatus, transmission of, by 1915 texanus, Ixodes Texas R. simus, transmission of, by 1915 Aedes sollicitans in 375 Theileria annulata Anopheles pseudopunctipennis in 1792 cattle, in, in Turkey 852 California encephalitis in 961 Hyalomma anatolicum development of, in 1060 Culex pipiens in 961 Culex tarsalis in 961, 1770 effects of X-irradiation on, in 1934 viruses in 2453 ticks, persistence of, in 1662 Culicoides arubae in, on horses 1002 Theileria hirci Culiseta melanura in, viruses in 2453 goats, in, in Turkey 852 Damalinia caprae in, on goats 2085 Hyalomma anatolicum, transmission of, D. crassipes in, on goats 2085 by 2213 D. limbata in, on goats 2085 Theileria mutans Dermatophagoides farinae in 2408 Haemaphysalis punctata Haematobia irritans in 449 transmission of, by 1922 Leptoconops kerteszi in, on horses 1002 transmitting, in Czechoslovakia 63 malaria in 1792 Rhipicephalus appendiculatus,

Thiotena contd. Theileria ovis Rhipicephalus bursa, transmission of, by in Achaearanea tepidariorum, effects of 1916 R. evertsi sterilant for transmission of, by 1916 Anopheles albimanus 2106, 2326 transmitting, in South Africa Culex pipiens 542, 1435, 1489, 1746 sheep, in, in Turkey 852 Musca domestica 271, 1330, 1534, vectors of, in USSR 1916 1536, 2169, 2264 Theileria parva synanthropic flies 1536 Xenopsvlla cheopis 1096 Rhipicephalus appendiculatus detection of, in 2210 Thiourea, effects of, on, Musca domestica development of, in 1945 Thogoto virus R. evertsi, transmission of, by 283 Amblyomma variegatum, isolated from, in Thelazia gulosa 843 Nigeria Musca amica, role of, in epidemiology of Boophilus decoloratus, isolated from, in Nigeria 843 M. domestica, intermediate host of, in Hyalomma anatolicum, isolated from, in India 1546 Egypt 2561 Thelazia lacrymalis tholozani, Ornithodoros horses, isolated from, in Ontario 129 (Alectorobius) Musca autumnalis, suggested as vector of, thriambus, Culex in North America 129 Thuricide (see Bacillus thuringiensis) Thelazia skrjabini, Musca amica, role of, in Thyridanthrax, parasitising, Glossina epidemiology of 1880 pallidipes, in Rhodesia thelcter. Aedes Thyridanthrax abruptus Thelohania in Rhodesia 2353 parasitising, Glossina morsitans, in Anopheles gambiae, in, in Kenya 2321 Culex pipiens, in, in USSR 143 Rhodesia 2353 Simulium ornatum 2525 Thelohania bracteata, Simulium vittatum, Thyridanthrax lugens in Rhodesia 2353 effects of, in 2416 parasitising, Glossina morsitans, in Thelohania legeri, Anopheles labranchiae, in, Rhodesia 2353 Thyridanthrax salutaris in France 228 in Rhodesia 2353 Thelohania opacita Aedes caspius, in, in France 228 parasitising, Glossina morsitans, in A. communis, effects of, in 2115 Rhodesia 2353 A. detritus, in, in France 228 tiberiadis; Sergentomyia, (Phlebotomus) Theobaldia (see Culiseta) tibialis, Hippelates Theobaldia annulata (see Culiseta) Theobaldia ochroptera (see Culiseta) arboviruses, transmission of, by 145 Thermonectus basilaris, Dursban in, toxicity cell cultures from 1697 control of 660-661 of 1075 Thiara, preyed on by, Diplonychus rusticus, in Azerbaijan 1621 in Philippines 531 in Ethiopian region 2557 Thiocyanic acid in Siberia 1672 2-(2-butoxyethoxy)ethyl ester in Soviet Far East 1672 in Tadzhikistan 2015 against, mosquitos 2110 in Uzbekistan 2053 synergist for, carbaryl 1563 ovaries in, staining of sections of 106 preparation of 1370 Thiodipin (see Phosphine sulfide, 1,4piperazinediylbis[bis(1-aziridinyl)-; or 1,4rearing of, techniques for, feeding on mice Piperazinediylbis(bis(1aziridinyl)phosphine sulphide)) 649 rickettsiae, detection of, in 1937 Thiohempa (see Phosphorothioic triamide, hexamethyl-; or Hexamethylphosphorotsurveillance techniques for 512 hioic triamide) tissue cultures from, cultivation of .Thiosemicarbazide pathogens in 881 against tigripes, Culex Tiguvon (see Fenthion) Aedes aegypti 506

Tilapia

preying on

midges 2483

Anopheles stephensi 506

determination of 2326

| Tilapia contd. | Toxisol FLC contd. |
|--|--|
| preying on contd. | against contd. |
| mosquitos 2483 | Culiseta inornata 756–757 |
| l'imor | in ponds, non-target effects of 640, 757 |
| Brugia malayi in 892 | Toxisol TB |
| malaria in 892 | against |
| Wuchereria bancrofti in 892 | Culex peus 756 |
| Tinna elongata, in Kenya 2321 | C. tarsalis 756 |
| titillans, Mansonia | Culiseta inornata 756 |
| tobbi, Phlebotomus | in ponds, non-target effects of 640 |
| TOCP (see Phosphoric acid, tri-o-tolyl | Toxoplasma gondii, Leucophaea maderae, |
| ester) | persistence of, in 2440 |
| Годо | · Toxorhynchites, preying on, mosquitos, and |
| Anopheles gambiae in 1488 | biological control using 1436, 2324 |
| Culex pipiens in 1765 | Toxorhynchites brevipalpis |
| sleeping sickness in 895 | development in 572 |
| yellow fever in 546, 761, 772, 2281 | predatory behaviour in 572 |
| togoi, Aedes | Trachelas tranquillus |
| m-toluamide, N,N-diethyl- (see Deet) | in USA 2577 |
| Toluene, \(\alpha \cdot \{ \text{[2-(2-butoxyethoxy)ethoxy} \} \) -4,5- | on man, in Delaware 2577 |
| (methylenedioxy)-2-propyl- (see | Tragelaphus scriptus |
| Piperonyl butoxide) Foluene, chloronitro-, against, Tyrophagus | antisera to 1617 |
| putrescentiae 293 | Glossina pallidipes feeding on, in Kenya 1522, 1525 |
| m-tolyl methylcarbamate | trypanosomes, isolated from, in Kenya |
| acaricidal activity of 668 | 1522 |
| against | Tragelaphus strepsiceros, antisera to 1617 |
| Dermanyssus gallinae 680, 2224 | tranquillus, Trachelas |
| Goniocotes gallinae 680 | transcaspicum, Simulium, (Obuchovia) |
| Menacanthus stramineus 680 | Trap, battery-operated suction, description |
| p-tolyl methylcarbamate | of 1998 |
| acaricidal activity of 668 | Trap, folding, for, synanthropic flies 628 |
| against | Trap, Malaise |
| Dermanyssus gallinae 680, 2224 | for |
| Goniocotes gallinae 680 | Culicidae 924 |
| Menacanthus stramineus 680 | Tabanidae 924 |
| o-tolylglyoxylonitrile oxime diethyl | Trap, Manitoba |
| phosphate, against, Anopheles | for ONLY |
| quadrimaculatus 1739 | Culicidae 924 |
| tonnoiri, Culiseta | Tabanidae 924, 2360 |
| tormentor, Aedes | Tabanus nigrovittatus 825 |
| torrentium, Culex torrida, Zygonyx | Trap, ramp, for, mosquitos 970 Trap, suction, for, mosquitos 925 |
| Towhee (see Pipilo erythrophthalmus) | Trap, TRVL No. 17, for, mosquitos 925 |
| townsendi, Lutzomyia, (Phlebotomus) | Trap, verandah, for, mosquitos 784 |
| Toxaphene | Trap, window, for, mosquitos 784 |
| against | trapidoi, Lutzomyia |
| Boophilus annulatus 850 | Traps |
| B. microplus 850 | for |
| Haematobia irritans 1868, 2546 | Aedes sierrensis 2130 |
| Musca autumnalis 2546 | Amblyomma americanum 280 |
| Psoroptes ovis 859 | Anopheles spp. 1227 |
| resistance to, in | A. stephensi 367 |
| Boophilus decoloratus, in southern | Culex pipiens 2130 |
| Africa 650 | C. tarsalis 2130 |
| Rhipicephalus appendiculatus, in | Culicidae 924 |
| southern Africa 650 | Culicoides spp. 1003 |
| R. evertsi, in southern Africa 650 | mosquitos 784, 925, 970 |
| Toxisol FLC | use of carbon dioxide in 1202 |
| against 756 | Phlebotomidae 2343 Simuliidae 1514 |
| Culex peus 756 Culex tarsalis 756–757 | Symphoromyia spp. 443 |
| Caren tarsairs 150-151 | Symphotomyia sup. 745 |

| Traps contd. | Triatoma infestans contd. |
|---|---|
| for contd. | Trypanosoma cruzi contd. |
| synanthropic flies 628 | transmission of, among 1716 |
| Tabanidae 924, 2360 | xenodiagnosis of, in 2443 |
| Tabanus nigrovittatus 825 | xenodiagnosis of, using 1715 |
| Vespula vulgaris 1905 | T. rangeli, infectivity of, for 197 |
| tredecimguttatus, Latrodectus mactans | wing abnormalities in 2087 |
| Frematoda, Diptera, role of, in epidemiology | |
| of 2006 | Triatoma lecticularius, Trypanosoma rangel |
| | infectivity of, for 197 |
| triangularis, Hydrophilus | Triatoma maculata |
| trianguliceps, Ixodes, (Exopalpiger) | biology of 1156 |
| triannulatus, Anopheles | distinguishing sexes of, in nymphs 1162 |
| Triatoma, cytogenetics of 1720 Triatoma arthurneivai | in Venezuela 1156 |
| dispersal of 1713 | Trypanosoma rangeli, infectivity of, for 197 |
| in Brazil 1713 | |
| Triatoma brasiliensis | Triatoma megistus (see Panstrongylus) Triatoma pallidipennis (see T. phyllosoma |
| distinguishing sexes of, in nymphs 1162 | pallidipennis) |
| in Brazil 1157 | |
| taxonomy of, Triatoma petrochii distinct | Triatoma patagonica, Trypanosoma rangeli, infectivity of, for 197 |
| from 1157 | Triatoma petrochii |
| Triatoma dimidiata | in Brazil 1157 |
| in Panama 1165, 2270 | taxonomy of, Triatoma brasiliensis distinc |
| in dwellings, in Panama 1165, 2270 | from 1157 |
| Trypanosoma cruzi | Triatoma phyllosoma pallidipennis |
| isolated from, in Panama 1165 | egg-hatch in, effects of female age on |
| transmitted by, in Panama 2270 | 360 |
| Triatoma dispar | parasitised by, Telenomus fariai 201 |
| in Panama 1165, 2270 | Trypanosoma cruzi, xenodiagnosis of, |
| Trypanosoma cruzi, transmitted by, in | using 1715 |
| Panama 2270 | T. rangeli, infectivity of, for 197 |
| Triatoma infestans | Triatoma protracta, Trypanosoma rangeli, |
| biology of, in laboratory colony 728 | infectivity of, for 197 - |
| Blastocrithidia spp. in, in Brazil 528 | Triatoma rubrofasciata |
| Chagas' disease, role of, in, in Brazil | in Brazil 724 |
| 1394–1395 | in dwellings, in Brazil 724 |
| control of | on man, in Brazil 724 |
| BHC for 1154 | Triatoma rubrovaria, Trypanosoma rangeli, |
| in Brazil 1163 | infectivity of, for 197 |
| insecticides tested for 1601 | Triatoma ryckmani |
| juvenile hormone analogues tested for | sp. n., description of 2089 |
| 1855 | in Honduras 2089 |
| propoxur tested for 725 | Triatoma sanguisuga |
| reproductive value for evaluating 2088 | in USA 1717 |
| demography of 359 | on man, in North Carolina 1717 |
| distinguishing sexes of, in rymphs 1162 | Triatoma sordida |
| egg-hatch in, effects of dyes on 527 | distinguishing sexes of, in nymphs 1162 habitats of 199, 1154–1155 |
| in Argentina 2093 in Brazil 198, 528, 1154, 1163–1164, | hosts of 1155 |
| 1394–1395 | in Brazil 199, 1154–1155 |
| in Chile 725, 950 | |
| in dwellings | on bats, in Brazil 199 on birds, in Brazil 199 |
| assessing infestations with 198 | on opossums, in Brazil 199 |
| in Brazil 1164, 1394–1395 | on rats, in Brazil 199 |
| in Chile 725 | Trypanosoma cruzi |
| in fowl houses, in Brazil 1164 | infectivity of, for 1158–1161, |
| Trypanosoma cruzi | 2444–2445 |
| infectivity of, for 1158–1161, | isolated from, in Brazil 199, 1154 |
| 2444–2445 | Triatoma vitticeps |
| isolated from | Trypanosoma cruzi |
| in Brazil 1394–1395 | infectivity of, for 1158 |
| in Chile 950 | xenodiagnosis of, in 2443 |
| | |

Psoroptes ovis 474

| Triatominae | Trichlorphon contd. |
|---|--|
| embryonic development in, techniques for | against contd. |
| studying 1389 | Rhipicephalus bursa 1944 |
| surveillance techniques for 512 | Stomoxys calcitrans 2190 |
| 1,3,5,2,4,6-Triazatriphosphorine, 2,2,4,4,6,6- | Wohlfahrtia magnifica 1036 |
| | formulations of 2069 |
| hexakis(1-aziridinyl)-2,2,4,4,6,6- | |
| hexahydro- (see Apholate) | in cattle |
| s-triazines, sterilants for, Culex pipiens 793 | effects of 255, 2164–2165 |
| s-triazine, 2,4,6-tris(2-methyl-1-aziridinyl)- | hydrolysing on hair 178 |
| sterilant for | residues of 163 |
| Culex pipiens 2317 | toxicity of 424 |
| Musca domestica 2317 | in mice, systemic activity of 425 |
| Tribeč virus, Haemaphysalis punctata, | in milk |
| transmitting, in Czechoslovakia 63 | determination of 1605 |
| Tribolium confusum | residues of 1605 |
| Hymenolepis diminuta | in Musca domestica, effects of 40, 2037 |
| development of, in 451 | in pigs, residues of 163 in rabbits, effects of 2588 |
| susceptibility to, in 2200 | |
| Trichlophos (see Phosphorothioic acid, O | resistance to, in, Musca domestica 1664 |
| ethyl O-methyl O(2,4,5-trichlorophenyl) | specifications for 1986 |
| ester or O-Ethyl O-methyl O-2,4,5- | synergists for, Thanite as 1563 |
| trichlorophenyl phosphorothioate) | Trichocephalus, synanthropic flies, |
| Trichlorfon (see Trichlorphon) | contaminated with 184 |
| Trichlormetaphos-3 (see Phosphorothioic | Trichocorixa reticulata |
| acid, Oethyl Omethyl O(2,4,5- | in USA 2485 |
| trichlorophenyl) ester or O-Ethyl O | preyed on by, Pardosa sternalis, in |
| methyl O-2,4,5-trichlorophenyl | California 2485 |
| phosphorothioate) | Trichomyia nuda, in Canada 594 |
| 1,2,4-Trichlorobenzene, against, Tyrophagus | Trichoptera |
| putrescentiae 293 | control of, insecticides tested for 132 |
| Trichlorphon | larvae of, dispersal of 1993 |
| against | preying on, Simuliidae 596 Trichoribates trimaculatus, in USSR 139 |
| Alphitobius diaperinus 1313 Plattella germanica 1329 1377 2262 | Trichoribates trimaculatus, in USSR 139 Trichuris, Scarabaeidae, role of, in |
| Blattella germanica 1329, 1377, 2262 Boophilus annulatus 850 | epidemiology of, in Iran 839 |
| B. calcaratus 2215 | 9-Tricosene, (Z)-, Musca domestica sex |
| B. microplus 850 | attractant 1867 |
| Culex pipiens 331 | 2,6-Tridecadienoic acid, 10,11-epoxy-7-ethyl |
| Cuterebra spp. 425 | 3,11-dimethyl- |
| Demodex canis 470 | ethyl ester |
| D. folliculorum 682 | against |
| Dermanyssus gallinae 680, 2203, 2224 | Damalinia bovis 2268 |
| Dermestes ater 1314 | Stomoxys calcitrans 1874 |
| Goniocotes gallinae 680 | methyl ester |
| Haematobia irritans 2190 | against |
| Hippelates spp. 1276 | Damalinia bovis 2084 |
| Hypoderma spp. 425, 2162, 2165 | Stomoxys calcitrans 1874 |
| Hypoderma bovis 255, 1021, | Tridecanoic acid |
| 1118–1119, 2164 | ethyl ester |
| Hypoderma lineatum 255, 1021, | against |
| 1118–1119, 2164 | Aedes aegypti 1178 |
| Ixodidae 1949, 2203 | Musca domestica 1179 |
| Lucilia sericata 2190 | methyl ester |
| Menacanthus stramineus 680 | against |
| Musca domestica 51, 176, 1329, 1535, | Aedes aegypti 1178 |
| 1558, 1563, 2190–2191 | Musca domestica 1179 |
| Myobia musculi 2576 | 2-Tridecenoic acid |
| Oestrus ovis 611, 815 | methyl ester, (E)- |
| Pediculus humanus 948 | against |
| Protophormia terraenovae 51 | Aedes aegypti 1178 |
| Przhevalskiana silenus 1020 | Musca domestica 1179 |
| Psoroptes ovis 474 | tridens. Simulium oriseicallis |

| Friethylamine, 2-[2-(isobornyloxy)ethoxy]- | Tropital (see Piperonal, bis[2-(2- | | |
|--|---|--|--|
| synergist for | butoxyethoxy)ethyl] acetal) | | |
| allethrin 1054 | truncatum, Hyalomma | | |
| pyrethrins 1054 | Trypanosoma, vectors of, in Africa 1729 | | |
| tetramethrin 1054 | Trypanosoma avium, Simulium spp., | | |
| Trifolium repens | susceptibility to, in 2349 | | |
| Aedes togoi feeding on 1465 | Trypanosoma bouffardi | | |
| Culex spp. feeding on 371 | Glossina morsitans, morphology of, in | | |
| C. pipiens feeding on 1465 | 1832, 1859 | | |
| trigonus, Tabanus | Glossina palpalis, morphology of, in | | |
| trimaculatus, Trichoribates | 1832, 1859 | | |
| 2,3,5-Trimethylphenyl methylcarbamate | Glossina tachinoides, morphology of, in | | |
| against | 1832, 1859 | | |
| Chrysomya megacephala 1280 | Trypanosoma brucei | | |
| Lucilia cuprina 1280 3,4,5-Trimethylphenyl methylcarbamate | cattle, in, in Ethiopia 2161 | | |
| | developmental cycle in 1860 equines, in, in Ethiopia 2161 | | |
| against Chrysomya megacephala 1280 | Glossina morsitans | | |
| Lucilia cuprina 1280 | cyclical transmission of, by 1831 | | |
| Trinidad and Tobago | infectivity of, for 1857 | | |
| Aedes aegypti in 1793 | isolated from, in Botswana 251 | | |
| Culicoides diabolicus in 412 | transmitting, in Senegal 809 | | |
| C. foxi in 412 | G. pallidipes | | |
| C. furens in 412 | isolated from | | |
| C. pusillus in 412 | in Kenya 1265 | | |
| mosquitos in 925 | in Uganda 1265 | | |
| Sarcoptes scabiei in | survival of, in 2528 | | |
| on dogs 2227 | G. palpalis, transmitting, in Senegal 809 | | |
| on man 2227 | serotypes of 1265 | | |
| trinidadensis, Lutzomyia | Trypanosoma congolense | | |
| Tripteroides bambusa | cattle, in, in Ethiopia 2161 | | |
| in Korea 2494 overwintering in 2494 | Glossina austeni, cyclical transmission of, by 1517 | | |
| triseriatus, Aedes | G. brevipalpis, isolated from, in Uganda | | |
| tritaeniorhynchus, Culex | 1856 | | |
| Trithion (see Carbophenothion) | G. fuscipes, isolated from, in Uganda | | |
| Tri-o-tolyl phosphate, synergist for, | 1856 | | |
| malathion 1553 | Glossina morsitans | | |
| trivittatus, Aedes | cyclical transmission of, by 1517, 1831 | | |
| Troglodytes troglodytes, Mackiena sugiharai | transmitting, in Senegal 809 | | |
| infesting, in Japan 1585 Trolen (see Fenchlorphos) | G. pallidipes isolated from | | |
| Trombicula | in Kenya 1856 | | |
| on Rattus rattus, in Vietnam 1967 | in Tanzania 1822 | | |
| on Rattus sabanus, in Vietnam 1967 | in Uganda 1856 | | |
| Rickettsia orientalis, isolated from, in | G. palpalis, transmitting, in Senegal 809 | | |
| Vietnam 1967 | G. swynnertoni | | |
| Trombiculidae | isolated from | | |
| control of, in USA 687 | in Kenya 1856 | | |
| in Azerbaijan 2051 | in Tanzania 1822, 1858, 2158 G. tachinoides, cyclical transmission of, | | |
| in Pakistan 465 in USSR 139, 465 | by 1517 | | |
| rearing of, techniques for 102 | Trypanosoma cruzi | | |
| tissue reactions to 1341 | Akodon nigritus, isolated from, in Brazil | | |
| tsutsugamushi disease, role of, in, in | 1160 | | |
| USSR 2028 | Cavernicola pilosa, isolated from, in Brazi | | |
| Trombidina, taxonomy of 1356 | 199 | | |
| Tropisternus lateralis, Dursban in, toxicity | dogs, isolated from, in Chile 950 | | |
| of 1075 Tropisurus confusus, Dermestes ater, | domestic risk factor 1826 Eira barbara, isolated from, in Brazil | | |
| intermediate host of 2201 | 2444 | | |

Trvnanosoma cruzi contd. Trvpanosoma cruzi contd. Galictis vittata, isolated from, in Brazil Triatoma contd. Triatoma sordida 1158 Marmosa microtarsus, isolated from, in infectivity of, for 1158-1161, Brazil 200 2444-2445 Musca domestica, transmission of, by isolated from, in Brazil 199, 1154 1893 T. vitticens Ornithodoros moubata infectivity of, for 1158 development of, in 1595–1596 maintenance of, in 1595 xenodiagnosis of, in 2443 vectors of, in Panama 2270 Oxymycterus hispidus, isolated from, in Trvpanosoma gambiense Glossina palpalis, transmitting, in Senegal Brazil 1161 xenodiagnosis of 812 Trypanosoma rangeli Panstrongylus geniculatus Rhodnius ecuadoriensis isolated from development of, in 526 in Brazil 199, 1721 isolated from, in Peru 1392-1393 in Panama 1165 R. neglectus, infectivity of, for 197 P. lignarius, isolated from, in Brazil R. pallescens isolated from, in Panama 1165 P. megistus transmitting, in Panama 2270 development of, in 1596 Rhodnius prolixus effects of, in 726–727 infectivity of, for 197 infectivity of, for 1158-1161, 2444 2445 isolated from, in Brazil 199, 1827 isolated from, in Venezuela 1714 Microsporidia associated with, in 1391 localisation of, in 726 P. rufotuberculatus, isolated from, in Triatoma spp., infectivity of, for 197 Panama 1165 Trypanosoma rhodesiense Philander opossum, isolated from, in Glossina morsitans Brazil 1159 transmitting reservoirs of, in Panama 2270 in Botswana 251 in Ethiopia 1263 Rhodnius ecuadoriensis, isolated from, in Peru 1392 G. pallidipes, transmitting, in Ethiopia Rhodnius neglectus infectivity of, for 1158-1161, G. tachinoides, transmitting, in Ethiopia 2444-2445 isolated from, in Brazil 199, 1154 Redunca redunca, isolated from, in Kenya R. pallescens, isolated from, in Panama 1522 1165 Trypanosoma rotatorium, Culex territans, Rhodnius pictipes, isolated from, in Brazil development of, in 199, 1721 Trypanosoma simiae, pigs, in, in R. prolixus Mozambique 2159 infectivity of, for 2444 Trypanosoma theileri isolated from, in Venezuela 1153, 1714 Lepiselaga crassipes, isolated from, in transmission of, by 1852-1853 Colombia 1045 xenodiagnosis of, using 1715 Tabanus claripennis, isolated from, in Sciurus aestuans, isolated from, in Brazil Colombia 1045 Trypanosoma vivax Triatoma dimidiata, isolated from, in cattle, in, in Ethiopia 2161 Panama 1165 equines, in, in Ethiopia 2161 Triatoma infestans Glossina brevipalpis, isolated from, in infectivity of, for 1158-1161, Uganda 1856 2444-2445 G. fuscipes, isolated from, in Uganda isolated from 1856 in Brazil 1394-1395 G. morsitans in Chile 950 cyclical transmission of, by 1825 transmission of, among 1716 transmitting, in Senegal 809 xenodiagnosis of, in 2443 G. pallidipes xenodiagnosis of, using 1715 isolated from T. phyllosoma, xenodiagnosis of, using in Kenya 1856 1715 in Tanzania 1822

| Trypanosoma vivax contd. | Turkey contd. |
|---|--|
| Glossina pallidipes contd. | arboviruses in 1292 |
| isolated from contd. | Haemaphysalis punctata in 1292 |
| in Uganda 1856 | Hippobosca equina in |
| G. palpalis, transmitting, in Senegal 809 | on donkey 824 |
| G. swynnertoni | on mule 824 |
| isolated from | Hyalomma aegyptium in 1292 |
| in Kenya 1856 | Ixodes ricinus in 1292 |
| in Tanzania 1822, 1858, 2158 | malaria in 990 |
| Trypanosomiasis | Melophagus ovinus in 848 |
| in Africa 894 | Ornithodoros lahorensis in 848 |
| in East Africa 898 | Phlebotomus spp. in 1247 |
| tsetse, Afrocalvolia | Przhevalskiana silenus in, on goats 1020 |
| Isutsugamushi disease (see also Scrub | Rhipicephalus bursa in 848, 1292 |
| typhus) | R. sanguineus in 848 |
| in Indonesia 893 | Sergentomyia spp. in 1247 |
| in Japan 1585 in Pakistan 465 | ticks in, on domestic animals 852 |
| in Tadzhikistan 465 | Turkeys |
| Trombiculidae, role of, in, in USSR 2028 | diazinon in, toxicity of 1315 |
| tuberculata, Hydrotaea | Dursban in |
| tuberosum, Simulium | effects of 467 |
| Fugon Maggot Killer (see Trichlorphon) | residues of 2589 |
| Tularaemia | ethion in, toxicity of 1315 |
| Dermacentor pictus, role of, in, in Siberia | methidathion in, toxicity of 1315 |
| 2401 | Neoschoengastia americana infesting, in |
| Gamasoidea, role of, in 2067 | Texas 466 |
| in USSR 17, 647–648 | turkhudi, Anopheles |
| Ixodes apronophorus | Turlock virus |
| role of, in | Anopheles franciscanus, isolated from, in |
| in Siberia 2401 in USSR 100 | California 2455 |
| Ixodidae | Culex peus, isolated from, in California 2455 |
| role of, in 2067 | C. tarsalis, isolated from, in California |
| in USSR 17 | 2455 |
| vectors of, in USSR 94 | turturis, Haemaphysalis |
| Tunga penetrans, in Cape Verde Islands | Typhus, in Uganda 354 |
| 112 | Typhus, Asian tick-borne, in USSR 148 |
| Tunisia | typhus, Hybomitra |
| Phlebotomus spp. in 592 | typicus, Anopheles (see A. maculipennis |
| P. papatasi in 1007 | maculipennis) |
| Sergentomyia spp. in 592 | Tyroglyphidae |
| Simulidae in 420 | biology of 858 |
| Tupaia glis Picketteia orientalis isolated from in | in house dust, in Spain 858 |
| Rickettsia orientalis, isolated from, in Vietnam 1967 | morphology of 858 on man |
| ticks infesting, in Malaysia 1940 | allergic reaction to 1962 |
| turanica, Haemaphysalis numidiana | literature on 150 |
| turanicum, Hyalomma marginatum | taxonomy of 858 |
| turanicus, Rhipicephalus | Tyroglyphoidea, in USSR 139 |
| Turbellaria | Tyroglyphus longior (see Tyrophagus) |
| preying on | Tyroglyphus siro (see Acarus) |
| midges 2483 | Tyrophagus casei, on man, literature on |
| mosquitos 2483 | 150 |
| turbinatum, Colpocephalum | Tyrophagus castellani, on man, literature on |
| Turdus merula, Ixodes ricinus infesting, in | 150 |
| Poland 133 | Tyrophagus longior |
| Turdus philomelos, Ixodes ricinus infesting, in Poland 133 | in Spain 858, 1971 |
| turgaicum, Simulium, (Wilhelmia) | in dwellings, in Spain 1971 in house dust, in Spain 858 |
| Turkey | Tyrophagus noxius, on man, literature on |
| Anopheles claviger in 990 | 150 |
| | - |

| Terren or rip | phed Emomology Series B 1773 von 0 |
|---|---|
| Tyrophagus perniciosus, on man, literature on 150 | Union of Soviet Socialist Republics contd. Aedes contd. |
| Tyrophagus putrescentiae | A. communis in 84 |
| control of | on cattle 2141 |
| dieldrin tested for 672 | A. galloisi in 18 |
| fenitrothion tested for 293, 671-672 | A. hexodontus in 327 |
| fenthion tested for 293, 671–672 | A. japonicus in 1491 |
| organic chemicals tested for 293 | A. punctor in 84 |
| in Czechoslovakia 1305 | on cattle 2141 |
| in Japan 293, 671–672 | Aedes togoi in 95, 142 |
| in feedstuffs, effects on mammals of 679 | A. vexans in 84 |
| in house dust, in Czechoslovakia 1305 | Aleochara spp. in 92 |
| on man, literature on 150 | Allodermanyssus sanguineus in 2059 |
| UC-10854 (see Carbamic acid, methyl-, m- | Anopheles spp. in 83, 496 |
| cumenyl ester; or m-Isopropylphenyl | Anopheles maculipennis in 159, 332 |
| methylcarbamate) | A. pulcherrimus in 325 |
| Uca | A. sacharovi in 313 |
| insecticides in, toxicity of 2148 | Anoplura in 356 |
| organic phosphates in, toxicity of 503 | Argas persicus in 1062, 1933 |
| Uganda | birds in, arthropods from nests of 139 |
| Aedes africanus in 1461 | Ceratophyllus igii in 171 |
| A. apicoargenteus in 1771 | C. tesquorum in, on Citellus pygmaeus |
| A. simpsoni in 1233 Anopheles gambiae in 704, 2512 | 703 |
| Coquillettidia fuscopennata in 1461 | Ceratopogonidae in 87, 537, 931, 2048 |
| Demodex bovis in, on cattle 471 | Chironomus anthracinus in 96 |
| Glossina brevipalpis in 1856 | Chrysops vanderwulpi in 2367 |
| G. fuscipes in 1856 | Cimex lectularius in 1693 |
| G. morsitans in 246 | Crematogaster subdentata in 685 |
| Glossina pallidipes in 1265, 1856 | Ctenophthalmus teres in, on Microtus |
| Haemaphysalis rugosa in 462 | arvalis 2025 |
| Pediculus humanus in, on man 354 | C. władimiri in 93 |
| typhus in 354 | Culex spp. in 496 |
| yellow fever in 546 | C. modestus in 141. |
| ugandensis, Glossina morsitans submorsitans | Culex pipiens in 88, 141, 143, 300, 312, |
| Umbethion (see Coumarin, 3-chloro-7- | 331, 1365, 1466, 2031 Culicidae in 19, 87, 933, 1631, 2046 |
| hydroxy-4-methyl-, diethyl phosphate; or | Culicinae in 2027 |
| Diethyl 3-chloro-4-methyl-7-coumarinyl | Culicoides spp. in 84, 410, 2341 |
| phosphate) | natural enemies of 2339 |
| Umbra pygmaea, preying on, mosquito | C. fascipennis in 333 |
| larvae, and biological control using, in | C. grisescens in 333 |
| New Jersey 1424 | C. punctatus in 333 |
| Undecanoic acid | Culiseta spp. in 496 |
| ethyl ester | cutaneous leishmaniasis in 336, 482, |
| against | 2236 |
| Aedes aegypti 1178 | Dermacentor marginatus in 148 |
| Musca domestica 1179 | D. nuttalli in 657 |
| methyl ester | Dermacentor pictus in 647, 2401 |
| against | D. silvarum in 172 |
| Aedes aegypti 1178 | Dermanyssidae in, on birds 138 |
| Musca domestica 1179 | Dermanyssus gallinae in |
| undecimata, Metacnephia | on birds 138 on fowls 1968, 2224 |
| undulata, Notonecta unguiculatus, Stictochironomus | |
| unicolor, Schoutedenichia | Dermatophagoides spp. in, on man 483 dicrocoeliosis in 1056 |
| unicornutum, Simulium | Diptera in 2047, 2068 |
| unifasciata, Notonecta | control of 62 |
| uniformis, Mansonia | problems with 62 |
| Union of Soviet Socialist Republics | fleas in 1057 |
| Aedes spp. in 84, 182, 302, 328, 496 | on small mammals 75 |
| Aedes caspius in 84, 141 | flies in, helminth eggs in 184 |

Union of Soviet Socialist Republics contd. Union of Soviet Socialist Republics contd. Frontopsylla semura in, on Citellus Phlebotomidae in 155, 183, 537, 1506, pygmaeus 703 2345 Gamasidae in 1641, 1659 Phlebotomus alexandri in 1368 on rodents 15 Phlebotomus caucasicus in 336, 482 Gamasoidea in 1627 Phlebotomus chinensis in 336, 338 Haemaphysalis concinna in 172 P. kandelakii in 336 H. inermis in, on Capreolus capreolus P. mongolensis in 147 Phlebotomus papatasi in 77-78, 309, Haemaphysalis japonica in 172, 1635 482, 1368 Haematobia spp. in 934 P. sergenti in 336 Helenicula spp. in 3 Protophormia terraenovae in, on reindeer Hyalomma asiaticum in 1062, 1127 126, 2534 H. dromedarii in 1636 Rhinonyssus spp. in 7 Schoutedenichia spp. in Hybomitra brevis in 432 Sergentomyia arpaklensis in 78, 1368 Hydrotaea spp. in 180 Shelfordella tartara in H. meteorica in 181 Silvius zaitzevi in 74 H. pandellei in 181 Simuliidae in 87, 932, 1082, 2011, 2040, Hypoderma spp. in 2056 2044, 2351 on cattle 2165 Simulium spp. in 302 Hypoderma bovis in, on cattle 1021, S. angustitarse in 1663, 2164 S. aureum in 84 Hypoderma lineatum in, on cattle 1021, Simulium erythrocephalum in 59, 84 1663, 2164 S. latipes in 511 insects in, keys to 1614 S. ornatum in 511 Ixodes apronophorus in 100, 2008, 2401 Siphonaptera in 2012 I. pavlovskyi in 2397 spirochaetosis in 1691 Ixodes persulcatus in 76, 82, 156, 158, 170, 172, 329, 493, 1635, 2397 Stomoxys calcitrans in 64 Tabanidae in 87, 495, 537, 836, 929-930, Ixodes ricinus in 14, 493 1643, 1660, 1686, 1900, 2007, 2014, on Capreolus capreolus 2214 2039 on cattle 1938 on cattle 1035 viruses in 1938 Tabanus geminus in 2367 I. sachalinensis in 2558 tick-borne encephalitis in 146, 307, 1641, I. trianguliceps in 2041 Ixodidae in 17, 85, 172, 1640-1641, tick-borne rickettsiosis in 656-657 2023, 2057 tick-borne spirochaetoşis in ticks in 1621, 1672, 2053 Trombiculidae in 173, 465, 2028, 2051 Ixodoidea in 935, 1083 Lasiohelea sibirica in 79, 1682 Lipoptena cervi in, on cattle 1034 on bats 4 malaria in 81, 83, 159, 332, 481 tsutsugamushi disease in 465, 2028 Mallophaga in 2022 tularaemia in 94, 647-648, 2401 medical entomology in 2042 veterinary entomology in 2042 Morellia spp. in 2535 visceral leishmaniasis in 336 mosquitos in 494, 1625, 2279 Wohlfahrtia magnifica in, on sheep Musca domestica in 64, 68, 176, 1693, Xenopsylla skrjabini in 93 2036, 2192 United Kingdom Neopsylla setosa in, on Citellus pygmaeus Aedes detritus in 2119 703 Blatta orientalis in 1380, 1705 Odonata in, trematodes isolated from Blattella germanica in 1380 Chorioptes bovis in, on sheep 469 Oedemagena tarandi in, on reindeer 126, Culex pipiens in 989 818, 1865, 2529, 2534 Oestridae in 936, 2054 Dasyhelea dufouri in 1004 Demodex aurati in, on Cricetus auratus Oestrus ovis in, on sheep 1685 Oribatidae in 856, 1961 D. criceti in, on Cricetus auratus 1953 Ornithodoros alactagalis in 334 Dermacentor reticulatus in 459 Ornithodoros tartakovskyi in 61, 153, Diptera in, in dwellings 1407 2428-2429 Haemaphysalis punctata in 459 O. verrucosus in 334 on cattle 1922 pest control in, repellents for 1667 Hyalomma aegyptium in 459

| , oz | | |
|---|---|--|
| United Kingdom contd. | Upper Volta contd. | |
| Monomorium pharaonis in, in hospitals | Phlebotomidae in 1252 | |
| 838 | Simulium damnosum in 244, 605 | |
| Oeciacus hirundinis in 951 | S. griseicollis in 244 | |
| Oesophagostomum in 2376 | sleeping sickness in 895 | |
| Pediculus humanus in, on man | yellow fever in 546, 761, 2281 | |
| 1151–1152 | Uranotaenia lowii | |
| Periplaneta americana in 1380 | control of | |
| Phthirus pubis in, on man 1151 | malathion tested for 380 | |
| Psychoda spp. in 2376 | naled tested for 380 | |
| Simulium equinum in 2348 | Uranotaenia sapphirina | |
| S. ornatum in 2348 | habitats of, aquatic vegetation associated | |
| United States of America (see also | with 978 | |
| individual States) | host preferences of 2125 | |
| Amblyomma americanum in 1942 | in USA 978, 1745, 2125, 2542 | |
| Anopheles bradleyi in 60 | Urea, 1,1:3,3-dihexamethylene- (see 1 H- | |
| A. crucians in 60 | Azepine, 1,1'-carbonylbis[hexahydro-) | |
| A. georgianus in 60 | Urea, 1,1:3,3-dipentamethylene- (see | |
| Blatta orientalis in 1379 | Piperidine, 1,1'-carbonyldi-) Urea, thio- | |
| Blattella germanica in 1379 Boophilus microplus in, on Odocoileus | in Musca domestica, effects of 508 | |
| virginianus 667 | sterilant for, Musca domestica 1891 | |
| hubonic plague in 2274 | Uropodidae, in USSR 139 | |
| bubonic plague in 2274 Culex restuans in 209 | Utah | |
| C. salinarius in 209 | Aedes atropalpus in 766 | |
| Culicoides spp. in 237 | Aedes dorsalis in 381, 765, 2481 | |
| C. denningi in 5 | Aedes nigromaculis in 765, 2481 | |
| C. hieroglyphicus in 5 | arthropods in | |
| C. jamesi in 5 | diseases transmitted by 919 | |
| Dermacentor variabilis in 1942 | of medical importance 919 | |
| on wild pigs 346 | Culex peus in 767 | |
| Haematopinus suis in, on wild pigs 346 | C. pipiens in 767 | |
| household insects in 2079 | Culex tarsalis in 765–767, 1418 | |
| mosquito control in 1805 | Culiseta incidens in 765–766 | |
| Musca autumnalis in 256 | Culiseta inornata in 765, 1418 | |
| Periplaneta americana in 1379 | Ephydra spp. in 2531 | |
| P. australasiae in 1379 | Ephydridae in 820, 2370 | |
| pest control in 687 pesticide use in 687, 1108, 1117 | Leptoconops kerteszi in, control of 800 man in, pesticide residues in 694 | |
| Rocky Mountain spotted fever in 1942 | water in, pesticide residues in 2587 | |
| scorpions in 2234 | Uukuniemi virus, Ixodes ricinus, trans- | |
| Solenopsis richteri in, on man 2198 | stadial transmission of, in 1293 | |
| Supella longipalpa in 1379 | Uukuniemi viruses | |
| Tabanidae in 822 | Argas reflexus, isolated from, in | |
| on flowers 1032 | Afghanistan 844 | |
| univittatus, Culex | Ixodes ricinus, isolated from, in Ukraine | |
| Upper Volta | 1938 | |
| Anopheles spp. in 1227 | vagus, Anopheles | |
| A. funestus in 2496 | Valeramide, N,N-dibutyl- | |
| in dwellings 784 | repellent for | |
| Anopheles gambiae in 229, 955, 1488, | Hyalomma asiaticum 1577 | |
| 2062, 2496 | H. detritum 1577 | |
| in dwellings 784 | H. dromedarii 1577 | |
| A. nili in, in dwellings 784 | Ixodes persulcatus 301 | |
| A. rufipes in 229 Culex cinereus in 957 | Ornithodoros tholozani 301 Rhipicephalus turanicus 1577 | |
| Culex pipiens in 787, 956–957, | Valeric acid, 2-hydroxy-, attractant for, | |
| 1764–1765 | Aedes aegypti 2276 | |
| Glossina palpalis in 1652 | Valeric acid, 2-oxo-, attractant for, Aedes | |
| Mansonia africana in, in dwellings 784 | aegypti 2276 | |
| M. uniformis in, in dwellings 784 | vanderwulpi, Chrysops | |
| onchocerciasis in 605 | o-vanillin (see m-Anisaldehyde, 2-hydroxy-) | |

| odojeci index | 70. |
|--|---|
| vanillin contd. repellent for, Ornithodoros tholozani | Vespula pensylvanica contd. in USA 639, 642, 1904 |
| 1911 | maintaining workers of 641 |
| Apona (see Dichlorvos) | marking of, fluorescent pigments for 712 |
| variabilis, Dermacentor | Vespula vulgaris |
| variegatum, Amblyomma | control of 643 |
| variipennis, Culicoides | baits for 1905 |
| Vectors | in California 639 |
| control of 512 | traps for 1905 |
| ecology of 512 | flight activity in, in California 1904 |
| Vellore virus | in USA 639, 1904–1905 |
| Culex pseudovishnui, isolated from, in | marking of, fluorescent pigments for 712 |
| India 404 | venom of 174 |
| C. vishnui, isolated from, in India 404 | vetustissima, Musca |
| veltistshevi, Simulium, (Wilhelmia) | vexabilis, Xenopsylla |
| Venezuela | vexans, Aedes |
| Anopheles aquasalis in 2111 | vexator, Phlebotomus (see Lutzomyia |
| Chagas' disease in 1324, 1714 | vexatrix) |
| Deinocerites atlanticus in 967 | vexatrix, Lutzomyia |
| D. magnus in 967 | Vicia sativa |
| D. melanophylum in 967 | Aedes togoi feeding on 1465 |
| malaria in 2111 | Culex pipiens feeding on 1465 |
| mosquitos in 2110 | vicina, Calliphora |
| mucocutaneous leishmaniasis in 1324 | vicina, Musca domestica |
| Phlebotomidae in 1251 | Victoria, Raillietia auris in, on cattle 1068 |
| Rhodnius prolixus in 723, 1153, 1156, 1324, 1714 | Vietnam |
| Triatoma maculata in 1156 | Aedes albopictus in 2132 Haemaphysalis yeni in 461 |
| Venezuelan equine encephalitis in 1324, | Haemaphysalis yeni in 461 plague in 1354 |
| 2110 | Rickettsia orientalis in 1967 |
| visceral leishmaniasis in 1324 | vigil, Wohlfahrtia |
| yellow fever in 1324 | vigilax, Aedes, (Culex) |
| Venezuelan equine fever (see Encephalitis, | vindemmiae, Pachycrepoideus |
| Venezuelan equine) | vindex, Phanaeus (see P. carnifex) |
| ventricosus, Pyemotes | violacea, Menida |
| venustum, Simulium | Vipera russelli, venom of, effects of, on |
| vernum Simulium | microsomal oxygen uptake 1090 |
| verrucosus, Ornithodoros | virgatum, Simulium |
| Vesicular stomatitis virus | Virginia |
| Aedes aegypti | Culex pipiens in 373 |
| multiplication of, in 1637 | Culicoides spp. in 237 |
| transmission of, by 1637 | Dermacentor variabilis in 2204 |
| multiplication of, in 593 | Viruses and virus diseases |
| transmision of, by 593 | of arthropods |
| Vespa affinis, on man, symptoms of sting by | Aedes aegypti 484 |
| 1907 | Aedes taeniorhynchus 1976, 1980, |
| Vespa crabro, venom of 174 | 2300 |
| vespertilionis, Lutzomyia | Anopheles gambiae 2321 |
| Vespula | A. stephensi, also infecting plasmodia |
| control of, insecticides tested for 1984 | 212 |
| on man | Chilo suppressalis 2301 |
| allergic reaction to 2392 | Corethrella brakeleyi 2542 |
| in Virginia 2197 | Culex pipiens 484 |
| symptoms of sting by 2197 | Drosophila melanogaster 879 |
| Vespula germanica, control of 643 | mosquitos 485, 1436 |
| Vespula pensylvanica | iridescent viruses, nomenclature of 684 |
| attractants for | of plants, arthropods, relation of, and 878 |
| heptyl butyrate as 642 | of vertebrates |
| octyl butyrate as 642 control of, in California 639 | arthropods, relation of, and 878 |
| flight activity in, in California 1904 | Ixodidae, relation of, and 880 |
| | |

Viruses and virus diseases contd. Witwatersrand virus, characterisation of 1790 of vertebrates contd. of man, transmitted by ticks 145 wladimiri, Ctenophthalmus vishnui. Culex Wohlfahrtia balassogloi, descriptions of 10 vitripennis, Nasonia Wohlfahrtia magnifica vittatum. Simulium control of vittatus, Aedes v BHC tested for 258 vittatus, Centruroides diazinon tested for 258 dieldrin tested for 258 vitticeps, Triatoma insecticides tested for 1036 vituli. Linognathus Volcanic ash, against, Periplaneta americana pyrethrum tested for 258 descriptions of 1548 in Israel 258 in USSR 1036 vomerifer, Culex vomitoria. Calliphora on sheen vorax, Culex in Israel 258 vulgare, Simulium in USSR 1036 vulgaris, Vespula, 639 Wohlfahrtia opaca, descriptions of 1548 (Paravespula) Wohlfahrtia pattoni vulgatum, Sympetrum descriptions of 1548 walkeri, Anopheles in Sharjah State 1548 Wanowrie virus, Hyalomma impeltatum, rearing of, techniques for 263 isolated from, in Egypt 2561 Wohlfahrtia vigil, descriptions of 1548 Wasps, control of, in USA 687 woodi, Aedes Water buffalo, dwarf (see Anoa Wuchereria bancrofti depressicornis) Aedes aegypti Water-melon, mosquitos feeding on spoiled infection of, with 1752 fruit of 1420 transmission of, by 1177 Waxwing, cedar (see Bombycilla cedrorum) Aedes poicilia, isolated from, in Philippines 1788, 2516 Weiseria spinosa sp. n., described from USSR 143 A. polynesiensis, transmitting, in Fiji Culex pipiens, in, in USSR 143 1754 wellcomei, Anopheles A. pseudoscutellaris, transmitting, in Fiji wellcomei, Lutzomyia, (Psychodopygus) 1754 wellingtoni, Haemaphysalis A. togoi weschei, Culex role of, in epidemiology of, in USSR West Nile virus Aedes albopictus, development of, in transmitting, in Japan 1214 Anopheles funestus Culex theileri, transmission of, by 401 transmitting in Upper Volta Western Australia 2496 Demodex phylloides in, on pigs 857 in West Africa 896 Lucilia cuprina in, on sheep 261-262 A. gambiae Sarcoptes suis in, on pigs 857 infection of, with 1752 Whataroa virus infectivity of, for 2507 Aedes australis, multiplication of, in isolated from, in Kenya transmission of, by 1177, 2498 Culiseta tonnoiri, multiplication of, in transmitting in Upper Volta 2496 Wilhelmia (see Simulium) in West Africa 896 Wilhelmia equinum (see Simulium) A. melas, infectivity of, for 2507 Wilhelmia equinum mediterraneum (see Cimex hemipterus Simulium mediterraneum) isolated from, in Sri Lanka 361 Wilhelmia lineatum (see Simulium) susceptibility to, in 361 Wilhelmia mediterraneum (see Simulium) Culex antennatus, persistence of, in 773 Wilhelmia salopiense (see Simulium C. pipiens lineatum) development of, in 88 Wilhelmia sangrensis (see Simulium) ingestion of, by 1768 wilkinsoni, Thaumetopoea isolated from, in Philippines 1788 willmori, Anopheles maculatus persistence of, in 773 Wisconsin, vertebrates in, ectoparasites of susceptibility to, in 337, 396, 554 939 transmission of, by 2498

| Vuchereria bancrofti contd. | Xenopsylla astia contd. |
|---|--|
| Culex pipiens contd. | on Rattus rattus |
| transmitting | in India 113, 533 |
| in Japan 1214 | in Lucknow 1373 |
| in Singapore 2108 | on Tatera indica, in India 532 |
| in South America 2118 | Pasteurella pestis, isolated from, in India |
| in Angola 892 | 532 |
| in Burma 964 | Xenopsylla brasiliensis |
| | |
| in Indonesia 893, 1787 | in India 533 |
| in Mozambique 892 | on Rattus rattus, in India 533 |
| in Papua and New Guinea 1776 | Xenopsylla cheopis |
| in Portuguese Guinea 892 | control of |
| in Surinam 893 | carbaryl tested as sterilant for 1096 |
| in Timor 892 | dichlorvos tested for 2447 in USA 687 |
| in West Africa 896 | insecticides tested for 1601–1602 |
| man, in, in Philippines 1788, 2107 | Ratindan-2 tested as sterilant for 1006 |
| Mansonia uniformis, development of, in | |
| 1779 | repellents tested for 203 |
| techniques for investigating epidemiology | thiotepa tested as sterilant for 1096 |
| of filariasis caused by 119 | DDT resistance in, in Egypt 319 dieldrin resistance in, in Egypt 319 |
| transportation of 2256 | egg yolk in 1404 |
| Wuchereria malayi (see Brugia) | fat tissue in, effects of ageing on 30 |
| Wyeomyia | fecundity in, effects of host sex hormones |
| in New Jersey 1425 | on 2272 |
| sensilla in | fertility in, effects of organofluorines on |
| on antennae 370 | 2254 |
| on palps 370 | host blood in, digestion of 2446 |
| Venezuelan equine encephalitis, virus of, | in Cambodia 1166 |
| isolated from, in Colombia 2094 | |
| Wyeomyia smithii | in Egypt 319, 1170, 1725 in India 113, 532–533, 1373, 1405 |
| in Canada 1451 | in New Zealand 1136 |
| in USA 1745 | in USA 365, 687 |
| overwintering in 1451 | jumping in 364 |
| K-rays | murine typhus, role of, in, in Texas 365 |
| effects of, on | on dogs, in Cambodia 1166 |
| Anopheles albimanus, including | on man, in Cambodia 1166 |
| sterilisation 975 | on Mus musculus |
| Culex pipiens 2104 | in Egypt 1170, 1725 |
| C. tritaeniorhynchus, including | in India 113 |
| sterilisation 55 | on Rattus, in Cambodia 1166 |
| Glossina morsitans, including | on Rattus norvegicus, in Egypt 1170 |
| sterilisation 1846 | on Rattus rattus |
| Lucilia sericata, including sterilisation | in Egypt 1170 |
| 634 | in India 113, 533 |
| Moniliformis dubius 1703 | in Lucknow 1373 |
| Musca domestica 267, 441, 1882 | on Suncus murinus, in Cambodia 1166 |
| Rhodnius prolixus, including sterilisation 1156 | on Tatera indica, in India 532 |
| Theileria annulata 1934 | Pasteurella pestis in, effects of organofluorines on 2253 |
| Kenodiagnosis, literature on 525 | rearing of |
| Xenopsylla astia | apparatus for 732 |
| egg yolk in 1404 | techniques for 732 |
| fecundity in, effects of host sex hormones | sterility in; in laboratory colony 535 |
| on 2272 | surveillance of, methods for 783 |
| in Cambodia 1166 | Xenopsylla gerbilli minax |
| in India 113, 532–533, 1373 | host blood in, digestion of 2446 |
| on Bandicota bengalensis, in India 532 | Pasteurella pestis in, effects of |
| on Mus musculus, in India 113 | organofluorines on 2253 |
| on Mus platythrix, in India 532 | Xenopsylla skrjabini |
| on Rattus, in Cambodia 1166 | feeding behaviour in 93 |
| on Pattue maltada in India 532 | in HSSD 03 |

Yersinia pestis (see Pasteurella) Xenonsylla skriabini contd. plague, role of, in 93 Xenopsylla vexabilis vlephiletrix, Lutzomyia in Cambodia 1166 voungi, Stigmaeus on Rattus, in Cambodia 1166 Xylene, in sheep, effects of 1603 vuilli. Lutzomvia Xylenol, against, Tyrophagus putrescentiae 293 Zaïre Xvlobates monodactylus in USSR 856 2196 Moniezia spp., isolated from, in Uzbekistan 856 Yaba 1 virus. Culex modestus, isolated from. in Czechoslovakia 999 yasguri, Cheyletiella Yellow fever Aedes spp., control of, and, in Africa Muscinae in 276 391 A. aegypti control of, and, in Americas 780 role of, in, in Africa 546 A. africanus, role of, in, in Africa 546 A. simpsoni, role of, in, in Africa 546 zaitzevi. Silvius Haemagogus spp., control of, and, in Americas 391 Zambia in Africa 546-547, 2419 in Angola 549, 892, 1793 in Bolivia 772, 1793 in Brazil 772, 1793 in Cameroon 772, 2281 zanderi, Arcyophora in Central African Republic 2283, 2286 in Central America 547 in Colombia 772, 1793 in East Africa 2287-2288 Zectran in Equatorial Guinea 2281 in Gĥana 772, 2281-2282, 2291 in Guinea 772 in India, risk of ziemanni, Anopheles 553 in Mali 2281 Zika virus in Nigeria 772, 2281, 2290 in Peru 772 in Portuguese Guinea 892 in Senegal 2281 in South America 547 in Surinam 893 in Togo 772, 2281 zlatensis, Forcipomyia in Upper Volta 2281 zombaensis, Culex in Venezuela 1324 in West Africa 548, 761, 896 in Zaïre 1793 virus of Aedes spp., transmitting, in West Africa A. albopictus, development of, in 1000 octene) A. luteocephalus, isolated from, in Nigeria 393 Yemen Anopheles coustani in 16 dimethyloctane) A. fluviatilis in 2313 ZR-0485 (see 2,4-Dodecadienoic acid,

A. squamosus in 16

yeni, Haemaphysalis

yencannensis, Lutzomyia, (Phlebotomus)

Yersinia pseudotuberculosis (see Pasteurella) Yugoslavia, Formica pratensis in 2385 Yukon, Aedes canadensis in, viruses in Arcyophora zanderi in, on Syncerus caffer Demodex bovis in, on cattle 471 Glossina fuscipes in, mites infesting G. palpalis in 1833 mites infesting 2232 Hermetia illucens in 2536 Onchocerca volvulus in onchocerciasis in 603 Simulium damnosum in 603 Stomoxyinae in 276 vellow fever in 1793 Anopheles gambiae in 1778 Glossina morsitans in sleeping sickness in 808, 2160 zaraptor, Muscidifurax zealandicus, Tachinaephagus Zebrina detrita, Dicrocoelium lanceolatum, intermediate host of 2385 against, Musca domestica 1563 synergists for, Thanite as 1563 Zhum (see Cattle-yak hybrids) Aedes apicoargenteus, isolated from A. luteocephalus, isolated from, in Nigeria Zinc, radioactive (65Zn), Glossina austeni labelled with 810 Zonotrichia albicollis, eastern equine encephalitis, virus of, isolated from, in New York 2517 **ZR-0436** (see 2-Octene, 6,7-epoxy-1-(pethylphenoxy)-3,7-dimethyl-; or 6,7-Epoxy-1-(p-ethylphenoxy)-3,7-dimethyl-2-ZR-0442 (see Octane, 6,7-epoxy-1-(pethylphenoxy)-3,7-dimethyl-; or 6,7-Epoxy-1-(p-ethylphenoxy)-3,7-

3,7,11-trimethyl-, isopropyl ester; or Isopropyl 3,7,11-trimethyl-2,4-

dodecadienoate)

ZR-0512 (see 2,4-Dodecadienoic acid, 3,7,11-trimethyl-, ethyl ester; or Ethyl 3,7,11-trimethyl-2,4-dodecadienoate)

ZR-0515 (see 2,4-Dodecadienoic acid, 11-methoxy-3,7,11-trimethyl-, isopropyl ester; or Isopropyl 11-methoxy-3,7,11-trimethyl-2,4-dodecadienoate)

Zygonyx torrida

in Ghana 601

Simulium pupae attached to nymphs of, in Ghana 601

Ghana 601 Zygoribatula frisiae

in USSR 1961

Moniezia spp., intermediate host of, in Azerbaijan 1961

Zygoribatula skrjabini

in USSR 856


Moniezia spp., isolated from, in Uzbekistan 856

M. benedeni, intermediate host of 856
 M. expansa, intermediate host of 856

71R-2451 (see Oil, petroleum) 71R-2469 (see Oil, petroleum)

71R-2469B (see Oil, petroleum) 71R-2493 (see Oil, petroleum)

SUBJECT INDEX PREPARED BY A M WOOD



| ~ | The state of the s |
|----|--|
| To | the Commonwealth Institute of Entomology, 56 Queen's Gate, London SW7 5JR, Uk |
| 1. | I |
| | of |
| | |
| | hereby request you to make and supply to me a photocopy of the article covered by Abstract No |
| 2. | I have not previously been supplied with a copy of the said article/part of the said work by any librarian. |
| 3. | I undertake that if a copy is supplied to me in compliance with the request made above, |

COPVEIGHT RECIII ATIONS: Form of Declaration and Undertaking

will not use it except for the purposes of research or private study.

4. Send this form and remittance (7p per page by surface mail, or 8p per page by 2nd class airmail) to the above address.

(Note: Additional forms are available on request.)

C.A.B. JOURNALS

ANNUAL SUBSCRIPTION RATES 1973

The abstract journals form one part of the range of services in agricultural sciences provided by CAB and provide a total of well over 100 000 abstracts and citations by title each year. They constitute the only comprehensive coverage in English of the world literature on agriculture and related sciences and are available at prices well below the cost of production (except Food Science and Technology Abstracts) because CAB is subsidized by the contributing countries*.

From 1973 the journals will be produced by computer techniques, and a consolidated data base created from which new services will be developed. Most journals will issue monthly, and in due course all data will be available on magnetic tape. The format of the 1973 journals has been changed in order to conform with international standards and in the interests of economy.

| | Subscribers in non-contributing countries | | Rate to Subscribers in |
|--|---|---------|---------------------------|
| | | | |
| | | | contributing |
| | | | countries |
| Title | | | |
| Review of Applied Entomology (Monthly) | £ | \$ U.S. | £ |
| Series A. Agricultural | 26.00 | 67.50 | 10.00 |
| Series B. Medical and Veterinary | 10.00 | 26.00 | 4.00 |
| Bulletin of Entomological Research (Quarterly) | 10.00 | 26.00 | 7.00 |
| Review of Plant Pathology (Monthly) | 31.00 | 80.50 | 12.00 |
| Review of Medical and Veterinary Mycology | | | |
| (Quarterly) | 10.00 | 26.00 | 4.00 |
| Helminthological Abstracts | | | |
| Series A. Animal and Human Helminthology | | | |
| (Monthly) | 25.00 | 65.00 | 10.00 |
| Series B. Plant Nematology (Quarterly) | 10.00 | 26.00 | 4.00 |
| World Agricultural Economics and Rural Sociology | | | |
| Abstracts (Monthly) | 22.00 | 57.00 | 9.00 |
| Animal Breeding Abstracts (Monthly) | 30.00 | 78.00 | 12.00 |
| Veterinary Bulletin (Monthly) | 35.00 | 91.00 | 14.00 |
| Index Veterinarius (Monthly) | 45.00 | 117.00 | 18.00 |
| Nutrition Abstracts and Reviews (Monthly) | 45.00 | 117.00 | 18.00 |
| Dairy Science Abstracts (Monthly) | 30.00 | 78.00 | 12.00 |
| Forestry Abstracts (Monthly) | 40.00 | 104.00 | 16.00 |
| Horticultural Abstracts (Monthly) | 35.00 | 91.00 | 14.00 |
| Herbage Abstracts (Monthly) | 20.00 | 52.00 | 8.00 |
| Field Crop Abstracts (Monthly) | 25.00 | 65.00 | 10.00 |
| Plant Breeding Abstracts (Monthly) | 35.00 | 91.00 | 14.00 |
| Soils and Fertilizers (Monthly) | 35.00 | 91.00 | 14.00 |
| Weed Abstracts (Monthly) | 20.00 | 52.00 | 8.00 |
| Food Science and Technology Abstracts | | | |
| (produced in collaboration with Institut fur | | | |
| Dokumentationswesen, Institute of Food | | | 10000 |
| Technologists, PUDOC and Zentralstelle für | 100.00 | 260.00 | 100.00 |
| maschinelle Dokumentation) (Monthly) | | | |
| (dollary) | | | |

All the above journals are obtainable (post free) from:
CENTRAL SALES BRANCH
COMMONWEALTH AGRICULTURAL BUREAUX
FARNHAM HOUSE, FARNHAM ROYAL, SLOUGH SL2 3BN, ENGLAND

Loss in Transit: Claims for numbers of any journal lost in transit will only be considered if notice of such loss is received within THREE MONTHS of the date of posting.

*The following Governments subsidize CAB: The United Kingdom of Great Britain and Northern Ireland, Canada, Australia, New Zealand, India, Sri Lanka, Ghana, Malaysia, Nigeria, Cyprus, Sierra Leone, Tanzania, Jamaica, Trinidad and Tobago, Uganda, Kenya, Malawi, Zambia, The Gambia, Guyana, Botswana, Barbados, Mauritius, Swaziland, Fiji, Dependent Territories and the Republic of Ireland (Associate Government). The Associated States of the Eastern Caribbean have been invited to become members of CAB.